



**Genuine  
Replacement  
Parts,  
Accessories  
& Consumables  
Catalogue 2023**

[www.electroluxprofessional.com](http://www.electroluxprofessional.com)



# INDEX

Genuine Replacement Parts, Accessories and Consumables Catalogue	1
--	---



# INDEX

## Genuine Replacement Parts, Accessories and Consumables Catalogue

### Genuine Replacement Parts

Feet .....	1
Castors .....	1
Cam Switches .....	1
Castors .....	6
Electric Plates .....	10
Feet .....	14
Flexible Gas Pipes .....	17
Flexible-Extensible Gas Pipes .....	18
Gas Taps .....	18
Accessories for Gas Taps .....	21
Gas Valves .....	24
Heating Elements .....	34
Lighting .....	35
Oven Hinges .....	37
Piezo Electric Igniters and Wires .....	38
Pilot Burners .....	40
Spark Plugs .....	50
Switches .....	51
Thermocouples .....	53
Accessories for Thermocouples .....	57
Thermostats .....	58
Extractor Fans, Speed Regulators and Filters .....	68
Water Columns .....	71
Water Gas Steam Valves .....	73
Water Taps .....	75
Brass Solenoid Valves .....	79
Contactors .....	81
Conveyor Belts .....	87
Cords for Tray Conveyors .....	87
External Dosing Systems for Dishwashers .....	87
Accessories for External Dosing Systems .....	89
Internal Dosing Systems for Dishwashers .....	91
Accessories for Internal Dosing Systems .....	92
Magnetic Coils for Solenoid Valves .....	93
Pressure Switches .....	94
Siphons - Drains - Overflows .....	97
Solenoid Valves .....	99
Taps .....	102
Water Pipes .....	104
Accessories for Cold Rooms .....	107
Anti-Acid Filter Driers .....	107
Castors .....	109
Digital Thermoregulators .....	109
Accessories for Thermoregulators .....	111
Motor Fans and Timers .....	114
Hermetic Compressors .....	114
Accessories for Compressors .....	122

Hermetic Condensing Units .....	123
Thermostatic Valves and Orifices .....	127

## Accessories and Consumables

Router/Hub/Boards .....	130
Blast Chiller Probes .....	130
Castors .....	130
Detergents for Automatic Washing .....	131
Gas Conversion Kits .....	132
GN Grids and Trays .....	132
GN Inox Basins .....	136
GN Plastic Basins .....	138
Accessories for Basins .....	140
GN Stainless Steel Trays .....	141
Grease Filters .....	143
Grids and Trays for Bakery - Pastry .....	144
Grids and Trays for Convection Ovens .....	145
Oven Probes .....	146
Smokers and Accessories .....	147
Sous-vide Cooking .....	148
Sous-vide Storage .....	149
Thermal Covers .....	158
Washing Systems .....	158
Water Treatment for Ovens .....	160
Accessories for Boiling Pans .....	162
Accessories for Grills .....	163
Accessories for SpeedDelight .....	163
Accessories for Bain-Marie .....	165
Accessories for Braising Pans .....	165
Castors .....	166
Accessories for Electric Modular Cookers .....	166
Accessories for Fry Tops .....	166
Accessories for Fryers .....	168
Accessories for Gas Modular Cookers .....	173
Grids .....	176
Accessories for Induction .....	177
Accessories for Modular Cooking Ovens .....	178
Accessories for Pasta Cookers .....	179
Chemicals .....	183
Tools .....	191
Baskets for Pot Washers .....	191
Accessories for Baskets .....	193
Detergents for Dishwashers .....	196
Foot Mixer Taps .....	198
Mixer Taps and Shower Groups .....	199
Accessories for Water Taps and Shower Groups .....	204
Plastic Baskets 500x250mm .....	205
Plastic Baskets 500x500mm .....	206
Plastic Baskets for Glasswashers .....	209
Accessories for Plastic Baskets - Glasswashers .....	210

Rubber Collar for Waste Disposal	211
Shower Groups	212
Accessories for Shower Groups	213
Wall Washing Units	213
Water Treatment	215
Wire Baskets 500x500mm	216
Wire Baskets for Glasswashers	217
Accessories for Wire Baskets	218
B2000 - B3000	219
BE5	222
BE8	223
BMX60 - BMXE60 - XBE60	223
BMXE80 - XBE80	225
CT6/10 - DTA - CF4	226
Ditomix	229
Emix	229
K120/KE120 - K120S/KE120S	231
K180/KE180 - K180S/KE180S	232
K25 - K35 - K45 -K 55 -K70	233
MB40 - MBE40	233
Mini Green	235
Multigreen	237
RC14	238
Speedy Mixer	240
T10E - T15E	240
T5S - T5E/T5M - T8E/T8M	242
Ti25 - T25E	244
TR260	244
TR300	249
TrinityPro	251
TRK45 - TRK55 -TRK 70	255
TRS - TR210	258
XBM10 - XBE10	265
XBM20 - XBE20 - XBB20	266
XBM30 - XBE30 - XBB30	268
Accessories For Planetary Mixers	270
Accessories Cold Rooms	271
Accessories For Breeding Station	272
Anti-Vibration Plates	275
Basins	276
Castors	277
Grids	278
Modular Shelving	281
Shelf Guides	283
Wire Baskets	284
Measuring Gauges	284
Ppe	294
Tools	297
Trolleys	298
Automatic Water Softeners	299
Consumables for Manual Water Softeners	302

Manual Water Softeners .....	304
Reverse Osmosis Water Treatment .....	304
Water Treatment .....	307








## Feet

Code	Spare Part Description	Picture
0CA753	ADJUSTABLE FLANGED FOOT FOR 6&10 GN - 100-130mm in AISI 304	
092681	FLANGED FOOT FOR 6-20 GN BLAST CHILLER FREEZER	

## Castors









Code	Spare Part Description	Picture
093279	Swivelling WHEEL FOR 10 GN 2/1 BLAST CHILLER FREEZER Ideal for cleaning behind the blast chiller freezer	

## Cam Switches

Code	Spare Part Description	Picture
003142	Cam switch 0-1 pos 2 control positions - 2 poles contacts with rating 16A-250V D shaft Ø 6x4.6 mm spindle length 23mm faston connectors 6.3x0.8mm	
OK8420	Cam switch 0-1 pos 2 control positions - 2 poles contacts with rating 16A-250V D shaft Ø 6x4.6 mm spindle length 23mm screw connections	
0A2036	Cam switch 0-1 pos 2 control positions - 2 poles contacts with rating 16A-250V D shaft Ø 6x4.6 mm spindle length 23mm faston connectors 6.3x0.8mm rear hole for thermostat	
0H6688	Cam switch 0-1 pos 2 control positions - 2 poles contacts with rating 16A-250V D shaft Ø 6x4.6 mm spindle length 23mm faston connectors 6.3x0.8mm	
028390	Cam switch 0-1 pos 2 control positions - 2 poles contacts with rating 16A-250V D shaft Ø 6x4.6 mm spindle length 23mm screw connections	



### Cam Switches

Code	Spare Part Description	Picture
032677	Cam switch 0-1 pos 2 control positions - 4 poles contacts with rating 16A-250V D shaft Ø 6x4.6 mm spindle length 23mm faston connectors 6.3x0.8mm	
026945	Cam switch 0-1 pos 2 control positions - 4 poles contacts with rating 16A-250V D shaft Ø 6x4.6 mm spindle length 23mm screw connections rear hole for thermostat	
0A2134	Cam switch 0-1 pos auxiliary 2 control positions - 4 poles contacts with rating 16A-250V D shaft Ø 6x4.6 mm spindle length 23mm faston connectors 6.3x0.8mm	
048271	Cam switch 0-1-2 pos 3 control positions - 3 poles contacts with rating 16A-250V D shaft Ø 6x4.6 mm spindle length 26mm faston connectors 6.3x0.8mm	
054375	Cam switch 0-1 pos auxiliary 2 control positions - 2 poles contacts with rating 16A-250V D shaft Ø 6x4.6 mm spindle length 23mm faston connectors 6.3x0.8mm	
006649	Cam switch 0-1 pos 2 control positions - 4 poles contacts with rating 32A-250V D shaft Ø 6x4.6 mm spindle length 23mm screw connections	
0H6284	Cam switch 0-1-2 pos 3 control positions - 5 poles contacts with rating 16A-250V D shaft Ø 6x4.6 mm spindle length 23mm faston connectors 6.3x0.8mm	
OL3145	Cam switch 0-1-2 pos 3 control positions - 3 poles contacts with rating 16A-250V D shaft Ø 6x4.6 mm spindle length 23mm faston connectors 6.3x0.8mm	
OKV045	Cam switch 0-1-2 pos 3 control positions - 8 poles contacts with rating 16A-250V D shaft Ø 6x4.6 mm spindle length 23mm faston connectors 6.3x0.8mm	












## Cam Switches

Code	Spare Part Description	Picture
0H9806	Cam switch 0-1-2 pos 3 control positions - 4 poles contacts with rating 32A-250V D shaft Ø 6x4.6 mm spindle length 23mm screw connections	
032857	Cam switch 0-3 pos 4 control positions - 2 poles contacts with rating 16A-250V D shaft Ø 6x4.6 mm spindle length 17 mm screw connections	
0G7663	Cam switch 0-3 pos 4 control positions - 3 poles contacts with rating 16A-250V D shaft Ø 6x4.6 mm spindle length 23 mm faston connectors 6.3x0.8mm	
OK6631	Cam switch 0-3 pos 4 control positions - 3 poles contacts with rating 16A-250V D shaft Ø 6x4.6 mm spindle length 23 mm faston connectors 6.3x0.8mm	
0A2241	Cam switch 0-1 0-1 pos 4 control positions - 4 poles contacts with rating 16A-250V D shaft Ø 6x4.6 mm spindle length 23mm faston connectors 6.3x0.8mm	
003761	Cam switch 0-3 pos 4 control positions - 5 poles contacts with rating 16A-250V D shaft Ø 6x4.6 mm spindle length 23 mm faston connectors 6.3x0.8mm	
OK4921	Cam switch 0-3 pos 4 control positions - 4 poles contacts with rating 16A-250V D shaft Ø 6x4.6 mm spindle length 23 mm screw connections	
059544	Cam switch 0-3 pos 4 control positions - 5 poles contacts with rating 16A-250V D shaft Ø 6x4.6 mm spindle length 23 mm faston connectors 6.3x0.8mm	
0C7965	Cam switch 0-3 pos 4 control positions - 8 poles contacts with rating 16A-250V D shaft Ø 6x4.6 mm spindle length 17 mm faston connectors 6.3x0.8mm	








### Cam Switches

Code	Spare Part Description	Picture
0H6682	Cam switch 0-1 0-1 pos 4 control positions - 4 poles contacts with rating 32A-250V D shaft Ø 6x4.6 mm spindle length 23 mm screw connections	
0H6683	Cam switch 0-3 pos 4 control positions - 4 poles contacts with rating 32A-250V D shaft Ø 6x4.6 mm spindle length 23 mm screw connections	
0C9725	Cam switch 0-3 pos 4 control positions - 11 poles contacts with rating 16A-250V D shaft Ø 6x4.6 mm spindle length 23 mm faston connectors 6.3x0.8mm	
0K1383	Cam switch 0-3 pos 4 control positions - 3 poles contacts with rating 32A-250V D shaft Ø 6x4.6 mm spindle length 23 mm screw connections	
052749	Cam switch 0-4 pos 5 control positions - 3 poles contacts with rating 16A-250V D shaft Ø 6x4.6 mm spindle length 23 mm screw connections	
0C9080	Cam switch 0-4 pos 5 control positions - 7 poles contacts with rating 16A-250V D shaft Ø 6x4.6 mm spindle length 24 mm faston connectors 6.3x0.8mm	
0C7353	Cam switch 0-4 pos 5 control positions - 11 poles contacts with rating 16A-250V D shaft Ø 6x4.6 mm spindle length 23 mm faston connectors 6.3x0.8mm	
0K5159	Cam switch 0-5 pos 6 control positions - 6 poles contacts with rating 16A-250V D shaft Ø 6x4.6 mm spindle length 23 mm faston connectors 6.3x0.8mm	
048286	Cam switch 6 control positions - 1 pole contacts with rating 16A-250V D shaft Ø 6x4.6 mm spindle length 23 mm faston connectors 6.3x0.8mm	









## Cam Switches

Code	Spare Part Description	Picture
0H6685	Cam switch 0-6 pos 7 control positions - 3 poles contacts with rating 16A-250V D shaft Ø 6x4.6 mm spindle length 23 mm faston connectors 6.3x0.8mm	
053408	Cam switch 0-6 pos 7 control positions - 6 poles contacts with rating 16A-250V D shaft Ø 6x4.6 mm spindle length 23 mm faston connectors 6.3x0.8mm	
OK4914	Cam switch 0-6 pos 7 control positions - 5 poles contacts with rating 16A-250V D shaft Ø 6x4.6 mm spindle length 23 mm faston connectors 6.3x0.8mm	
0C3936	Cam switch 0-6 pos 7 control positions - 7 poles contacts with rating 16A-250V D shaft Ø 6x4.6 mm spindle length 23 mm screw connections	
0A2021 710A2021	Cam switch 0-6 pos 7 control positions - 3 poles contacts with rating 16A-250V D shaft Ø 6x4.6 mm spindle length 23 mm screw connections	
002661	Cam switch 0-6 pos 7 control positions - 5 poles contacts with rating 16A-250V D shaft Ø 6x4.6 mm spindle length 23 mm faston connectors 6.3x0.8mm	
004741	Cam switch 0-6 pos 7 control positions - 7 poles contacts with rating 16A-250V D shaft Ø 6x4.6 mm spindle length 23 mm faston connectors 6.3x0.8mm	
0A2022	Cam switch 0-6 pos 7 control positions - 3 poles contacts with rating 32A-250V D shaft Ø 6x4.6 mm spindle length 23 mm screw connections	








Genuine Replacement Parts

## Castors

Code	Spare Part Description	Picture
0S0124	Castor with brake, round expansion Ø 21.5 H 68 mm dim. Ø125x30mm	
0S0125	Castor with brake, square expansion 20.5x20.5 H 68 mm dim. Ø125x30mm	
0S0126	Castor with brake, square expansion 37.5x37.5 H 68 mm dim. Ø125x30mm	
0S1428	Castor with brake dim. Ø125x30mm	
003342	Castor with brake with pin Ø 19 mm H 45 mm dim. Ø125x30mm	
033656	Castor with brake with screw M10x1.5 dim. Ø100x30mm	
0S0127	Castor without brake, round expansion Ø 21.5 H 68 mm dim. Ø125x30mm	
0S0128	Castor without brake, square expansion 20.5x20.5 H 68 mm dim. Ø125x30mm	



## Castors

Code	Spare Part Description	Picture
0S0129	Castor without brake, square expansion 37.5x37.5 H 68 mm dim. Ø125x30mm	
0S1427	Castor without brake dim. Ø125x30mm	
003341	Castor without brake with pin Ø 19 mm H 45 mm dim. Ø125x30mm	
033657	Castor without brake dim. Ø100x30mm	
0S0122	Castor with plate without brake fixing plate 90x70 mm center distance 70x50 mm dim. Ø125x30mm	
031561	Swivel plate castor with brake fixing plate dim. 105x85 mm hole center distance 80/77 x 60 mm dim. Ø125x32mm	
0S1434	Fixed plate castor without brake fixing plate 105x85 mm hole center distance 80/77 x 60 mm dim. Ø125x32mm	



## Castors

Code	Spare Part Description	Picture
032146	Swivel plate castor with brake fixing plate 136x105 mm center distance 105x80 mm dim. Ø160x40mm	
OCA963	Fixed plate castor without brake fixing plate dim. 105x85 mm hole center distance 80/77 x 60 mm dim. Ø 125X40mm	
OS0123	Castor with plate with brake fixing plate 90x70 mm center distance 70x50 mm dim. Ø125x30mm	
087111	Swivel plate castor without brake; fixing plate dim. 105x85mm; hole center distance 80/77 x 60mm dim. Ø125x32mm	
032148	Fixed plate castor without brake center distance 105x80 mm dim. Ø160x40mm	
093280	Swivel plate castor with brake fixing plate dim. 105x85 mm hole center distance 80/77 x 60 mm dim. Ø125x40mm	
OC1631	Castor with brake Diameter 100 mm	








## Castors

Code	Spare Part Description	Picture
OC1632	Castor without brake Diameter 125 mm	
OS2626	CASTOR WITH BRAKE	
OS2627	BEAVER WITHOUT BRAKE	
OS0882	Square expansion galv. nut M10 E14 20.5x20.5mm H 68mm for OS0125	
033655	Square expansion galv. nut M10 E14 36x36mm H 42 mm for square leg tables	
OS1209	Round expansion Ø 21.5 H 68 mm for OS0127	
OPE119	Round expansion galv. nut M10 E14 Ø 50mm H 42mm for round leg tables	






Genuine Replacement Parts

## Castors


Code	Spare Part Description	Picture
0S1068	Bumper with round hole Ø 25 mm	
033717	Bumper for trolley side 90 mm	
0S1069	Kit of 4 bumpers with square hole 25x25 mm	

## Electric Plates

Code	Spare Part Description	Picture
053406	Electric hot plate 1500W 230V dim. diameter 145mm	
003930	Electric hot plate 1500W 400V dim. diameter 145mm	
0K0356	Electric hot plate 2000W 400V dim. diameter 220mm	



## Electric Plates

Code	Spare Part Description	Picture
0H6080	Electric hot plate 2500W 400V dim. Ø310mm	 
0G6313	Electric hot plate 1500W 230V dim. diameter 180mm	 
0KJ793	Electric hot plate 1500W 400V dim. diameter 180mm	 
004914	Electric hot plate 2000W 230V dim. diameter 180mm	 
053407	Electric hot plate 2600W 230V dim. diameter 220mm	
053606	Electric hot plate 2600W 240V dim. diameter 220mm	
003931	Electric hot plate 2600W 400V dim. diameter 220mm	



## Electric Plates

Code	Spare Part Description	Picture
003929	Electric hot plate 2600W 440V dim. diameter 220mm	
0S2625	EL. HOT PLATES	
006220	Electric hot plate 2600W 230V dim. 220x220mm	 
0C6243	Electric hot plate 2600W 400V dim. 220x220mm	 
0C6244	Electric hot plate 2600W 440V dim. 220x220mm	 
0H6079	Electric hot plate 2500W 400V flip-up hot plate dim. 300x300mm	
0H6082	Electric hot plate 4000W 400V flip plate dim. 300x300mm	 
052196	Electric hot plate 3000W 230V dim. 300x300mm	 





## Electric Plates




Code	Spare Part Description	Picture
052198	Electric hot plate 3000W 240V dim. 300x300mm	 
OK4756	Electric hot plate 3000W 400V dim. 300x300mm	 
052199	Electric hot plate 4000W 230V dim. 300x300mm	 
052200	Electric hot plate 4000W 400V dim. 300x300mm	 
0C2524	Electric hot plate 4000W 440V dim. 300x300mm	 
0C4077	Radiant heating element 3400W 230V for glass ceramic dim. Ø320mm	
OK0589	Radiant heating element 4000W 400V for glass ceramic hob without pot sensor dim. 300x300mm	



## Electric Plates

Code	Spare Part Description	Picture
OKD885	Radiant heating element 4000W 400V for glass ceramic hob with pot sensor dim. 300x300mm	
OKI634	Radiant heating element 1800W 230V for glass ceramic dim. diameter 180mm	
OS1438	Radiant heating element 1200W 230V for glass ceramic dim. diameter 165mm	

## Feet

Code	Spare Part Description	Picture
053792	Adjustable foot in s/steel connection Ø 2" H 125 mm	
059218	Adjustable foot in AISI 304 connection Ø 2" sleeve and flange H 150÷220 mm	
032550	Adjustable foot in AISI 304 connection Ø 1" black plastic threaded 40x40 mm ESA base H 115÷175 mm	



## Feet

Code	Spare Part Description	Picture
004249	Adjustable foot in AISI 304 Ø 1" ¾ round base connection Ø 50mm sleeve and flange 80x80 mm H 145÷250 mm	
0C4823	Adjustable foot in AISI 304 connection Ø2" sleeve and flange 74x74 mm H 130÷210 mm	
054418	Adjustable foot in s/steel connection Ø 1 1/2" H 125 mm	
048579	Adjustable foot in AISI 304 connection Ø 2" round base sleeve and flange 74x74 mm H 135÷235 mm	
OPE204	Adjustable foot in AISI 304 connection Ø 1" white plastic threaded 40x40 mm ESA base H 115÷175 mm	
089140	Adjustable foot in AISI 304 connection Ø 1" ¾ round base connection Ø 60mm sleeve and plastic coated flange 100x110 mm H 130÷190 mm	











Genuine Replacement Parts

## Feet





Code	Spare Part Description	Picture
0C4824	Adjustable foot in AISI 304 connection Ø2" sleeve and flange 74x74 mm H 190÷270 mm	
0C0204	Adjustable foot in AISI 304 connection 1" 3/4 round base Ø 50 mm sleeve and screw M10x15 H 150÷200 mm	
0C4664	Adjustable foot in AISI 304 round base Ø 2" sleeve and flange 74x74 mm H 135÷210 mm	
049393	Rubber foot Ø 30 mm M8x1 H 30 mm	
0C9565	Flange foot for floor fixing SET 2PCS in AISI 304 base 80x80 mm center distance 60x60 mm threaded connection 1" 3/4 Ø 50.5 mm height 140mm - useful 100mm Compatible with 0C0204	
026806	Rubber foot Ø 17 mm with screw M6 H 37 mm	
096652	Rubber foot Ø 50 mm with screw M10x35 H 52 mm	






## Flexible Gas Pipes

Code	Spare Part Description	Picture
OS1026	S/steel flexible gas pipe 316L with SMOOTH sheath UNI-EN14800 compliant Ø 1/2" FF swivel, L= 500 mm - UNI-EN14800 compliant	
OS1005	S/steel flexible gas pipe 316L with SMOOTH sheath UNI-EN14800 compliant Ø 1/2" FF swivel, L= 1000 mm- UNI-EN14800 compliant	
OS1008	S/steel flexible gas pipe 316L with SMOOTH sheath UNI-EN14800 compliant Ø 1/2" FF swivel, L= 1500 mm - UNI-EN14800 compliant	
OS1003	S/steel flexible gas pipe 316L with SMOOTH sheath UNI-EN14800 compliant Ø 1/2" FF swivel, L= 2000 mm - UNI-EN14800 compliant	
OS1025	S/steel flexible gas pipe 316L with SMOOTH sheath UNI-EN14800 compliant Ø 1/2" MF swivel, L= 500 mm - UNI-EN14800 compliant	
OS1006	S/steel flexible gas pipe 316L with SMOOTH sheath UNI-EN14800 compliant Ø 1/2" MF swivel, L= 1000 mm - UNI-EN14800 compliant	
OS1007	S/steel flexible gas pipe 316L with SMOOTH sheath UNI-EN14800 compliant Ø 1/2" MF swivel, L= 1500 mm -UNI-EN14800 compliant	
OS1015	S/steel flexible gas pipe 316L with SMOOTH sheath UNI-EN14800 compliant Ø 1/2" MF swivel, L= 2000 mm - UNI-EN14800 compliant	

## Flexible-Extensible Gas Pipes










Code	Spare Part Description	Picture
0S1258	Flexible-extensible s/steel gas pipe 316L with CORRUGATED sheath UNI-11353 compliant Ø 3/4" FF swivel, L= 500÷1000mm - UNI-11353 compliant	
0S1259	Flexible-extensible s/steel gas pipe 316L with CORRUGATED sheath UNI-11353 compliant Ø 3/4" FF swivel, L= 1000÷2000mm - UNI-11353 compliant	
0C1074	Gas pressure regulator dim. mm 75x85x71 -UNI-11353 compliant	
0C6506	Gas adapter from 3/4" to 1/2" - UNI-11353 compliant	

## Gas Taps

Code	Spare Part Description	Picture
054109	Gas tap PEL 20 S without pilot flame connections ØM16x1.5 mm thermocouple connection M8x1, D shaft Ø 8x6.5 mm	
059460	Gas tap PEL 21 S connections ØM16x1.5 mm thermocouple connection M8x1, D shaft Ø 8x6.5 mm	
0C0205	Gas tap PEL 21 S with special bridle inlet connection Ø 9mm outlet connection ØM16x1.5 mm thermocouple connection M8x1 D shaft Ø 8x6.5 mm	











# Gas Taps

Code	Spare Part Description	Picture
052146	Gas tap PEL 22 V with vertical flange connections ØM20x1.5 mm, thermocouple connection M9x1, D shaft L=26.5 mm Ø 10x8 mm	
052432	Gas tap PEL 22 V with vertical flange connections ØM20x1.5 mm thermocouple connection M9x1, minimum adj. screw Ø 0.30 mm, D shaft Ø 10x8 mm	
004237	Gas tap PEL 20 S without pilot flame connections ØM16x1.5 mm thermocouple connection M9x1, D shaft Ø 8x6.5 mm	
004282	Gas tap PEL 21S with pilot flame connections ØM16x1.5 mm thermocouple connection M8x1 D shaft Ø 8x6.5 mm shaft length 39 mm	
052145	Gas tap PEL 22 V with vertical flange connections ØM20x1.5 mm D shaft Ø 10x8 mm	
0C0489	Gas tap PEL 22 V with vertical flange, connections ØM20x1.5 mm, thermocouple connection M9x1 D shaft Ø 10x8 mm L=33.5 mm Ø 10x8 mm	
0A2001	Gas tap PEL 22 O with horizontal flange, with flow regulator, connections ØM20x1.5 mm thermocouple connection M8x1, D shaft Ø 10x8 mm	
0S0595	Gas tap PEL 22 O with pilot flame and horizontal flange with flow regulator connections ØM20x1.5 mm thermocouple connection M9x1 D shaft Ø 10x8 mm	
0C8647	Gas tap PEL 22S/V with fine adjustment, pilot flame and vertical flange connections ØM20x1.5 mm thermocouple connection M9x1 D shaft Ø 10x8 mm shaft length 33 mm / 26 mm	




## Gas Taps







Code	Spare Part Description	Picture
005466	Gas tap PEL 23O with pilot flame and horizontal flange inlet connection ØM28x1.5 mm outlet connection ØM24x1.5 mm thermocouple connection M9x1 D shaft Ø 10x8 mm shaft length 25 mm	
058369	Thermostatic gas tap PEL 24 ST fixed connections ØM20x1.5 mm adjustment range: 120°-320°C thermocouple connection M9x1 bulb Ø 6x100 mm D shaft Ø 10x8 mm	
0C0060	Thermostatic gas tap PEL 25ST inlet outlet connections ØM16x1.5 mm adjustment range: 140°-300°C thermocouple connection: M8x1 bulb Ø 6x86 mm capillary length 1000mm D shaft Ø 8x6.5 mm	
004956	Gas tap SABAF gas inlet flange pipe Ø 16mm gas outlet 1/4" Ø 8mm thermocouple connection M8x1 D shaft Ø 8x6.5 mm complete with bracket and various screws	
0S2375	Gas tap SABAF without bracket and various screws	
0C6758	Gas tap PEL 22 S with pilot flame and vertical flange connections ØM20x1.5 mm thermocouple connection M9x1 D shaft Ø 10x8 mm shaft length 24,5 mm	
054811	Gas tap PEL 23 O with horizontal flange inlet connections ØM28x1.5 mm outlet connection ØM24x1.5 mm thermocouple connection M9x1 D shaft L=34 mm, Ø 10x8 mm	
006597	Thermostatic gas tap PEL 25 ST connections ØM16x1.5 mm adjustment range: 140°-300°C, thermocouple connection: M8x1, bulb Ø 6x120 mm, D shaft Ø 8x6.5 mm	



## Gas Taps

Code	Spare Part Description	Picture
0K9985	Gas cock PEL 23S/V with pilot flame and vertical flange inlet fitting Ø 1/2" F outlet fitting Ø 1/2" M thermocouple connection M10x1 crescent pin Ø 10mm length. pin 25mm	

## Accessories for Gas Taps

Code	Spare Part Description	Picture
059854	Cap with pin PEL 20 for taps code 054109 - 054628 - 054629 - 054166 A=Ø 8x6,5 B=22 mm C=21 mm	
0S1934	Cap with pin PEL 20 for tap code 004237 A=Ø 8x6,5 B=39.5 mm C=21 mm	
002185	Cap with pin PEL 21 for tap code 059460 A=Ø 8x6,5 B=22 mm C=21 mm	
0S0661	Cap with pin PEL 21 for tap code 0C0205 A=Ø 8x6,5 B=32 mm C=21 mm	
056597	Cap with pin PEL 22 for taps 052146 - 052145 - 0S0595 - 0A2001 - 0C6758 A=Ø 10x8 B=27 mm C=25 mm	
059853	Cap with pin PEL 23 for taps code 054811 - 005466 A=Ø 10x8 B=35 mm C=30 mm	



## Accessories for Gas Taps

Code	Spare Part Description	Picture
0S0053	Horizontal flange with pressure point for PEL 22	
056594	Magnetic group for tap PEL 22 with large head	
056595	Magnetic group for tap PEL 20-21 with small head	
0A2125	Connection for pipe Ø10mm for PEL 20-21	
052124	Connection for pipe Ø10mm for PEL 22	
054816	Connection for pipe Ø16mm for PEL 23	
060325	Olive for pipe (double cone) ØE=12MM; ØI=10MM; L=7.5MM	
052127	Olive for pipe (double cone) ø 4mm	



## Accessories for Gas Taps

Code	Spare Part Description	Picture
020992	Pilot double cone for pipe Ø6mm for PEL 21-22	
0K0059	Copper pipe for pilot burner Ø4mm	
052128	Double cone for pipe Ø10mm for PEL 22	
052671	Double cone for pipe Ø16mm for MINISIT and PEL 23 (h 9mm)	
054817	Double cone for pipe Ø16mm for PEL 23 (h 11mm)	
054815	Double cone for pipe Ø20mm for PEL 23	
0S2733	ZIP COVER	

### Gas Valves

Code	Spare Part Description	Picture
052068	MINISIT gas valve Adjustment range 100°-340°C Inlet Ø1/2"F outlet Ø3/8"F Cap.length 1050 mm nick. Bulb Ø4x72mm Complete with knob and cover	
053368	MINISIT gas valve adjustment range 50°-190°C inlet Ø1/2"F outlet Ø3/8"F cap. length 1200 mmnick. bulb Ø5x95 mm	
056688	MINISIT gas valve adjustment range 110°-190°C inlet Ø1/2"F outlet Ø3/8"F cap. length 1050 mm nick. bulb Ø6x105 mm	
056689	MINISIT gas valve Adjustment range 110°-190°C inlet Ø1/2"F outlet Ø3/8"F thermocouple connection M9x1 cap.length 1050 mm nick. bulb Ø6x105 mm complete with knob, cover, connections and various accessories	
056833	MINISIT gas valve adjustment range 100°-340°C inlet Ø1/2"F outlet Ø3/8"F cap. length 1050 mm nick. bulb Ø5x70 mm	
0G2402	MINISIT gas valve Adjustment range 100°-340°C Inlet Ø1/2"F outlet Ø3/8"F Cap.length 1050 mm nick. Bulb Ø4x72 mm	
054267	MINISIT gas valve adjustment range 50°-190°C inlet Ø1/2"F utlet Ø3/8"F cap. length 1200 mmnick. bulb Ø5x95 mm	













## Gas Valves

Code	Spare Part Description	Picture
003655	MINISIT gas valve adjustment range 110°-190°C inlet Ø1/2"F outlet Ø3/8"F cap. length 1050 mm nick. bulb Ø6x105 mm	
058496	MINISIT gas valve Adjustment range 110°-190°C Inlet Ø1/2"F outlet Ø3/8"F Thermocouple connection M9x1 Cap.length 1050 mm nick. Bulb Ø6x105 mm	
003334	EUROSIT gas valve adjustment range 110°-190°C inlet Ø3/8"F outlet Ø3/8"F cap. length 1000mm bulb Ø4x202mm	
056009	Sealing plug For inlet and outlet 3/8"	
0C6235	EUROSIT gas valve adjustment range 80-320°C inlet Ø3/8"F outlet Ø3/8"F thermocouple connection M9x1 cap. length 1000mm bulb Ø4x72mm	
0G2294	EUROSIT oven gas valve Adjustment range 100°-340°C Inlet Ø3/8"F outlet Ø3/8"F Thermocouple connection M9x1 cap.length 1050 mm Bulb Ø4x72 mm	
054268	MINISITknob	








## Gas Valves

Code	Spare Part Description	Picture
054271	MINISIT sealing ring For valve MINISIT 60-200°C Capillary length 1200 mm bulb Ø5x95mm nick.	
0CB766	Thermostatic element for valve MINISIT 60-200°C Capillary length 1200 mm bulb Ø5x95mm nick	
0CB767	Thermostatic element for valve MINISIT 100-200°C Capillary length 1050 mm bulb Ø6x105 mm	
056592	Thermostatic element for valve MINISIT 100-340°C Capillary length 1050 mm bulb Ø5x70 mm nick.	
052668	Connection for double cone Ø 16 mm MINISIT	
056835	Inlet elbow 1/2" for MINISIT	
054270	Outlet elbow 3/8" for MINISIT	
057543	ELETTROSIT gas valve inlet Ø3/4" F outlet Ø3/4" F power supply 230V 50Hz long buttons pilot connection and side thermocouple	
055446	820 NOVA gas valve inlet-outlet Ø1/2" F thermocouple connection M9x1 power supply 230V 50Hz	



## Gas Valves

Code	Spare Part Description	Picture
006182	820 NOVA gas valve Inlet-outlet Ø1/2" F Power supply 230V 60Hz Thermocouple connection M9x1	
059473	822 NOVA gas valve Inlet-outlet Ø1/2" FF Power supply 230V 50Hz	
002903	820 NOVA gas valve inlet-outlet Ø1/2" F power supply 230V 50Hz without slow ignition level	
002606	820 NOVA mV gas valve inlet-outlet Ø1/2" FF thermocouple connection M9x1 power supply via thermopile with two wires	
0C2408	822 NOVA gas valve Inlet-outlet Ø1/2" FF Thermocouple connection M9x1 Pressure adj. range 5÷50 mbar Power supply 24V 50 Hz Ambient temperature 0÷70 °C	
002714	836 TANDEM gas valve Inlet-outlet Ø1/2" F Power supply 230V 50Hz - 27mA rectified Pressure adj. range 2÷50 mbar Ambient temperature 0÷60 °C	
0K5838	830 TANDEM gas valve Inlet-outlet Ø1/2" F Power supply 230V 50Hz Flow regulator blind screw Ambient temperature 0÷60 °C	



## Gas Valves

Code	Spare Part Description	Picture
0C7600	840 SIGMA gas valve Inlet-outlet Ø 3/4" M Power supply 230V 50Hz Pressure adj. range 2-50mbar	
0C9642	Double valve coil 840 SIGMA 230V 50Hz	
002340	830 TANDEM gas valve Inlet-outlet Ø1/2" F Power supply 230V 50Hz Pressure adj. range 3÷50 mbar Ambient temperature 0÷60 °C	
005526	830 TANDEM gas valve Inlet-outlet Ø1/2" F Pressure adj. range 3÷50 mbar Power supply 24V 50Hz Ambient temperature 0÷60 °C	
0K3020	SIT 820 NOVA valve coils 220÷240V 50Hz	
059305	Gas valve extension	
059326	Gas valve gaskets	
003209	Protection seal Tap	










## Gas Valves

Code	Spare Part Description	Picture
0C8085	Electrical connector	
054539	Ignition contact electr. without cables for ELETTROSIT, SIT 820 NOVA	
056601	Ignition contact electr. with cable 920 mm For ELETTROSIT and SIT 820 NOVA	
002452	830 Tandem valve coils	
003704	Valve button cover (knob) Ø 30 mm	
002607	Thermofleece 588mm 588mm	
0C5249	Mertik gas valve 30-110°C thermocouple connection M9x1 connections 3/8" ignition cable/bulb and capillary	



## Gas Valves

Code	Spare Part Description	Picture
0C5248	Mertik gas valve 110-190°C thermocouple connection M9x1 connections 3/8" ignition cable/bulb and capillary	
0C5245	Mertik gas valve 100-340°C thermocouple connection M9x1 connections 3/8" ignition cable/bulb and capillary	
0C5250	Mertik gas valve 55-280°C thermocouple connection M9x1 connections 3/8" ignition cable/bulb and capillary	
0C5246	Mertik gas valve 100-340°C thermocouple connection M9x1 connections 3/8" ignition cable/bulb and capillary	
0C5247	Mertik gas valve 100-340°C thermocouple connection M9x1 connections 3/8" ignition cable/bulb and capillary	
006465	Mertik knob seal dim. Ø 39mm h 4.8mm	
0C0625	Sealing plug inlet and outlet 3/8	






## Gas Valves

Code	Spare Part Description	Picture
0C5400	Valve knob adapter	
0C6134	Minimum adj. Screw without hole	
0G8684	Magnet unit suitable for Mertik L=32 mm Ø top: 14 mm Ø bottom: 19 mm	
0C5481	Minimum adj. screw Ø 0.80 mm	
006466	Minimum adj. screw Ø 0.90 mm	
006467	Minimum adj. screw Ø 1.00 mm	








## Gas Valves

Code	Spare Part Description	Picture
006651	Minimum adj. screw Ø 1.10 mm	
006652	Minimum adj. screw Ø 1.25 mm	
006475	Minimum adj. screw Ø 1.30 mm	
0C1734	Minimum adj. screw Ø 1.50 mm	
006463	Minimum adj. screw Ø 1.60 mm	
0C4156	Minimum adj. screw Ø 1.75 mm	











## Gas Valves

Code	Spare Part Description	Picture
0C3587	Minimum adj. screw Ø 1.80 mm	
006653	Minimum adj. screw Ø 1.90 mm	
006654	Minimum adj. screw Ø 2.00 mm	
006472	Minimum adj. screw Ø 2.25 mm	
0C1735	Minimum adj. screw Ø 2.60 mm	

### Heating Elements

Code	Spare Part Description	Picture
032086	Adhesive heating element Etch Foil 500/595W 220/240V Complete with thermostat (150°C), with automatic reset. Dim: 290x175 mm	
088274	Adhesive heating element Etch Foil 1000W 220V Complete with thermostat (200 °C), with automatic reset. Size: 400x290mm	
032666	Adhesive heating element Etch Foil 1000/1190W 220/240V Complete with cables Dim: 470x275 mm	
032094	Adhesive heating element Etch Foil 1000W 230V Complete with thermostat (150°C), with automatic reset. Size : 400x290mm	
ORT229	Adhesive heating element Etch Foil 390W 240V Complete with cables Dim: 370x95mm	
088319	Adhesive heating element Etch Foil 286W 230V Complete with cables and thermostat (150°C), with automatic reset. Size: 470x290mm	
058144	Ceramic heating element 400W 230V Complete with cables Dim: 245x60 mm	
0S2564	Ceramic heating element 1000W 230V complete with cables Dim: 245x60 mm	
0S2291	Ceramic heating element 500W 230V Complete with cables Dim: 245x60 mm	

## Lighting

Code	Spare Part Description	Picture
054840	Clear tubular lamp 25W small connection E14 230V	
006645	Halogen lamp 40W; small connection E14; 230V; for temperatures even above 300°C	
0S2260	Halogen lamp 40W connection G9 230V	
0S2518	Halogen lamp 4W connection G9 3000K 230V	
0S2385	Infrared halogen lamp 200W connection R7S 235V dim. L 185.7mm Ø 7mm	
0S2587	Infrared halogen lamp 350W connection R7S 235V dim. L 185.7mm Ø 9.6mm	
0PR505	Infrared halogen lamp 500W connection R7S 235V dim. L 220.6mm Ø 11mm	
0S0596	Lamp, olive 40 W small connection E14 230 V for temperatures up to max 300°C	








## Lighting


Code	Spare Part Description	Picture
OCB661	HALOGEN LAMP	
OS1983	Halogen lamp 20W connection G4 12V for temperatures up to 300°C	
OS1957	LED lamp 10W connection R7S lumens 1200 light 2700K 230V 50/60Hz dim. Ø22x118mm	
OS1918	Infrared halogen lamp 250W connection E27 230V light colour	
OS2519	Ciling lamp 1x36W dim. 1293x190x92mm	
OPE645	Overhead lamp for extractor hoods with connection (halogen) complete with halogen lamp 40 W connection G9 230V	
OPE842	Fluorescent tubular lamp 18W T8 class II Power supply 230V(1) 50/60Hz Length 590mm	
032276	Ceiling lamp 1x36W with protection no. 1 lamp 36 W dim. 1257x65x124mm	
033804	Overhead lamp for extractor hoods with 40 W lamp and glass globe lamp connection E14 max temperature 300°C	
004160	Lamp holder for lamps with screw connection E14	



## Lighting





Code	Spare Part Description	Picture
004163	Glass globe	
0S2588	Lamp holder complete Lamp 25W 230V Connection E14	
0S2501	LIGHTING FIXTURES	
0H7035	Clear tubular lamp 15 W small socket E14 230 V	
0S2862	Halogen lamp 150 W socket R7S 230 V dim. L 118mm	
0S2803	Metal lampholder with R7S 10A/250V connection Adaptable to lamps of any length Sold individually	
0S2977	Ceiling light 1x36 W LED, no.1 LED lamp 18 W. IP65 protection degree dim. 1250x125x136mm PNC 644836	

## Oven Hinges




Code	Spare Part Description	Picture
059227	Oven hinge complete with roller holder base for HD900	



## Oven Hinges









Code	Spare Part Description	Picture
0A2005	Oven door RH hinge with roller holder for model ECO 70, ECO 90	
0C0203	Oven hinge complete with roller holder base for N700 and N900	
050766	Oven hinge complete with roller holder base for R700, MD700, PR700, H900	
0A2004	Oven door LH hinge with roller holder for model ECO 70, ECO 90	

## Piezo Electric Igniters and Wires






Code	Spare Part Description	Picture
0C9240	Piezoelectric igniter complete with rubber cap male faston Ø 2.4 mm for Ø 18 mm hole	
0C9409	Rubber cap for piezo complete with washer	
0C8410	Piezo igniter Model MINISIT with cover Faston for ignition 6.35x0.8 mm	



## Piezo Electric Igniters and Wires

Code	Spare Part Description	Picture
0H6070	Piezo igniter VERNITRON Male faston Ø 2.4 mm For Ø 22 mm hole	
0C7190	Ignition cable for Mertik valves L=1550 mm faston for ignition Ø 2.4 mm faston for spark plug Ø 4 mm	
005559	Ignition cables; L=1000 mm faston for ignition Ø 2.4 mm faston for spark plug Ø 2.4 mm	
0C9198	Ignition cable L=710 mm faston for ignition Ø 2.4 mm faston for spark plug Ø 4 mm silicone rubber tube	
058225	Piezo electric igniter "Junkers"	
0C8450	Piezo igniter Model MINISIT Male faston Ø 2.4 mm For Ø 22 mm hole	
059578	Ignition cable L= 500 mm faston for ignition Ø 2.4 mm faston for spark plug Ø 4 mm	
004943	Ignition cable L= 600 mm faston for ignition Ø 2.4 mm faston for spark plug Ø 4 mm	
054273	Ignition cables; L=1000 mm faston 6.35x0.8 mm for ignition faston Ø 4 mm for spark plug	
002544	Ignition cable L= 1000 mm; faston for ignition Ø 2.4 mm faston for spark plug Ø 4 mm; permanent temperatures 200 °C	

## Pilot Burners

Code	Spare Part Description	Picture
027073	1-flame pilot burner, nozzle Ø 0.20 mm 100 series	
004946	2-flame pilot burner multigas with nozzle Ø 0.20 mm complete with bracket, 3 positions	
004216	3-flame pilot burner, nozzle Ø 0.20 mm 100 series	
029776	2-flame pilot burner, nozzle Ø 0.20 mm 100 series	
054335	3-flame pilot burner complete with bracket, 3 positions nozzle Ø 0.20 mm 100 series	
0H6338	Pilot burner supplied with head and gasket	
059379	Pilot burner "Target" 140 series	





## Pilot Burners

Code	Spare Part Description	Picture
0C7102	Pilot burner 140 series Supplied without spark plug, nozzle and gasket	
059214	Pilot burner 140 series For cooking HD 900 Supplied without nozzle	
0A2472	1-flame pilot burner 160 series Supplied without spark plug, nozzle and gasket	
003204	2-flame pilot burner, pressed LH Supplied without spark plug, nozzle and gasket	
0H6336	3-flame pilot burner, pressed supplied without spark plug, nozzle and gasket	
058383	2-flame pilot burner, pressed RH 160 series	
057411	3-flame pilot burner 160 series	



## Pilot Burners

Code	Spare Part Description	Picture
0C0744	3-flame pilot burner 160 series Supplied without nozzle	
058146	3-flame pilot burner 160 series	
0C3770	Gasket for pilot (pack of 5 pcs)	
020152	3-flame pilot burner, nozzle Ø 0.20 mm 190 series	
058329	3-flame pilot burner, nozzle Ø 0.35 mm. 190series	
052246	Bracket 2 positions 052246 + 052256 to be ordered together	
052256	Bracket 2 positions 052246 + 052256 to be ordered together	



## Pilot Burners

Code	Spare Part Description	Picture
002783	3-flame pilot burner Supplied without spark plug and nozzle	
051624	3-flame pilot burner, nozzle Ø 0.25 mm. 190series	
056751	3-flame pilot burner, nozzle Ø 0.35 mm. 190series	
0C3644	Pilot burner For N700 and N900 Supplied without nozzle	
0C5534	M4x10 s/steel screws for modular cooking pilot fastening N900 Pack 30pcs	
0H6342	Upper pilot burner	
0G2024	Pilot burner body lower part	



## Pilot Burners

Code	Spare Part Description	Picture
0H6343	Pilot burner mount	
052280	Pilot blowpipe dim. mm 49x35h	
054032	3-flame pilot burner	
0H6316	Pilot burner body lower LPG	
0H6645	Gasket	
059301	Pilot blowpipe dim. mm 40x40h	
0A5441	Pilot blowpipe dim. mm 64x40h	



## Pilot Burners

Code	Spare Part Description	Picture
003328	Pilot blowpipe dim. mm 65x39.5h	
006128	Pilot blowpipe dim. mm 88x41h	
054593	Pilot nozzle Ø 0.25 LPG	
053667	Pilot nozzle Ø 0.30 LPG	
053670	Pilot nozzle Ø 0.41 GN	
053668	Pilot nozzle Ø 0.51 GN	
052125	Union screw for the connection of pipe Ø 4mm; M10x1 threads	



## Pilot Burners

Code	Spare Part Description	Picture
0C0121	Connector for thermocouple M10x1 Ø 6.5 mm	
053665	Pilot double cone for pipe Ø 4mm	
057960	Connector for fixing spark plug	
059216	Pilot nozzle Ø 0.14 LPG	
0S2469	Pilot nozzle Ø 0.19 LPG	
059215	Pilot nozzle Ø 0.27 GN	
059161	Pilot double cone TARGET Ø 4mm	



## Pilot Burners

Code	Spare Part Description	Picture
003863	Pilot double cone TARGET Ø 6mm	
003859	NUT; SET 10PCS	
052281	Pilot body with nozzle Ø 0.25mm	
052686	Pilot body with nozzle Ø 0.35mm	
006725	Pilot body with nozzle Ø 0.40 mm	
056799	Pilot nozzle Ø 0.20 LPG	
058330	Pilot nozzle Ø 0.25 LPG	



## Pilot Burners

Code	Spare Part Description	Picture
058525	Pilot nozzle Ø 0.30 GN	
056656	Pilot nozzle Ø 0.35 GN	
056578	Pilot nozzle Ø 0.30 GN	
056750	Pilot nozzle Ø 0.20 LPG	
0H6050	pilot head	
052833	Connector and double cone Ø 4 mm	
052834	Connector and double cone Ø 6 mm	





## Pilot Burners





Code	Spare Part Description	Picture
0G2223	Connection for pipes Ø 12 mm	
050682	Double cone for pipe Ø 12 mm	
0C6621	Pilot nozzle Ø 0.21 LPG	
054286	Pilot nozzle Ø 0.25 LPG	
054037	Pilot nozzle Ø 0.25 GN	
054038	Pilot nozzle Ø 0.45 GN	
0S2818	2-flame pilot burner with Ø 0.20 multigas nozzle complete with 3-position bracket	

## Spark Plugs




Code	Spare Part Description	Picture
052610	spark plugs; Ø 6mm L=44mm, H=35mm, connection M4x1mm	
059380	spark plugs; Ø 6mm L=44mm, H=26.4mm connection M4x1mm	
054336	spark plugs; Ø 6mm L=44mm, connection Ø 2.4mm	
0A2164	spark plugs; Ø7/10mm L=52mm	
002637	Spark plug Ø 9 x 60 mm connection Ø 6 mm	
004970	Spark plug Ø 6 x 32 mm cable with sheath L=750 mm connection Ø 2.5 mm	
054099	spark plugs; Ø 5÷8mm L=52mm, connection faston 2.8x0.8mm	
0H6803	spark plugs; Ø 9mm L=60mm, connection Ø 6mm	
003556	spark plugs; Ø 9mm L=60mm, connection faston Ø 6mm	



## Spark Plugs







Code	Spare Part Description	Picture
006023	Wires for plug ovens FCV/G 10 1/1	
006024	Wires for plugs ovens FCV/G 10 2/1	
002638	Flame detection plug; Ø 9mm L=60mm, connection faston Ø 4mm	
OPRC1G	Spark plug Ø 7x45mm Total length 65 mm connection M4x1 mm	

## Switches

Code	Spare Part Description	Picture
0E5132	Switch 0-1 pos and push button 3 control positions - 3 poles contacts with rating 16A-250V D shaft Ø 6x4.6 mm spindle length 23 mm faston connectors 6.3x0.8mm	
0C6245	Switch 0-7 pos 8 control positions - 5 poles contacts with rating 16A-250V D shaft Ø 6x4.6 mm spindle length 23 mm faston connectors 6.3x0.8mm	
0C0084	Switch with card and LED lights 0-9 pos 10 control positions -1 pole contacts with rating 16A-250V D shaft Ø 6x4.6 mm spindle length 23 mm Cable length 500mm connections with plug connector	



### Switches











Code	Spare Part Description	Picture
OK5063	Switch with connector 0-1 pos 2 control positions -4 poles contacts with rating 32A-250V D shaft Ø 6x4.6 mm spindle length 23 mm Cable length 2400mm screw connections version with potentiometer	
OE5131	Switch 0-1 pos 2 control positions - 4 poles contacts with rating 16A-250V D shaft Ø 6x4.6 mm spindle length 23 mm faston connectors 6.3x0.8mm	
OK8614	Switch 0-2 pos 3 control positions - 5 poles contacts with rating 16A-250V D shaft Ø 6x4.6 mm spindle length 23 mm faston connectors 6.3x0.8mm	
OE5222	Switch 0-1 pos 2 control positions - 6 poles contacts with rating 16A-250V D shaft Ø 6x4.6 mm spindle length 23 mm faston connectors 6.3x0.8mm	
OG3298	Switch with connector 0-1 pos 2 control positions -2 poles contacts with rating 16A-250V D shaft Ø 6x4.6 mm spindle length 23 mm Cable length 2400mm connections with plug connector version with potentiometer	
048829	Wash cycle switch 0-7 pos 8 control positions - 5 poles contacts with rating 16A-250V D shaft Ø 6x4.6 mm spindle length 24 mm faston connectors 6.3x0.8mm	

## Thermocouples

Code	Spare Part Description	Picture
0G1120	Thermocouple M8x1, L=450mm	
0G2906	Thermocouple M8x1, L=550mm	
0K5730	M8x1 series Thermocouple M8x1, L=1200mm	
027317	M8x1 series Thermocouple M9x1, L=500mm	
025031	M8x1 series Thermocouple M9x1 aluminised tip, L=600 mm	
027350	M8x1 series Thermocouple M9x1, L=1000 mm	
020094	M8x1 series Thermocouple M9x1 aluminised tip, L=1200 mm	
059064	M8x1 series Thermocouple M9x1, L=1500 mm	
0C1634	Thermocouple M9x1, L=1900mm M8x1 series	
0K5688	"Threaded" series Thermocouple M8x1 joint M8x1, L=600 mm	
0U2960	"Threaded" series Thermocouple M8x1 joint M8x1, L=1000 mm	



## Thermocouples

Code	Spare Part Description	Picture
025677	"Threaded" series Thermocouple M9x1 joint M8x1, L=600 mm	
0C0202	"Quick" series M8x1 Thermocouple M8x1 aluminised tip, L=750 mm	
051119	"Quick" series M8x1 Thermocouple M8x1 aluminised tip, L=1500 mm	
004942	"Quick" series M9x1 Thermocouple M9x1 L=500 mm	
057781	"Quick" series M9x1 Thermocouple M9x1, L=600 mm	
003281	"Quick" series M9x1 Thermocouple M9x1, L=1200 mm	
0M0893	"Quick" series M9x1 Thermocouple M9x1, L=1500 mm	
0H6253	Thermocouple M10x1 L=850 mm	
0H6252	Thermocouple M10x1 L=1500 mm	
051635	"Interrupted thermocouple" series Interrupted thermocouple M9x1 L=1000 mm, wire length 1000 mm	











## Thermocouples

Code	Spare Part Description	Picture
0C3162	"Interrupted thermocouple" series Interrupted thermocouple ORKLY M9x1 L=1000 mm, wire lengt 1000 mm	
0CA280	Interrupted thermocouple M9x1 QUICK OFF L=730 mm Wire length 500 mm	
0C9165	Interrupted thermocouple M8x1 NORMAL L=750 mm Wire length 100 mm	
0C3197	Interrupted thermocouple M9x1 L=1000 mm Wire length 850 mm	
002784	"Interrupted thermocouple" series Interrupted thermocouple M9x1 L=1000 mm, wire length 600 mm	
0C7716	Interrupted thermocouple M9x1 NORMAL L=1450 mm Wire length 700 mm	



## Thermocouples


Code	Spare Part Description	Picture
0CA188	Interrupted thermocouple M9x1 NORMAL L=1700 mm Wire length 200 mm	
004955	Thermocouple M8x1 L=600mm Joint M6x1	
0U2961	Thermocouple ASA L=1000 mm	
OS0055	Thermocouple L=900 mm Joint for threaded pilot M6x0.75 (A513) Complete with adapters (6 pcs)	
OS0056	Thermocouple L=1200 mm Joint for threaded pilot M6x0.75 (A513) Complete with adapters (6 pcs)	
052163	Thermocouple M9x1 L=1000mm Joint M8x1	
0U1115	Thermocouple L=900 mm Complete with 4 connections (M10x1; 11/32" - M10x1 milled; M8x1 - M9x1 milled; 7/16"), bushings, adapters and spacers	
OS1019	Adapter for thermocouple	



## Accessories for Thermocouples







Code	Spare Part Description	Picture
055032	Thermocouple extension M9x1 L=600 mm Female nut M9x1	
OK3024	Interrupted connection ASA M 11/32	
005687	Interrupted connection M9x1	
055033	NUT; M8X1	
OK3025	Milled double connection M10x1 - 11/32 ASA	
OCB504	Thermocouple fitting ASA 11/32	

## Thermostats

Code	Spare Part Description	Picture
054323	Single-phase thermostat 0-300°C Bulb Ø3.5x190 mm Capillary 1500 mm 15A 230V Knob pin Ø6x4.6 mm	
051142	Single-phase thermostat 30-90°C Bulb Ø6x174 mm Capillary 980 mm 16A 380V Knob pin Ø6x4.6 mm	
033716	Single-phase thermostat 30-90°C Bulb Ø6x100 mm Capillary 960 mm 16A 230V Knob pin Ø6x4.6 mm	
002109	Single-phase thermostat 50-260°C with auxiliary switch Bulb Ø4x115 mm capillary 1300 mm 10A 400V Knob pin Ø6x4.6 mm	
003262	Single-phase thermostat 30-90°C Bulb Ø6x130 mm Capillary 1500 mm 16A 380V Knob pin Ø6x4.6 mm	
0E5032	Single-phase thermostat 30-110°C Bulb Ø3x197 mm Capillary 3000 mm 16A 230V Knob pin Ø6x4.6 mm	
031480	Single-phase thermostat 60-175°C Bulb Ø3x226 mm Capillary 870 mm Knob pin Ø6x4.6 mm	
056384	Single-phase thermostat 50-296°C Capillary 1000 mm Bulb Ø3x219 mm 16A 380V Knob pin Ø6x4.6 mm	










## Thermostats

Code	Spare Part Description	Picture
057937	Single-phase thermostat 50-260°C Capillary 900 mm Bulb Ø3x219 mm 16A 380V Knob pin Ø6x4.6 mm	
051360	Single-phase thermostat 50-260°C Bulb Ø4x115 mm Capillary 1200 mm 16A 250V Knob pin Ø6x4.6 mm	
002602	Single-phase thermostat 90-185°C 0.5A 12V Bulb Ø4x230 mm Capillary 1300 mm Knob pin Ø6x4.6 mm	
052330	Single-phase thermostat 90-185°C with auxiliary switch Bulb Ø4x229 mm Capillary 2350 mm 16A 380V Knob pin Ø6x4.6 mm	
058163	Single-phase thermostat 95-190°C Bulb Ø6x135 mm Coated capillary 900 mm 16A, 250V Knob pin Ø6x4.6 mm Packing gland M10x1	
050412	Single-phase thermostat 90-185°C 16A 250V Bulb Ø4x230 mm Capillary 1300 mm Knob pin Ø6x4.6 mm	








## Thermostats

Code	Spare Part Description	Picture
003049	Single-phase thermostat 90-185°C with auxiliary switch Bulb Ø4x229 mm Capillary 2350 mm 16A 380V Knob pin Ø6x4.6 mm	
004911	Three-phase thermostat 30-110°C Bulb Ø6x130 mm capillary 900 mm 10A 400V Knob pin Ø6x4.6 mm Packing gland M9x1	
032858	Three-phase thermostat 30-110°C Bulb Ø6x130 mm Capillary 1200 mm, 10A 400V Knob pin Ø6x4.6 mm	
0A2206	Three-phase thermostat 50-320°C Bulb Ø3x219 mm Capillary 900 mm 16A, 380V Knob pin Ø6x4.6 mm	
055996	Three-phase thermostat 50-300°C Bulb Ø2.5x330 mm Capillary 1150 mm 16A 380V Knob pin Ø6x4.6 mm	
052099	Three-phase thermostat 60-320°C Bulb Ø4X130 mm Capillary 1300 mm 16A 380V Knob pin Ø6X4.6 mm	
0H6233	Three-phase thermostat 95-180°C Bulb Ø6X133 mm Capillary 1800 mm 16A 230V Knob pin Ø6X4.6 mm, packing gland M9x1	



## Thermostats

Code	Spare Part Description	Picture
052000	Three-phase thermostat 30-90°C Bulb Ø6x175 mm Capillary 870 mm 16A 380V Knob pin Ø6x4.6 mm	
0H6217	Three-phase thermostat 50-300°C Bulb Ø6x80 mm Capillary 1740 mm 16A, 230V Knob pin Ø6x4.6 mm	
005940	Three-phase thermostat 60 - 185°C Bulb Ø4X231 mm Capillary 1200 mm 10A 400V Knob pin Ø6X4.6 mm	
0C7528	Three-phase thermostat 90 - 230°C Bulb Ø4X131 mm Capillary 1250 mm 10A 400V Knob pin Ø6X4.6 mm	
059235	Three-phase thermostat 100 - 285°C Bulb Ø3X225 mm Capillary 1150 mm 10A 400V Knob pin Ø6X4.6 mm	
052916	Three-phase thermostat 100-300°C Bulb Ø6X80 mm Capillary 1150 mm 10A 400V Knob pin Ø6X4.6 mm	



## Thermostats

Code	Spare Part Description	Picture
051361	Three-phase thermostat 60-185°C Bulb Ø4X231 mm Capillary 2600 mm 16A 380V Knob pin Ø6X4.6 mm	
004363	Three-phase thermostat 115 - 300°C Bulb Ø3X144 mm Capillary 1150 mm 10A 400V Knob pin Ø6X4.6 mm	
0C1147	Single-phase thermostat 150°C Bulb Ø6X74 mm Capillary 1700 mm 0.5A 12V	
004912	Single-phase thermostat 130°C Bulb Ø6X130 mm Capillary 870 mm 16A 250V	
031482	Single-phase thermostat 177°C Bulb Ø3X160 mm Capillary 560 mm 16A 250V	
0C1000	Single-phase thermostat 210°C Bulb Ø6X75 mm Capillary 1250 mm 0.5A 12V	
0C4279	Single-phase thermostat 230°C Bulb Ø6X87 mm Capillary 900 mm 0.5A 12V	



## Thermostats

Code	Spare Part Description	Picture
005680	Single-phase thermostat 338°C Bulb Ø11X6 mm Capillary 900 mm 20A 400V	
002711	Single-phase thermostat 150°C Bulb Ø6X74 mm Capillary 1700 mm 20A 400V	
0H6142	Single-phase thermostat 190°C Bulb Ø3X178 mm Capillary 350 mm 16A 250V	
0S1933	Single-phase thermostat 220°C Bulb Ø6X133 mm Capillary 2020 mm 16A 250V	
058164	Single-phase thermostat 230°C Bulb Ø6X130 mm Coated capillary 1000 mm 16A, 250V With thermocouple wiring	
053012	Single-phase thermostat 235°C Bulb Ø5X100 mm Capillary 1000 mm 15A 250V	
003121	Single-phase thermostat 240°C Bulb Ø6X80 mm Coated capillary 1300 mm 16A 250V Packing gland M10x1	
005931	Single-phase thermostat 250°C Capillary 900 mm Bulb Ø6X87 mm 0.5A, 12V	



## Thermostats

Code	Spare Part Description	Picture
0A5435	Single-phase thermostat 245°C Capillary 1100 mm Bulb Ø6X87 mm 0.5A, 12V	
002730	Single-phase thermostat 338°C Bulb Ø11X6 mm Capillary 900 mm 20A 400V	
003594	Single-phase thermostat 360°C Bulb Ø6X79 mm Capillary 1500 mm 0.5A 12V	
004354	Single-phase thermostat 240°C Bulb Ø6X79 mm Capillary 2000 mm 0.5A 12V	
0C0999	Single-phase thermostat 260°C Bulb Ø6X75 mm Capillary 1250 mm 0.5A 12V	
007042	Single-phase thermostat 338°C Bulb Ø6X39 mm Capillary 900 mm 20A 400V	











## Thermostats

Code	Spare Part Description	Picture
004269	Single-phase thermostat 360°C Bulb Ø4X120 mm Capillary 900 mm 0.5A, 12V	
004862	Three-phase thermostat 140°C Bulb Ø6X87 mm Capillary 900 mm 20A 400V	
006433	Three-phase thermostat 150°C Bulb Ø6X73 mm Capillary 1730 mm 0.5A 12V	
005295	Three-phase thermostat 170°C Bulb Ø6X87 mm Capillary 900 mm 0.5A 12V	
0C4463	Three-phase thermostat 230°C Bulb Ø6X87 mm Capillary 900 mm 20A 400V	
0C2983	Three-phase thermostat 140°C Bulb Ø6X87 mm Capillary 900 mm 20A 400V	
004742	Three-phase thermostat 170°C Bulb Ø6X87 mm Capillary 900 mm 20A 400V	



## Thermostats

Code	Spare Part Description	Picture
059552	Three-phase thermostat 225°C Bulb Ø6X159 mm Capillary 940 mm 20A 380V	
003120	Three-phase thermostat 240°C Bulb Ø6X100 mm Coated capillary 900 mm 10A 400V Packing gland M10x1	
004472	Three-phase thermostat 245°C Bulb Ø6X87 mm Capillary 2700 mm 20A 400V	
005941	Three-phase thermostat 250°C Bulb Ø6X87 mm Capillary 900 mm 20A 400V	
006307	Three-phase thermostat 270°C Bulb Ø6X87 mm Capillary 900 mm 20A 400V	
004921	Three-phase thermostat 293°C Bulb Ø4X120 mm Capillary 900 mm 10A 400V	








## Thermostats


Code	Spare Part Description	Picture
006282	Three-phase thermostat 245°C Bulb Ø6X87 mm Capillary 900 mm 0.5A 12V	
054932	Three-phase thermostat 250°C Bulb Ø6X239 mm Capillary 2530 mm 20A 380V	
051369	Three-phase thermostat 250°C Bulb Ø6X239 mm Capillary 2530 mm 10A 400V	
053183	Three-phase thermostat 285°C Bulb Ø6X157 mm Capillary 940 mm 0.5A 12V	
0H6215	Three-phase thermostat 315°C Bulb Ø6X80 mm Capillary 900 mm 10A 400V	
006826	Three-phase thermostat 350°C Bulb Ø6X79 mm Capillary 1500 mm 20A 400V	
051643	Three-phase thermostat 350°C Bulb Ø6X159 mm Capillary 940 mm 20A 400V	



## Thermostats

Code	Spare Part Description	Picture
051454	Three-phase thermostat 350°C Bulb Ø6X160 mm Capillary 940 mm 10A 400V	
0C0270	Three-phase thermostat 350°C Bulb Ø3X190 mm Capillary 900 mm 10A 400V	
004919	Three-phase thermostat 350°C Bulb Ø3X190 mm Capillary 1120 mm 10A 400V	
004600	Three-phase thermostat 360°C Bulb Ø6X79 mm Capillary 1200 mm 0.5A 12V	
0H6439	Single-phase thermostat 50-250°C Ø3x160 mm bulb covered capillary 1430 mm 16A 230V Ø6x4.6 mm knob pin M9x1 stuffing box fitting	

## Extractor Fans, Speed Regulators and Filters

Code	Spare Part Description	Picture
0S0708	Centrifugal fan DDM 7/7 with double suction with impeller with forward curved blades directly coupled. Complete with intake protection grille. 184W 1400rpm 4 poles 1 speed Power supply 230V single-phase 50Hz	



## Extractor Fans, Speed Regulators and Filters

Code	Spare Part Description	Picture
OS0709	Centrifugal fan DDM 9/9 with double suction with impeller with forward curved blades directly coupled. Complete with intake protection grille. 550W 1400rpm 4 poles 1 speed Power supply 230V single-phase 50Hz	
OPE621	Centrifugal fan DDM 7/7 with double suction with impeller with forward curved blades directly coupled. Complete with intake protection grille. 300W 1400rpm 4 poles 1 speed; power supply 230V single-phase 50Hz	
032279	Speed regulator Single-phase IP55 - Power 1170 W - Max 6 AMP - dim. 135x74x73h mm	
OS0710	Speed regulator Single-phase IP55 - Power 1700 W - Max 8 AMP - dim. 160x80x95h mm	
OPR284	Feet for DD 7/7	
OPR285	Feet for DD 9/9	
OPR286	Flanges for DD 7/7	
OPR287	Flanges for DD 9/9	
OPE616	Centrifugal fan DA 10/8 with double suction with impeller with forward curved blades directly coupled. Complete with intake protection grille. 550W 1400rpm 4 poles 1 speed; power supply 230V single-phase 50Hz	








## Extractor Fans, Speed Regulators and Filters



Code	Spare Part Description	Picture
032986	Speed regulator Single-phase IP55 - Power 1700 W - Max 8 AMP - dim. 170x105x82h mm	
0S1021	Mesh filter in AISI 304 for extractor hoods s/steel. Frame formed internally of 6 layers s/steel (4 corrugated layers and 2 flat layers) dim. 350x500x22mm	
0S0052	Mesh filter in AISI 304 for extractor hoods s/steel. Frame formed internally of 6 layers s/steel (4 corrugated layers and 2 flat layers) dim. 400x250x22mm	
0S0050	Mesh filter in AISI 304 for extractor hoods s/steel. Frame formed internally of 6 layers s/steel (4 corrugated layers and 2 flat layers) dim. 400x400x22mm	
0S0049	Mesh filter in AISI 304 for extractor hoods s/steel. Frame formed internally of 6 layers s/steel (4 corrugated layers and 2 flat layers) dim. 400x500x22mm	
0S2575	Mesh filter in AISI 304 for extractor hoods s/steel. Frame formed internally of 6 layers, s/steel (4 corrugated layers and 2 flat layers) dim. 500x500x22mm	
0S1814	Active carbon In 25 kg bag BET surface 750 m2/g	
032267	Dedalus labyrinth filter In AISI 304 for extractor hoods dim. 400x250x30mm	
032268	Dedalus labyrinth filter In AISI 304 for extractor hoods dim. 400x350x30mm	



## Extractor Fans, Speed Regulators and Filters







Code	Spare Part Description	Picture
032269	Dedalus labyrinth filter In AISI 304 for extractor hoods dim. 400x500x30mm	
0S2402	Labyrinth filter in AISI 304 for extractor hoods dim. 400x250x22mm	
0S2403	Labyrinth filter in AISI 304 for extractor hoods dim. 400x350x22mm	
0S2404	Labyrinth filter in AISI 304 for extractor hoods dim. 400x400x22mm	
0S2405	Labyrinth filter in AISI 304 for extractor hoods dim. 400x500x22mm	

## Water Columns

Code	Spare Part Description	Picture
0C9108	Adjustable water column for cooker 700-900 series complete with fixing plate (extension pipes not included) H=700	
0S0350	Adjustable water column with horizontal tap swivel spout 250 mm Complete with: gaskets, washer and locknuts H= 550 mm	







## Water Columns

Code	Spare Part Description	Picture
0S0134	Tap valve 1/2" for single/double hole group and water column code 0S0350 broach connection 8x20	
0S0977	Knob broach connection 8x20	
0C5240	Extension for water column 900 series dim. Ø 1/2" G x 244 mm dim. Ø 1/2" G x 394 mm	
0C5241	Extension for water column 700 series dim. Ø 1/2" G x 173 mm dim. Ø 1/2" G x 698 mm	
025260	Knob square connection 7x7 mm thread 1/2"	
0C6826	External mount for water column 700-900 series dim. 44x55x266h mm	
0C3108	Water column tap kit with 200 mm complete with valve square connection 7x7 thread 1/2" spout tap	









## Water Columns








Code	Spare Part Description	Picture
058967	Spout Ø18x200mm	
0S0719	Spout Ø 18x300 mm	
0C2963	Tap valve square connection 7x7 thread 1/2" for HD900 (2005)	
0S0948	French O-Ring R12 (lot 50pcs)	

## Water Gas Steam Valves

Code	Spare Part Description	Picture
004486	Water ball valve Ø1/2" MF Aluminum lever,PN25 Heavy duty series	
0CA947	Water ball valve Ø1" FF Aluminum lever, PN40 Heavy duty series	
002033	Water ball valve 1/2"FF. Aluminum lever, PN50	
056843	Water ball valve 3/8" FF Aluminum butterfly, PN40	







## Water Gas Steam Valves



Code	Spare Part Description	Picture
0K7222	Gas/water ball valve Ø3/4" FF Aluminum butterfly PN40 heavy duty series DIN-DVGW approved	
0A5258	Water ball valve Ø3/8" MF Aluminum lever,PN40 Heavy duty series	
0C9658	Water ball valve Ø3/8" FF Aluminum butterfly complete with pin, nut and bracket	
0S2530	Air valve Water valve Ø3 / 4 " . 3 ways, aluminum lever	
058647	Water ball valve 1/2" FF PN40 pin 10x7,5mm	
0S0143	Angle steam valve Hexagonal type with connection 1" 1/4F	
008019	Angle safety group for steam Ø 1"1/4M Calibration pressure 0.5 bar Safety valve with spring device Complete with accessories for valve	
017055	Pressure gauge for pots Ø 1/4" M Ø 1/4" M In chromed brass Ø 52.5 mm with adapter Ø 3/8" Scale 0 to 1 bar	



## Water Gas Steam Valves

Code	Spare Part Description	Picture
0S0141	Pressure gauge holder tap Ø 3/8 M	
038020	Angle steam valve Round type with connection 1"M	
0S2411	Vertical safety group for steam Ø 3/4" Calibration pressure 0.5 bar Safety valve with spring device Complete with accessories for valve with pressure gauge valve H 185 mm	
051566	Depression valve Ø 3/8"	
0K3442	VACUUM VALVE 3/4"	

## Water Taps

Code	Spare Part Description	Picture
0S1037	Drain tap with conical seal and safety swivel connection Ø 1"½ F	
0CA949	Drain tap GBM with O Ring swivel connection Ø 2"F	



## Water Taps

Code	Spare Part Description	Picture
0S0287	Heatproof handle for drain taps 2"	
017215	Drain tap with nut connection M60x2	
0S1034	Drain tap with conical seal and safety fixed connection Ø 1 1/4 F	
0S0568	Heatproof handle for drain taps 1 1/4 , 1 1/2	
0C3142	O-ring Pack of 3 pcs for drain taps 1 1/4, 1 1/2	
0S2227	Drain tap GBM with conical seal swivel connection Ø 2"F	
0HB198	O-ring for drain tap Ø 2"F for TECNO and GBM type	






## Water Taps

Code	Spare Part Description	Picture
052907	Drain tap with nut connection M68x3 int. hole diameter 50 mm	
053159	Drain tap conical seal with nut connection: M78x3 mm	
0S2118	Grease for taps with O-ring g 100 certification NSFH1	
0S1145	Food-grade grease for taps with conical seal 2 tubes g 45	
0C7121	Single hole inlet tap with swivel spout 1/2"F and 3/8"M complete with 2 hoses	
0S0724	Hose 3/8"M 1/2"F Ø12x850mm	
0S1336	Tap valve 3/4" for single hole tap connection 7x7 mm	
0S1067	Heatproof handle for drain tap M78x3	





## Water Taps






Code	Spare Part Description	Picture
0S2277	Food-grade grease for taps with conical seal kg 1	
0C9506	Lubricating grease Anti-slip Aluminum One 500 g pack	
0C4530	Flanges dim. 90x70mm	
0C4531	Connection Ø45mm for hoses 3/8"	
0S0247	Knob with blue insert connection 7x7 mm	
0S0246	Knob with red insert connection 7x7 mm	
0S1035	DRAIN TAP; 1 1/2; FIXED ATTACK	
0S0286	O-ring for drain tap Ø 2"F for type TECNO and GBM (pack of 3 pcs)	



## Water Taps

Code	Spare Part Description	Picture
0S2807	Single-hole tap with swivel spout for filling Ø ½" F pots	
0H6421	Conical seal drain cock and safety Ø 1"¼ F swivel connection	

## Brass Solenoid Valves

Code	Spare Part Description	Picture
0C1148	Solenoid valve, 2-way 1/2" FF For water min/max temperature -10/+90°C min/max pressure 0.2 / 16 bar Coil type BDV 230/240V 50-60Hz 16VA	
0K5341	Solenoid valve, 2-way 1/4" FF for water min/max temperature -10 / +90°C min/max pressure 0.35 / 20 bar Coil type ZA10A 9W 230V 50Hz 14VA	
0C1121	Solenoid valve, 2-way 3/4" FF For water min/max temperature -10 / +90°C min/max pressure 0.2 / 16 bar Coil type BDA 220/230V 50-60Hz 14.5VA	
0C2390	Solenoid valve, 2-way 1/2"-1.1-4.5 For water min/max temperature -10 / +90°C min/max pressure 0 / 6 bar Coil type ZA34A 230V 50Hz 14VA	
0E2200	Solenoid valve, 2-way 3/4" F for water/steam min/max temperature -10 / +140°C min/max pressure 0.35 / 3.5 bar Coil type MXX-HT 24V 50Hz	





## Brass Solenoid Valves

Code	Spare Part Description	Picture
OE5974	Solenoid valve, 2-way 3/4" FF for water/steam min/max temperature -10 / +140°C Steam pressure min/max 0.35 / 3.5 bar Hot water pressure min/max 0.35 / 10 bar Coil type MXX-HT 230V 50Hz 10.5W	
OL1481	Solenoid valve, 2-way 3/4" FF for steam min/max temperature +60 / +170°C min/max pressure 0.4 / 6 bar Coil type Z534A 24V 50-60Hz 14VA	
OL0537	Solenoid valve, 2-way 3/8" FF for water min/max temperature -10 / +90°C min/max pressure 0.35 / 16 bar Coil type ZB14A 230V 50-60Hz 12VA	
OL2656	Solenoid valve, 2-way 3/8" FF for water min/max temperature -10 / +140°C min/max pressure 0.35 / 16 bar Coil type ZB14Y 208-240V 50-60Hz 12VA	
OL2850	Solenoid valve, 2-way 3/8" FF for water min/max temperature -10 / +140°C min/max pressure 0.35 / 16 bar Coil type ZB10A 240V 50-60Hz 12VA 4W	
OK8129	Solenoid valve, 2-way 3/4" FF for water/steam min/max temperature -10 / +140°C Steam pressure min/max 0.35 / 3.5 bar Hot water pressure min/max 0.35 / 10 bar Coil type MXX-HT 24V 60Hz 10.5W	
OL1482	Solenoid valve, 2-way 3/4" FF for steam min/max temperature +60 / +170°C min/max pressure 0.4 / 6 bar Coil type Z534A 230V 50-60Hz 14VA	
OL2516	Solenoid valve, 2-way 3/8" FF for water min/max temperature -10 / +140°C min/max pressure 0.35 / 16 bar Coil type ZB14A 24V 50-60Hz 12VA 4W	
OL2857	Solenoid valve, 2-way 3/8" FF for water min/max temperature -10 / +140°C min/max pressure 0.35 / 20 bar Coil type ZB14A 200V 50-60Hz 12VA	









## Brass Solenoid Valves







Code	Spare Part Description	Picture
0L0423	Solenoid valve, 2-way 3/8" FF for water min/max temperature 0 / +140°C min/max pressure 0.35 /16 bar Coil type ZB14A 230V 50-60Hz 12VA 4W	
003778	Solenoid valve, 2-way 3/4" FF for water min/max temperature 0 / +130°C min/max pressure 0.3 /10 bar Coil type BA2 24V AC 50-60Hz 11VA	

## Contactors

Code	Spare Part Description	Picture
OKV051	Contactor Model: K1-09D01 Coil supply: 400V/50Hz Contacts: 3 NO Nominal load AC3 400V: 9A / 4kW Nominal load AC1 690V: 20A Aux. Cont.: 1 NC Aux. cont. Amperage AC15 400V: 2A	
088557	Contactor Model: K1-09D10 Coil supply: 230V/50Hz Contacts: 3 NO Nominal load AC3 400V: 9A / 4kW Nominal load AC1 690V: 20A Aux. Cont.: 1 NO Aux. cont. Amperage AC15 400V: 2A	
OKZ813	Contactor Model: K2-09A10 Coil supply: 24V/50Hz Contacts: 3 NO Nominal load AC3 400V: 9A / 4kW Nominal load AC1 690V: 25A Aux. Cont.: 1 NO Aux. cont. Amperage AC15 400V: 4A	
OH7051	Contactor Model: K2-12A00-40 Coil supply: 230V/50Hz Contacts: 4 NO Nominal load AC3 400V: 12A / 5,5kW Nominal load AC1 690V: 25A Aux. cont. Amperage AC15 400V: -	









## Contactors

Code	Spare Part Description	Picture
OK3383	Contacteur Model: K2-12A01 Coil supply: 230V/50Hz Contacts: 3 NO Nominal load AC3 400V: 12A / 5,5kW Nominal load AC1 690V: 25A Aux. Cont.: 1 NC Aux. cont. Amperage AC15 400V: 4A	
006879	Contacteur Model: K2-12A10 Coil supply: 230V/50Hz Contacts: 3 NO Nominal load AC3 400V: 12A / 5,5kW Nominal load AC1 690V: 25A Aux. Cont.: 1 NO Aux. cont. Amperage AC15 400V: 4A	
OKJ216	Contacteur Model: K2-12A10 Coil supply: 400V/50Hz Contacts: 3 NO Nominal load AC3 400V: 12A / 5,5kW Nominal load AC1 690V: 25A Aux. Cont.: 1 NO Aux. cont. Amperage AC15 400V: 4A	
OKZ812	Contacteur Model: K3-18A10 Coil supply: 24V/50Hz Contacts: 3 NO Nominal load AC3 400V: 16A / 7,5kW Nominal load AC1 690V: 25A Aux. Cont.: 1 NO Aux. cont. Amperage AC15 400V: 4A	
OK3385	Contacteur Model: K2-23A00-40 Coil supply: 230V/50Hz Contacts: 4 NO Nominal load AC3 400V: 23A / 11kW Nominal load AC1 690V: 45A Aux. Cont.: - Aux. cont. Amperage AC15 400V: -	
OK3384	Contacteur Model: K2-23A01 Coil supply: 230V/50Hz Contacts: 3 NO Nominal load AC3 400V: 23A / 11kW Nominal load AC1 690V: 45A Aux. Cont.: 1 NC Aux. cont. Amperage AC15 400V: 4A	



## Contactors

Code	Spare Part Description	Picture
0C9763	Contacteur Model: K2-23A01 Coil supply: 230V/50Hz Contacts: 3 NO Nominal load AC3 400V: 23A / 11kW Nominal load AC1 690V: 45A Aux. Cont.: 1 NO Aux. cont. Amperage AC15 400V: 4A	
0K9124	Contacteur Model: K2-23A10 Coil supply: 24V/50Hz Contacts: 3 NO Nominal load AC3 400V: 23A / 11kW Nominal load AC1 690V: 45A Aux. Cont.: 1 NO Aux. cont. Amperage AC15 400V: 4A	
0KJ217	Contacteur Model: K2-23A10 Coil supply: 400V/50Hz Contacts: 3 NO Nominal load AC3 400V: 23A / 11kW Nominal load AC1 690V: 45A Aux. Cont.: 1 NO Aux. cont. Amperage AC15 400V: 4A	
0C2247	Contacteur Model: K2-30A00-40 Coil supply: 230V/50Hz Contacts: 4 NO Nominal load AC3 400V: 30A / 15kW Nominal load AC1 690V: 50A Aux. Cont.: - Aux. cont. Amperage AC15 400V: -	
0KV658	Contacteur Model: K2-30A10 Coil supply: 230V/50Hz Contacts: 3 NO Nominal load AC3 400V: 30A / 15kW Nominal load AC1 690V: 50A Aux. Cont.: 1NO Aux. cont. Amperage AC15 400V: 4A	
0K9134	Contacteur Model: K3-07A40 Coil supply: 230V/50Hz Contacts: - Nominal load AC3 400V: - Nominal load AC1 690V: - Aux. Cont.: 4NO Aux. cont. Amperage AC15 400V: 4A	









## Contactors

Code	Spare Part Description	Picture
0C7622	Contacteur Model: K3-10A00-40 Coil supply: 230V/50Hz Contacts: 4NO Nominal load AC3 400V: 10A / 4kW Nominal load AC1 690V: - Aux. cont. Amperage AC15 400V: -	
0L0285	Contacteur Model: K3-10A01 Coil supply: 230V/50Hz Contacts: 3 NO Nominal load AC3 400V: 10A / 4kW Nominal load AC1 690V: 25A Aux. Cont.: 1NC Aux. cont. Amperage AC15 400V: 4A	
088477	Contacteur Model: K3-10A10 Coil supply: 230V/50Hz Contacts: 3 NO Nominal load AC3 400V: 10A / 4kW Nominal load AC1 690V: 25A Aux. Cont.: 1NO Aux. cont. Amperage AC15 400V: 4A	
0L0354	Contacteur Model: K3-14A10 Coil supply: 230V/50Hz Contacts: 3 NO Nominal load AC3 400V: 14A / 5,5kW Nominal load AC1 690V: 25A Aux. Cont.: 1NO Aux. cont. Amperage AC15 400V: 4A	
0L0360	Contacteur Model: K3-14A10 Coil supply: 24V/50Hz Contacts: 3 NO Nominal load AC3 400V: 14A / 5,5kW Nominal load AC1 690V: 25A Aux. Cont.: 1NO Aux. cont. Amperage AC15 400V: 4A	
0K9132	Contacteur Model: K3-22A10 Coil supply: 230V/50Hz Contacts: 3 NO Nominal load AC3 400V: 22A / 11kW Nominal load AC1 690V: 32A Aux. Cont.: 1NO Aux. cont. Amperage AC15 400V: 2A	



## Contactors


Code	Spare Part Description	Picture
0L0355	Contacteur Model: K3-24A00 Coil supply: 230V/50Hz Contacts: 3 NO Nominal load AC3 400V: 24A / 11kW Nominal load AC1 690V: 50A Aux. cont. Amperage AC15 400V: -	
0L0361	Contacteur Model: K3-24A00 Coil supply: 24V/50Hz Contacts: 3 NO Nominal load AC3 400V: 24A / 11kW Nominal load AC1 690V: 50A Aux. cont. Amperage AC15 400V: -	
007080	Contacteur Model: K3-32A00 Coil supply: 230V/50Hz Contacts: 3 NO Nominal load AC3 400V: 32A / 15kW Nominal load AC1 690V: 65A Aux. Cont.: - Aux. cont. Amperage AC15 400V: -	
007104	Contacteur Model: K3-40A00 Coil supply: 230V/50Hz Contacts: 3 NO Nominal load AC3 400V: 40A / 18,5kW Nominal load AC1 690V: 80A Aux. Cont.: - Aux. cont. Amperage AC15 400V: -	
0C2244	Contacteur Model: K3-50A00 Coil supply: 230V/50Hz Contacts: 3 NO Nominal load AC3 400V: 50A / 22kW Nominal load AC1 690V: 110A Aux. Cont.: - Aux. cont. Amperage AC15 400V: -	
0H6545	Contacteur Model: TP3250-2S2Ö Coil supply: 230V/50Hz Aux. Cont.: 2NO / 2NC Aux. cont. Amperage AC15 400V: 1.5kW	






## Contactors

Code	Spare Part Description	Picture
0K8700	Contactactor Model: HA01 red Auxiliary Cont: 1NC Auxiliary contact amperage AC15 400V: 3A	
048497	Contactactor Model: HA10 green Auxiliary Cont: 1NO Auxiliary contact amperage AC15 400V: 3A	
0G4291	Contactactor Model: HB11 Auxiliary Cont: 1NO / 1NC Auxiliary contact amperage AC15 400V: 2A	
047046	Contactactor Model: HN01 red Auxiliary Cont: 1NC Auxiliary contact amperage AC15 400V: 2A	
046995	Contactactor Model: HN10 green Auxiliary Cont: 1NO Auxiliary contact amperage AC15 400V: 2A	
0H6544	Contactactor Fixing way: Screw and DIN Top Hat Rail	



## Conveyor Belts

Code	Spare Part Description	Picture
006956	Polycord round belt/rope welding machine Useful and necessary tool for welding belts/ropes of conveyor belts trays with min Ø from 2mm to 15mm Voltage 230V, 50Hz dim. 420x140x115h Weight 0.68 Kg	

## Cords for Tray Conveyors







Code	Spare Part Description	Picture
0E3584	Cord for tray conveyor belt with core Ø cord 15 mm (sold by linear metre)	
0HB073	Cord for tray conveyor belt with core Ø cord 12 mm (sold by linear metre)	
0S1230	Cord for tray conveyor belt without core Ø cord 15 mm (sold by linear metre)	

## External Dosing Systems for Dishwashers

Code	Spare Part Description	Picture
0S0669	Peristaltic pump for detergent. Model PR4 with analog dosing regulation. Squeeze tubes made in santoprene used as accessory for the dishwashers without built-in dosing systems - easy regulation Supplied with fixing bracket, injection connection, suction t	
0S0670	Fixed speed peristaltic pump for detergent. Model PR6 with analog dosing regulation by conductivity probe, squeeze tubes made in santoprene - used as accessory for the dishwashers without built-in dosing systems - easy regulation Supplied with fixing brac	












## External Dosing Systems for Dishwashers

Code	Spare Part Description	Picture
0S0671	Peristaltic pump for rinse aid. Model PR1 with analog dosing regulation tubes made in sekobil - used as accessory for the dishwashers without built-in dosing systems - easy regulation Supplied with fixing bracket, injection connection with non-return valv	
0U1032	Dosing pump G200 230V 50Hz; detergent flow rate 0.777g/sec, max flow rate 2 l/h	
0S0672	Dosing system TWINDOSE 40 microprocessor control with LCD display Detergent dosing - conductivity or timed Rinse aid dosing - speed or timed Detergent pump: santoprene tube flow rate 12.5 l/h Rinse aid pump: SekoBril tube flow rate 2.5 l/h 3 bar Max absor	
049419	Santoprene tube for detergent	
0S2121	Santoprene tube for detergent with BCK PVDF connection for dispenser 0S1986 6.25X10.65mm	
0S2817	conductivity probe for Twindose 40	



## Accessories for External Dosing Systems








Code	Spare Part Description	Picture
0S0674	Injection connection in steel detergent tank inlet (PR4 and PA6)	
0S0675	Low-profile injection connection detergent tank inlet (PR4 and PA6) lot 5pcs	
049358	Injection connection with non-return valve for rinse aid (PR1)	
0S1249	Fitting for rinse aid injector PR1 Pack of 5 pcs	
0S0677	Suction lance with level probe for Twindose 40 with non-return valve in EPDM. used on all products except those based on chlorine sanitiser.	
0S0676	Suction lance with level probe for Twindose 40 with non-return valve in FPM used on products based on chlorine sanitiser	
049801	Detergent injector	
0L2071	Injector fixing ring	
049359	Suction Hose; 4000mm	



## Accessories for External Dosing Systems

Code	Spare Part Description	Picture
OS2100	Tube; 4X6Mm;Set 50 mt. Det.; Gray	
OL0481	Tube L=2660Mm; Øe=6mm; Blue	
OS2101	Tube; 4X6Mm;Set 50 mt Brill.;Light/Blue	
OS1028	Inox Weight With Filter; Kit	
OS2772	Transparent PVC hose for detergent 4x6mm skein 100 mt	
OL5181	Transparent Pe Pipe For Detergent Ø 4X6 Mm Sale By Meter	
OL4643	Gray Pe Hose For Detergent Ø 4X6 Mm Sale By Meter	
OS2387	Transparent Pe Tube For Detergent Ø 4X6 Mm Set 100Mt	
OL4642	Blue PE hose for rinse aid 4x6mm sold by the metre	
OS2848	Sekobril tube for rinse aid for dispenser OS0671 and OS0672	
OS2847	Santoprene Tube for OS0669, OS0670 and OS0672 Dispenser Cleaner	

## Internal Dosing Systems for Dishwashers

Code	Spare Part Description	Picture
OL4295	Rinse aid dispenser Flow adjustment screw from 0 to 4 cm <sup>3</sup> /cycle complete with hose connectors bottom filter with bushing in steel and tube.	
OHA055	Rinse aid dispenser type 1000	
OHA056	Rinse aid dispenser type 3000 with filter	
OS0706	Rinse aid peristaltic pump model NBR 0.4 flow rate reg. t/p: 0.4 l/h pressure: 3bar Power supply: 230V- 50Hz complete with: - 2 m suction pipe - 2 m delivery pipe, s/steel bottom weight and filter, injection connection with nonreturn valve for rinse aid -	
OS2787	Peristaltic rinse aid pump mod. NPG -04 flow rate: 0.4 l/h pressure: 3 bar Power supply: 230 V - 50/60 Hz complete with: 4 m of 4x6 PE pipe, 2.66 m of 4x6 cross-linked PEHD pipe, filter and weight of bottom, ROHS certified rinse aid injection valve	
OS2782	Peristaltic detergent pump mod. NPG -3 flow rate: 3 l/h pressure: 0.1 bar Power supply: 230V - 50/60 Hz complete with: 4 m of PE 4x6 pipe, 1.6 m of n PE 4x6 pipe, filter and bottom weight, ROHS certification bulkhead	
OS2781	Peristaltic detergent pump mod. NBR 3 flow reg. t/p : 3 l/h pressure : 0.1 bar Power supply: 230V - 50 Hz complete with: 4 m of PE 4x6 pipe, 1.6 m of PE 4x6 pipe, adjustable peristaltic connection wiring, filter and weight of bottom, ROHS 247 certified	

## Accessories for Internal Dosing Systems



Code	Spare Part Description	Picture
OR0081	Membrane for dispenser type 3000	
OHA092	Membranes for dispenser type 1000	
OR0083	Valve for 1000/3000 sets of 5 pcs	
OHA067	Suction filter For dispenser type 3000	
049418	Sekobril tube for rinse aid	
OL5079	Sekobril hose for rinse aid Quick couplings for 4x6mm pipes in PE material (code OL0481 and OS2101)	
OL5076	Santoprene hose for detergent Quick couplings for 4x6mm pipes in PE material (code OS2100)	

## Magnetic Coils for Solenoid Valves

Code	Spare Part Description	Picture
0S2268	Magnetic coil type Z610A 230V 50-60Hz	
0S1612	Magnetic coil type Z610A 24VAC 10VA 50-60Hz	
OPRE91	Magnetic coil type ZA34A 230V 50HZ 14VA Housing Ø 14mm For solenoid valve 0C2390	
OCA882	Magnetic coil Type BC2 for solenoid valve 003778	
0S2269	Magnetic coil type ZB10A 230V 50-60Hz 4W	
0S2270	Magnetic coil type ZB10A 24V 50-60Hz 4W	



## Magnetic Coils for Solenoid Valves




Code	Spare Part Description	Picture
0CA930	Magnetic coil type BA2 24V AC 50Hz 11VA For solenoid valve 003778	
0KA481	Magnetic valve repair kit	

## Pressure Switches

Code	Spare Part Description	Picture
OPRQ12	Pressure Switch; 28-12; Fc	
OPRAC3	Pressure Switch; 1 Level 35/17Mba	
OPRG28	Pressure Switch	
OS2723	Pressure Switch	
OPRZ46	Pressure Switch; 1 Lev 55/30	
069434	Pressure Switch	
049485	Pressure Switch; Kit; Lev. 55/22	
OPRAD3	Pressure Switch; 60-25 (P ) Lb Ls	
OPRA7E	Pressure Switch	
OPRY05	Pressure Switch; 35/90	



## Pressure Switches

Code	Spare Part Description	Picture
OPRX78	Pressure Switch; Type 110/60	
OG2646	Pressure Switch	
OS2724	Pressure Switch	
OPRG23	Pressure Switch; 105/125	
OPRPDX	Pressure Switch	
OPRX71	Pressure Switch; Type 180/70	
048267	Pressure Switch;1 Lev.; Lev.240/130; Kit	
OS2725	Pressure Switch	
075660	Pressure Switch	
OS2355	Pressure Switch	
OKZ785	Pressure Switch	
OKZ786	Pressure Switch	
049881	Pressure Switch;Type 760;Calib.=60/20-11	



## Pressure Switches

Code	Spare Part Description	Picture
049058	Pressure Switch; Calibration = 110/55	
049775	Pressure Switch	
049620	Pressure Switch; Calib.= 250/130-390	
0C0872	Pressure Switch	
0S2726	Pressure Switch	
ORT319	Pressure Switch	
OK7149	Pressure Switch; Lev. 40/10-112/85	
OE3731	Pressure Switch; Lev. 40/15-55/35	
OK7146	Pressure Switch; Lev. 60/20-100/30	
049361	Pressure Switch	
OE5671	Pressure Switch	
049081	Pressure Switch	










## Pressure Switches








Code	Spare Part Description	Picture
0S2727	Pressure Switch	
ORT108	Pressure Switch; For Fx	
ORT313	Pressure Switch	
0S2728	Pressure Switch	

## Siphons - Drains - Overflows







Code	Spare Part Description	Picture
0S1335	Single trap Ø 1½ in plastic	
069821	Single trap Ø 2" in plastic	
0S0905	Double trap Ø 1½ in plastic	
033601	Double trap Ø 2" in plastic	
0C9489	Overflow pipe Ø 40 mm in Stainless Steel H=180 mm	
069656	Overflow pipe Ø 40 mm in chromed brass H=295 mm	



## Siphons - Drains - Overflows







Code	Spare Part Description	Picture
049759	Overflow pipe Ø 50 mm In chromed brass H=280 mm	
0S0119	Overflow pipe Ø 50 mm in s/steel H=270 mm	
0S0118	Overflow pipe Ø 50 mm in chromed brass H=295 mm	
069654	Drain Ø 40 mm in chromed brass connection 1 1/2 "	
069816	Drain Ø 50 mm in chromed brass connection 2 "	
033607	Drain Ø 2" Plastic frame with steel filter. Connection 2"	
0S1319	Drain Ø 2" Plastic frame and steel filter. 1 1/2" connection with adapter from 2"	

## Solenoid Valves

Code	Spare Part Description	Picture
055350	Single solenoid valve 90° Inlet Ø 3/4" free Outlet Ø 10 mm Blue reducer 1 l/min Max temperature 90°C Coil 220/240 V 50/60 Hz	
055444	Double solenoid valve 90° Inlet Ø 3/4" free Outlet Ø 10 mm Blue reducer 1 l/min Max temperature 90°C Coil 220/240 V 50/60 Hz	
002712	Triple solenoid valve 90° Inlet Ø 3/4" free Outlet Ø 10 mm Red reducer 0.25 l/min Max temperature 90°C Coil 220/240 V 50/60 Hz	
048178	Single solenoid valve 90° Inlet Ø 3/4" 20 l/min Outlet Ø 14 mm free Max temperature 90°C Coil 220/240 V 50/60 Hz	
0E5070	Solenoid valve 24V single 180° Inlet Ø 3/4" free Outlet Ø 14mm free Max temperature 90°C Coil 24 V 50 Hz	
002753	Single solenoid valve 180° Inlet Ø 3/4" free Outlet Ø 10 mm Blue reducer 1 l/min Max temperature 90°C Coil 220/240 V 50/60 Hz	









## Solenoid Valves

Code	Spare Part Description	Picture
047536	Double solenoid valve 180° Inlet Ø 3/4" 20 l/min Outlet Ø 10 mm Black reducer 5 l/min Max temperature 90°C Coil 220/240 V 50/60 Hz	
0F0001	Triple solenoid valve 180° Inlet Ø 3/4" outlet Ø 10 mm Yellow reducer 2.5 l/min - Red 0.25 l/min Max temperature 90°C Coil 220/240 V 50/60 Hz	
049230	Double solenoid valve 90° Inlet Ø 3/4" 14 l/min Outlet Ø 14 mm free Max temperature 90°C Coil 220/240 V 50/60 Hz	
048180	Solenoid valve 24V double 180° Inlet Ø 3/4" free Outlet Ø 14mm free Max temperature 90°C Coil 24 V 50 Hz	
0C1933	Single solenoid valve 90° Inlet Ø 3/4" outlet Ø 10 mm Supply connection P5 blue Max temperature 90°C Coil 220/240 V 50/60 Hz	
0C6137	Double solenoid valve 90° Inlet Ø 3/4" outlet Ø 10 mm Reducer 8 l/min - 0.6 l/min Supply connection P5 blue-orange Max temperature 90°C Coil 220/240 V 50/60 Hz	






## Solenoid Valves




Code	Spare Part Description	Picture
0C2240	Triple solenoid valve 90° Inlet Ø 3/4" outlet Ø 10 mm Reducer 1.2 l/min-0.25 l/min Supply connection P5 orange-grey-blue Max temperature 90°C Coil 220/240 V 50/60 Hz	
049626	Single solenoid valve 90° Inlet Ø 3/4" 10 l/min Outlet Ø 14 mm free Supply connection P5 orange Max temperature 90°C Coil 220/240 V 50/60 Hz	
049439	Solenoid valve Double outlet 90° Inlet Ø 3/4" 20 l/min Outlet Ø 14 mm free Supply connection P5 orange-green Max temperature 90°C Coil 220/240 V 50/60 Hz	
0C3254	Single solenoid valve 180° Inlet Ø 3/4" outlet Ø 10 mm Supply connection P5 blue Max temperature 90°C Coil 220/240 V 50/60 Hz	
0C5517	Double solenoid valve 180° Inlet Ø 3/4" outlet Ø 10 mm Reducer 5 l/min - 0.25 l/min Supply connection P5 orange-grey Max temperature 90°C Coil 220/240 V 50/60 Hz	
0C1934	Triple solenoid valve 180° inlet Ø 3/4" outlet Ø 10 mm Reducer 1.2 l/min- 0.25 l/min Supply connection P5 orange-grey-blue Max temperature 90°C Coil 220/240 V 50/60 Hz	



## Solenoid Valves

Code	Spare Part Description	Picture
OL3446	Single solenoid valve 180° Inlet Ø 3/4" outlet Ø 14 mm Supply connection P5 orange Max temperature 90°C Coil 220/240 V 50/60 Hz	
049668	Solenoid valve Double outlet 180° Inlet Ø 3/4" 20 l/min Outlet Ø 14 mm free Supply connection P5 orange-green Max temperature 90°C Coil 220/240 V 50/60 Hz	
OL3444	Solenoid valve Triple outlet 90° Inlet Ø 3/4" outlet Ø 14 mm Reducer red 0.25 l/min - white Supply connection P5 orange-green-white Max temperature 90°C Coil 220/240 V 50/60 Hz	

## Taps

Code	Spare Part Description	Picture
OS1238	Cartridge for single lever taps Euro type Square connection 10x10.5	
OS0346	Cartridge for single lever taps CX42 type Square connection 8x7 and 9x9 for mixer taps 037616 and 037617	
OS2218	Cartridge for single lever taps Euro type for shower set OS0956 and OS0894 Square connection 10x10.5	



## Taps

Code	Spare Part Description	Picture
OS1239	Cartridge for single lever taps AX38 type Square connection 10x10.5	
OS0146	U type spout Ø18X300M	
OS0344	Spout L= 250mm	
OS0106	Tap valve for fork groups Ø 3/4"	
OS0063	Tap valves 3/4" for single and double hole groups	
OS0343	Black clinical lever	
OS1340	Cartridge for single-lever taps 11X11 square drive for mixer taps OS0863 and OS1457	









### Water Pipes

Code	Spare Part Description	Picture
OL1887	Smooth rubber inlet hose int. Ø 10 mm ext. Ø 17 mm Brass ring Yellow zinc plated Ø 3/4"FF Working pressure 10bar Temperature 90°C Connections: straight+90° Length 2000 mm, to WRAS	
OC8316	Rubber inlet hose int. Ø 10mm ext. Ø 16mm nylon ring Ø 3/4"FF Working pressure 10bar Temperature 90°C Connections: straight+90° length 1500 mm to WRAS and VDE	
061488	Gasket Ø 3/4"	
OL1031	Smooth rubber inlet hose; length 2000 mm To WRC Ø 3/4"FF int. Ø 15 mm ext. Ø 25 mm Nickel plated brass ring Max pressure 25bar Temperature 100°C Straight connections	
OS2210	Smooth rubber inlet hose; length 2500 mm To WRC Ø 3/4"FF int. Ø 15 mm ext. Ø 25 mm Nickel plated brass ring Max pressure 25bar Temperature 100°C Straight connections	
OS2214	Smooth rubber inlet hose; length 3000 mm To WRC Ø 3/4"FF int. Ø 15 mm ext. Ø 25 mm Nickel plated brass ring Max pressure 25bar Temperature 100°C Straight connections	
OC3359	S/steel braided inlet hose int. Ø 19 mm, ext. Ø 28 mm nickel plated brass ring Ø 3/4"FF max pressure 25bar, temperature 100°C connections: straight length 2000 mm	
060933	Smooth rubber inlet hose int. Ø 13mm ext. Ø 25mm brass ring nickel plated Ø 3/4"FF Working pressure 10bar Temperature 90°C connections: straight length 1500 mm	





## Water Pipes

Code	Spare Part Description	Picture
0C8327	Rubber inlet hose int. Ø 13mm ext. Ø 20mm nylon ring Ø 3/4"FF Working pressure 10bar Temperature 90°C Connections: straight+90° length 2100 mm to WRAS and VDE	
069571	S/steel braided inlet hose int. Ø 10 mm, ext. Ø 14 mm Nickel plated brass ring Ø 3/4"FF Max pressure 25bar Temperature 100°C Connections: straight+90° Length 1500 mm	
0S0733	S/steel braided inlet hose; length 1500 mm int. Ø13mm, ext. Ø 19mm Nickel plated brass ring Ø 3/4"FF Working pressure 10bar Temperature 100°C Connections: straight+90°	
049540	S/steel braided inlet hose; length 2100 mm int. Ø13mm, ext. Ø 19mm Nickel plated brass ring Ø 3/4"FF Working pressure 10bar Temperature 100°C Connections: straight+90°	
0S1231	S/steel braided inlet hose int. Ø 19 mm, ext. Ø 28 mm Nickel plated brass ring Ø 3/4"FF Max pressure 25bar, Temperature 100°C Connections straight+90° Length 1500 mm	
0L0639	S/steel hose 18/10 fFor shower set Transparent PVC cover Swivel connections Ø1/2" FF L=1050 mm	
0L0644	S/steel hose 18/10 L=1200 mm	
0S1095	S/steel hose 18/10 for shower set Transparent PVC cover Swivel connections Ø1/2" MF L=1050 mm	




## Water Pipes

Code	Spare Part Description	Picture
0S1094	S/steel hose 18/10 L=1200 mm	
047894	Drain pipe Plastic PVC Impact resistant strengthening spiral Resistant to high temperatures and chemical aggression, smooth inner surface, int. sleeve Ø 58 int. pipe Ø 40 Length 1000 mm	
048818	Drain pipe Plastic PVC Impact resistant strengthening spiral Resistant to high temperatures and chemical aggression, smooth inner surface int. sleeve Ø 35/40, int. pipe Ø 35 Length 1600 mm	
0S1155	S/steel spiral hose Swivel connections Ø1/2" FF L=1050 mm	
0L4552	Flexible drain pipe in polypropylene int. sleeve Ø 35/40, int. pipe Ø 22.5 Length 1600 mm	
047465	Drain pipe Plastic PVC Impact resistant strengthening spiral Resistant to high temperatures and chemical aggression, smooth inner surface int. sleeve Ø 35/40, int. pipe Ø 35 Length 1000 mm	
048845	PVC pump drain pipe Special model Resistant to temp. max 80°C and chemical aggression, int. sleeve Ø 18/28 int. pipe Ø18 Length 2100 mm	
0S2682	Drain Pipe	

## Accessories for Cold Rooms

Code	Spare Part Description	Picture
092602	Ventilated crawl space profile for cold rooms dim. mm 40x70 length 1860 mm	
092604	Ventilated crawl space profile for cold rooms dim. mm 40x70 length 2660 mm	
092606	Ventilated crawl space profile for cold rooms dim. mm 40x70 length 3460 mm	
092603	Ventilated crawl space profile for cold rooms dim. mm 40x70 length 2260 mm	
092605	Ventilated crawl space profile for cold rooms dim. mm 40x70 length 3060 mm	
095414	Panic label	

## Anti-Acid Filter Driers



Code	Spare Part Description	Picture
OS1900	Anti-acid filter drier Type: 4305/2 Connections SAE FLARE: 1/4" Volume (cm³): 80 PS (bar): 45 TS (°C), min: -40 TS (°C), max: +60	






## Anti-Acid Filter Driers

Code	Spare Part Description	Picture
0S1823	Anti-acid filter drier Type: 4305/3 Connections SAE FLARE: 3/8" Volume (cm³): 80 PS (bar): 45 TS (°C), min: -45 TS (°C), max: +60	
0S2211	Anti-acid filter drier Type: 4308/2 Connections SAE FLARE: 1/4" Volume (cm³): 130 PS (bar): 45 TS (°C), min: -40 TS (°C), max: +60	
0S1498	Anti-acid filter drier Type: 4308/3 Connections SAE FLARE: 3/8" Volume (cm³): 130 PS (bar): 45 TS (°C), min: -40 TS (°C), max: +60	
0S2212	Anti-acid filter drier Type: 4316/3 Connections SAE FLARE: 3/8" Volume (cm³): 250 PS (bar): 45 TS (°C), min: -40 TS (°C), max: +60	
0S2213	Anti-acid filter drier Type: 4316/4 Connections SAE FLARE: 1/2" Volume (cm³): 250 PS (bar): 45 TS (°C), min: -40 TS (°C), max: +60	
092142	Anti-acid filter drier Type: DML 304 Connections SAE FLARE: 1/2" Volume (cm³): 330 PS (bar): 46 TS (°C), min: -40 TS (°C), max: +70	
089791	Anti-acid filter drier Type: DML 305 Connections SAE FLARE: 3/8" Volume (cm³): 330 PS (bar): 46 TS (°C), min: -40 TS (°C), max: +70	
089669	Anti-acid filter drier Type: 4303/2S Connections ODS Ø (in-mm): 1/4" Connections ODM Ø (in-mm): 3/8" Volume (cm³): 50 PS (bar): 45 TS (°C), min: -40 TS (°C), max: +80	
0S1497	Anti-acid filter drier Type: 4308/M10S Connections ODS Ø (in-mm): 10 Connections ODM Ø (in-mm): 12 Volume (cm³): 130 PS (bar): 45 TS (°C), min: -40 TS (°C), max: +80	
092143	Anti-acid filter drier Type: DML307S Connections ODS Ø (in-mm): 22 Volume (cm³): 330 PS (bar): 46 TS (°C), min: -40 TS (°C), max: +70	

## Castors

Code	Spare Part Description	Picture
095795	Wheel with brake for refrigerated tables/freezers ecostoreHP Premium height 150 mm;	
095796	Wheel without brake for refrigerated tables/freezers ecostoreHP Premium height 150 mm;	

## Digital Thermoregulators

Code	Spare Part Description	Picture
0S1642	Digital temperature controller Model: ICPLUS 902 NTC-PTC Power supply (V): 12 Input: 1 NTC / PTC Output: 1 RELAY Ext. Dimensions LxHxD (mm): 78,6x37x59 Hole size LxH (mm): 71x29	
0S1644	Digital temperature controller Model: ICPLUS 902 J/K PT100 Power supply (V): 12 Input: 1 PT100 Output: 1 RELAY Ext. Dimensions LxHxD (mm): 78,6x37x59 Hole size LxH (mm): 71x29	
0S1645	Digital temperature controller Model: ICPLUS 902 J/K PT100 Power supply (V): 24 Input: 1 PT100 Output: 1 RELAY Ext. Dimensions LxHxD (mm): 78,6x37x59 Hole size LxH (mm): 71x29	
0S1643	Digital temperature controller Model: ICPLUS 915 NTC-PTC Power supply (V): 230 Input: 1 NTC / PTC Output: 1 RELAY Ext. Dimensions LxHxD (mm): 78,6x37x59 Hole size LxH (mm): 71x29	
0S1743	Digital temperature controller Model: IDPLUS 902 NTC-PTC Power supply (V): 12 Input: 1 NTC / PTC / PT1000 Output: 1 RELAY Ext. Dimensions LxHxD (mm): 74x32x59 Hole size LxH (mm): 71x29	
0S1742	Digital temperature controller Model: IDPLUS 902 NTC-PTC Power supply (V): 230 Input: 1 NTC / PTC / PT1000 Output: 1 RELAY Ext. Dimensions LxHxD (mm): 74x32x59 Hole size LxH (mm): 71x29	







## Digital Thermoregulators




Code	Spare Part Description	Picture
0S1453	Digital temperature controller Model: IDPLUS 961 NTC-PTC Power supply (V): 230 Input: 2 NTC / PTC / PT1000 Output: 1 RELAY Ext. Dimensions LxHxD (mm): 74x32x59 Hole size LxH (mm): 71x29	
0S2136	Digital temperature controller Model: IDPLUS 971 NTC-PTC Power supply (V): 230 Input: 2 NTC / PTC / PT1000 Output: 1 RELAY Ext. Dimensions LxHxD (mm): 74x32x59 Hole size LxH (mm): 71x29	
0S1454	Digital temperature controller Model: IDPLUS 974 NTC-PTC Power supply (V): 230 Input: 2 NTC / PTC / PT1000 Output: 3 RELAY Ext. Dimensions LxHxD (mm): 74x32x59 Hole size LxH (mm): 71x29	
0G8687	Digital temperature controller Model: IDPLUS 974 NTC-PTC Power supply (V): 12 Input: 2 NTC / PTC / PT1000 Output: 3 RELAY Ext. Dimensions LxHxD (mm): 74x32x59	
090074	Digital temperature controller Model: IS 972 LX Output: telephone connection with EWEM 233 Dimensions LxHxD (mm): 74x32x30	
099224	Digital temperature controller Model: EWEM 233 Power supply (V): 230 Input: 2 NTC / PTC Output: 3 RELAY Dimensions LxHxD (mm): 70x85x53	
099221	Digital temperature controller Model: IS 974 LX Output: telephone connection with EWEM 243 Dimensions LxHxD (mm): 74x32x30	
091189	Digital temperature controller Model: EWEM 243 Power supply (V): 230 Input: 2 NTC / PTC Output: 4 RELAY Dimensions LxHxD (mm): 70x85x53	
091207	Digital temperature controller Model: 10-pole connection cable Dimensions LxHxD (mm): 1000 mm	
0S1891	Digital temperature controller Model: EMPLUS600 Power supply (V): 230 Input: 1 NTC / PTC Dimensions LxHxD (mm): 74x32x59 Dimensions LxH (mm): 71x29	



## Digital Thermoregulators










Code	Spare Part Description	Picture
092235	Digital temperature controller Model IR33 - IRELF0EN22 Analogue inputs For 2 probes: PTC/NTC Digital output: 3 outputs on relay 250v (two 8A, one 5A) Serial port output: TTL connections on Phoenix connector not included dim. 71x29mm drilling template dim.	
091642	Digital temperature controller Model IR33 -IRELC0HN21 Analogue inputs For 2 probes: PTC/NTC Digital output: 4 outputs on relay 250v (one 12A two 8A, one 4A) serial port output: TTL connections on Phoenix connector not included dim. 71x29mm drilling template	
091609	Digital temperature controller Model IR33 - IRELF0EN21 Analogue inputs For 2 probes: PTC/NTC Digital output: 3 outputs on relay 250v (two 8A, one 5A) Serial port output: TTL connections on Phoenix connector not included dim. 71x29mm drilling template dim.	
092355	Digital temperature controller Model IR33 - IRELF0HN21 Analogue inputs For 2 probes: PTC/NTC Digital output: 3 outputs on relay 250v (two 4A one 12A) Serial port output: TTL Connections on Phoenix connector not included dim. 71x29mm drilling template dim.	

## Accessories for Thermoregulators

Code	Spare Part Description	Picture
092597	Complete IR33 front covers	
091684	5-way connector pitch 5.08 screw connection 90° num. (from 8 to 12)	
092662	8-way connector pitch 5.08 screw connection 90°C num. (from 1 to 8)	










## Accessories for Thermoregulators

Code	Spare Part Description	Picture
092663	3-way connector pitch 5.08 screw connection straight num. (from 13 to 15)	
091682	4-way connector pitch 5.08 screw connection 90°C num. (from 9 to 12)	
092665	5-way connector pitch 5.08 screw connection 90°C num.	
092664	7-way connector pitch 5.08 screw connection straight	
092360	NTC sensor for IR series length 2000 mm	
099743	3-way connector small screw connection 90°C	
099742	2-way connector pitch 5.08 screw connection 90°C	
099740	7-way connector pitch 5.08 screw connection 90°C	
088998	Connector 3 positions Itch 5.08 screw Connection 90°C	











## Accessories for Thermoregulators

Code	Spare Part Description	Picture
099741	5-way connector pitch 5.08 screw Connection 90°C	
092174	Silicone cable With bulb 6x20 mm AISI304 Terminal with stripped wires Length 2000 mm	
092178	Silicone cable with bulb 6x40 mm AISI304 Terminal with stripped wires Length 1500 mm	
096125	Silicone cable with bulb 6x40 mm AISI304 Terminal with stripped wires Length 3000 mm	
092176	Silicone cable with bulb 6x20 mm AISI304 Terminal with stripped wires Length 4000 mm	
092182	Silicone cable with bulb 6x40 mm AISI304 Terminal with stripped wires Length 2000 mm	
083833	Transformer for temperature controllers 12 V power supply: 220/12 V-3 VA dim. 44x45x33mm	

## Motor Fans and Timers



Code	Spare Part Description	Picture
094755	Timer Bigatti SB 3.82 Daily cycle from 1 to12 Defrosts Adjustable fan delay INTC/PTC Power supply 230V 50Hz dim.mm 72x88x70h	
0S0562	Pentavalent motor fan. 5 different types of fixing with cable Rpm 1300/1550 Input/output power 16/65W 230/240V 50-60Hz	
0S0563	Pentavalent motor fan. 5 different types of fixing with cable Rpm 1300/1550 Input/output power 25/95W 230/240V 50-60Hz	
0S0561	Pentavalent motor fan. 5 different types of fixing with cable Rpm 1300/1550 Input/output power 10/38W 230/240V 50-60Hz	
0S1119	Pentavalent motor fan 5 different types of fixing with cable Rpm 1300/1550 Input/output power 18/73W 230/240 V 50-60Hz	

## Hermetic Compressors

Code	Spare Part Description	Picture
093267	Hermetic compressor R134a HMBP Model: EMT6144Z Power supply (Volt/Ph/Hz): 220-240/1/50 Displacement (cm3): 5,20 Motor type: CSIR	



## Hermetic Compressors

Code	Spare Part Description	Picture
093207	Hermetic compressor R134a HMBP Model: EMT6160Z Power supply (Volt/Ph/Hz): 220-240/1/50 Displacement (cm <sup>3</sup> ): 6,76 Motor type: CSIR	
093206	Hermetic compressor R134a HMBP Model: EMT6170Z Power supply (Volt/Ph/Hz): 220-240/1/50 Displacement (cm <sup>3</sup> ): 7,69 Motor type: CSIR	
093379	Hermetic compressor R134a HMBP Model: NEK6187Z Power supply (Volt/Ph/Hz): 220-240/1/50 Displacement (cm <sup>3</sup> ): 10,00 Motor type: CSIR	
093297	Hermetic compressor R134a HMBP Model: NEK6210Z Power supply (Volt/Ph/Hz): 220-240/1/50 Displacement (cm <sup>3</sup> ): 14,30 Motor type: CSIR	
093484	Hermetic compressor R134a HMBP Model: NEK6214Z Power supply (Volt/Ph/Hz): 220-240/1/50 Displacement (cm <sup>3</sup> ): 14,30 Motor type: CSIR	
092312	Hermetic compressor R134a HMBP Model: NT6215Z Power supply (Volt/Ph/Hz): 220-240/1/50 Displacement (cm <sup>3</sup> ): 17,40 Motor type: CSIR	








## Hermetic Compressors

Code	Spare Part Description	Picture
093454	Hermetic compressor R134a HMBP Model: NJ6220Z Power supply (Volt/Ph/Hz): 220-240/1/50 Displacement (cm <sup>3</sup> ): 26,20 Motor type: CSIR	
093474	Hermetic compressor R134a HMBP Model: NJ6226Z Power supply (Volt/Ph/Hz): 220-240/1/50 Displacement (cm <sup>3</sup> ): 34,37 Motor type: CSR	
092337	Hermetic compressor R404a/R507 HMBP Model: EMT6144GK Power supply (Volt/Ph/Hz): 220-240/1/50 Displacement (cm <sup>3</sup> ): 3,97 Motor type: CSIR	
0S1499	Hermetic compressor R404a/R507 HMBP Model: EMT6152GK Power supply (Volt/Ph/Hz): 220-240/1/50 Displacement (cm <sup>3</sup> ): 4,50 Motor type: CSIR	
093208	Hermetic compressor R404a/R507 HMBP Model: EMT6165GK Power supply (Volt/Ph/Hz): 220-240/1/50 Displacement (cm <sup>3</sup> ): 5,20 Motor type: CSIR	
093373	Hermetic compressor R404a/R507 HMBP Model: NEK6181GK Power supply (Volt/Ph/Hz): 220-240/1/50 Displacement (cm <sup>3</sup> ): 7,28 Motor type: CSIR	





## Hermetic Compressors

Code	Spare Part Description	Picture
093377	Hermetic compressor R404a/R507 HMBP Model: NEK6181GK Power supply (Volt/Ph/Hz): 220-240/1/50 Displacement (cm <sup>3</sup> ): 7,28 Motor type: CSIR	
091161	Hermetic compressor R404a/R507 HMBP Model: NEK6213GK Power supply (Volt/Ph/Hz): 220-240/1/50 Displacement (cm <sup>3</sup> ): 12,12 Motor type: CSIR	
092239	Hermetic compressor R404a/R507 HMBP Model: NEK6217GK Power supply (Volt/Ph/Hz): 220-240/1/50 Displacement (cm <sup>3</sup> ): 14,30 Motor type: CSIR	
0S1824	Hermetic compressor R404a/R507 HMBP Model: NJ9226GK Power supply (Volt/Ph/Hz): 220-240/1/50 Displacement (cm <sup>3</sup> ): 21,70 Motor type: CSIR	
093426	Hermetic compressor R290 MBP/HMBP/LBP Model: EMT6152U Power supply (Volt/Ph/Hz): 220-240/1/50 Displacement (cm <sup>3</sup> ): 5,19 Power HP: 1/4 Motor type: CSIR Field of application: MBP extension	
093425	Hermetic compressor R290 MBP/HMBP/LBP Model: EMT6144U Power supply (Volt/Ph/Hz): 220-240/1/50 Displacement (cm <sup>3</sup> ): 4,50 Power HP: 1/5 Motor type: CSIR Field of application: HMB extension	
0S2611	Hermetic compressor R290 MBP/HMBP/LBP Model: NEK2150U Power supply (Volt/Ph/Hz): 220-240/1/50 Displacement (cm <sup>3</sup> ): 13,54 Power HP: 1/2 Motor type: CSIR Field of application: LBP extension	
0S1922	Hermetic compressor R290 MBP/HMBP/LBP Model: NEK2160U Power supply (Volt/Ph/Hz): 220-240/1/50 Displacement (cm <sup>3</sup> ): 16,80 Power HP: 3/4 Motor type: CSR Field of application: LBP extension	




## Hermetic Compressors

Code	Spare Part Description	Picture
093727	Hermetic compressor R290 MBP/HMBP/LBP Model: NT2160U Power supply (Volt/Ph/Hz): 220-240/1/50 Displacement (cm <sup>3</sup> ): 17,40 Power HP: 3/4 Motor type: CSR Field of application: LBP extension	
0S1960	Hermetic compressor R290 MBP/HMBP/LBP Model: NT2170U Power supply (Volt/Ph/Hz): 220-240/1/50 Displacement (cm <sup>3</sup> ): 20,40 Power HP: 3/4 Motor type: CSR Field of application: LBP extension	
0S2612	Hermetic compressor R290 MBP/HMBP/LBP Model: SC21CNX2A Power supply (Volt/Ph/Hz): 220-240/1/50 Displacement (cm <sup>3</sup> ): 20,95 Power HP: 1 Motor type: CSIR Field of application: LBP	
0S2613	Hermetic compressor R290 MBP/HMBP/LBP Model: TL5CN Power supply (Volt/Ph/Hz): 220-240/1/50 Displacement (cm <sup>3</sup> ): 5,08 Power HP: 1/5 Motor type: CSIR Field of application: LMB extension	
0S1936	Hermetic compressor R600a LBP Model: HVY57AA Power supply (Volt/Ph/Hz): 220-240/1/50 Displacement (cm <sup>3</sup> ): 5,73 Power HP: 1/9 Motor type: RSIR Field of application: LBP	
0S2098	Hermetic compressor R600a LBP Model: EMT40CLP Power supply (Volt/Ph/Hz): 220-240/1/50 Displacement (cm <sup>3</sup> ): 7,23 Power HP: 1/8 Motor type: RSIR Field of application: LBP	
0S1959	Hermetic compressor R600a LBP Model: HQM80AA Power supply (Volt/Ph/Hz): 220-240/1/50 Displacement (cm <sup>3</sup> ): 8,10 Power HP: 1/7 Motor type: RSIR Field of application: LBP	
0S2531	Hermetic compressor R600a LBP Model: N1112Y Power supply (Volt/Ph/Hz): 220-240/1/50 Displacement (cm <sup>3</sup> ): 8,10 Power HP: 1/5 Motor type: RSCR Field of application: LBP	
0S2186	Hermetic compressor R600a LBP Model: EMX40CLC Power supply (Volt/Ph/Hz): 220-240/1/50 Displacement (cm <sup>3</sup> ): 7,23 Power HP: 1/7 Motor type: RSCR Field of application: LBP	
0S2614	Hermetic compressor R600a LBP Model: EMX55CLC Power supply (Volt/Ph/Hz): 220-240/1/50 Displacement (cm <sup>3</sup> ): 9,04 Power HP: 1/6 Motor type: RSCR Field of application: LBP	
0S2615	Hermetic compressor R600a LBP Model: EMYE70CLP Power supply (Volt/Ph/Hz): 220-240/1/50 Displacement (cm <sup>3</sup> ): 11,14 Power HP: 1/4 Motor type: RSCR Field of application: LBP	
093374	Hermetic compressor R404a/R507 LBP Model: NEK2134GK Power supply (Volt/Ph/Hz): 220-240/1/50 Displacement (cm <sup>3</sup> ): 8,78 Motor type: ---	





## Hermetic Compressors

Code	Spare Part Description	Picture
093630	Hermetic compressor R404a/R507 LBP Model: NEK2150GK Power supply (Volt/Ph/Hz): 220-240/1/50 Displacement (cm <sup>3</sup> ): 12,12 Motor type: ---	
093787	Hermetic compressor R404a/R507 LBP Model: NT2168GK Power supply (Volt/Ph/Hz): 220-240/1/50 Displacement (cm <sup>3</sup> ): 14,50 Motor type: ---	
092785	Hermetic compressor R404a/R507 LBP Model: NT2178GK Power supply (Volt/Ph/Hz): 220-240/1/50 Displacement (cm <sup>3</sup> ): 17,40 Motor type: ---	
093735	Hermetic compressor R404a/R507 LBP Model: NT2180GK Power supply (Volt/Ph/Hz): 220-240/1/50 Displacement (cm <sup>3</sup> ): 20,40 Motor type: ---	
093424	Hermetic compressor R404a/R507 LBP Model: NT2192GK Power supply (Volt/Ph/Hz): 220-240/1/50 Displacement (cm <sup>3</sup> ): 22,40 Motor type: ---	
084076	Hermetic compressor R404a/R507 LBP Model: NJ2192GK Power supply (Volt/Ph/Hz): 220-240/1/50 Displacement (cm <sup>3</sup> ): 26,00 Motor type: ---	



## Hermetic Compressors

Code	Spare Part Description	Picture
085097	Hermetic compressor R404a/R507 LBP Model: NT2180GK Power supply (Volt/Ph/Hz): 220-240/1/50 Displacement (cm <sup>3</sup> ): 20,40 Motor type: ---	
085501	Hermetic compressor R134a HMBP Model: GL45TB Power supply (Volt/Ph/Hz): 220-240/1/50 Displacement (cm <sup>3</sup> ): 4,50 Power HP: 1/6 Motor type: CSIR Rubbers and spacers code 0S0604 not included	
083718	Hermetic compressor R134a HMBP Model: GL90TB Power supply (Volt/Ph/Hz): 220-240/1/50 Displacement (cm <sup>3</sup> ): 8,85 Power HP: 1/4 Motor type: CSIR Rubbers and spacers code 0S0604 not included	
083752	Hermetic compressor R134a HMBP Model: GP12TB Power supply (Volt/Ph/Hz): 220-240/1/50 Displacement (cm <sup>3</sup> ): 12,00 Power HP: 3/8 Motor type: CSIR Rubbers and spacers code 0S0604 not included	
OT3259	Hermetic compressor R404a/R507 HMBP Model: ML45TB Power supply (Volt/Ph/Hz): 220-240/1/50 Displacement (cm <sup>3</sup> ): 4,50 Power HP: 1/5 Motor type: CSIR	
OT3290	Hermetic compressor R404a/R507 HMBP Model: ML90TB Power supply (Volt/Ph/Hz): 220-240/1/50 Displacement (cm <sup>3</sup> ): 8,85 Power HP: 3/8 Motor type: CSIR Rubbers and spacers code 0S0604 not included	
OT3291	Hermetic compressor R404a/R507 HMBP Model: MP14TB Power supply (Volt/Ph/Hz): 220-240/1/50 Displacement (cm <sup>3</sup> ): 14,00 Power HP: 1/2 Motor type: CSR Rubbers and spacers code 0S0604 not included	





## Hermetic Compressors


Code	Spare Part Description	Picture
0T3261	Hermetic compressor R404a/R507 HMBP Model: MX18TB Power supply (Volt/Ph/Hz): 220-240/1/50 Displacement (cm <sup>3</sup> ): 18,39 Power HP: 7/8 Motor type: CSR Rubbers and spacers code 0S0604 not included	
0A9615	Hermetic compressor R404a/R507 LBP Model: MPI4FB Power supply (Volt/Ph/Hz): 220-240/1/50 Displacement (cm <sup>3</sup> ): 14,00 Power HP: 1/2 Motor type: CSIR Rubbers and spacers code 0S0604 not included	
092289	Hermetic compressor R404a/R507 LBP Model: MX23FB Power supply (Volt/Ph/Hz): 220-240/1/50 Displacement (cm <sup>3</sup> ): 23,2 Power HP: 7/8 Motor type: CSR	
0A9727	Hermetic compressor R404a/R507 LBP Model: MS34FB Power supply (Volt/Ph/Hz): 220-240/1/50 Displacement (cm <sup>3</sup> ): 34,42 Power HP: 1 Motor type: CSR	
085876	Compressor mod. GL60TB	
083989	Compressor mod. GS26TB	
089170	Compressor mod. ML60TB	
091221	Compressor mod. MX18FB	

## Accessories for Compressors






Code	Spare Part Description	Picture
0A8764	Start capacitor F: 50 F Voltage: 260V Hz: 50Hz	
082640	Compressor accessories F: 80 F Voltage: 330 V Hz: 50/60Hz	
0A9228	Start capacitor F: 72/88 F Voltage: 330V Hz: 50/60Hz	
083449	Compressor accessories F: 88/108 F Voltage: 330 V Hz: 50/60Hz	
099747	Start capacitor F: 88/108 F Voltage: 330V Hz: 50/60Hz	
087385	Compressor accessories F: 130/156 F Voltage: 330 V Hz: 50/60Hz	
083406	Compressor accessories F: 5 F Voltage: 420V Hz: 50/60Hz	
083156	Compressor accessories F: 16F Voltage: 400V Hz: 50/60Hz	
087201	Compressor accessories F: 20 F Voltage: 450V Hz: 50/60Hz	



## Accessories for Compressors

Code	Spare Part Description	Picture
0S0604	Compressor accessories	
097094	Starting capacitor 52 F 330 V 50Hz	

## Hermetic Condensing Units

Code	Spare Part Description	Picture
0S0762	Hermetic condensing units R134A, HMBP, capillary expansion device, cooling capacity at amb. temp. +32°C dec. 450x300x270mm Connections: In: 6 Out: 10	
0S0764	Hermetic condensing units R134A, HMBP, expansion valve, cooling capacity at amb. temp. +32°C dec. 450x300x270mm Connections: In: 6 Out: 10	
0S0765	Hermetic condensing units R134A, HMBP, expansion valve, cooling capacity at amb. temp. +32°C dec. 480x330x295mm Connections: In: 6 Out: 10	
0S2187	Hermetic condensing units R134A, HMBP, expansion valve, cooling capacity at amb. temp. +32°C dec. 490x385x295mm Connections: In: 6 Out: 10	
0S0770	Hermetic condensing units R404A, HMBP, capillary expansion device, cooling capacity at amb. temp. +32°C dec. 450x300x270mm Connections: In: 6 Out: 10	



## Hermetic Condensing Units

Code	Spare Part Description	Picture
OS0771	Hermetic condensing units R404A, HMBP, capillary expansion device, cooling capacity at amb. temp. +32°C dec. 480x330x295mm Connections: In: 6 Out: 10	
OS0772	Hermetic condensing units R404A, HMBP, capillary expansion device, cooling capacity at amb. temp. +32°C dec. 480x330x295mm Connections: In: 6 Out: 10	
OS0980	Hermetic condensing units R404A, HMBP, capillary expansion device, cooling capacity at amb. temp. +32°C dec. 500x330x297mm Connections: In: 6 Out: 10	
OS1906	Hermetic condensing units R404A, HMBP, expansion valve, cooling capacity at amb. temp. +32°C dec. 450x300x270mm Connections: In: 6 Out: 10	
OS0774	Hermetic condensing units R404A, HMBP, expansion valve, cooling capacity at amb. temp. +32°C dec. 450x300x270mm Connections: In: 6 Out: 10	
OS0775	Hermetic condensing units R404A, HMBP, expansion valve, cooling capacity at amb. temp. +32°C dec. 480x330x295mm Connections: In: 6 Out: 10	
OS0776	Hermetic condensing units R404A, HMBP, expansion valve, cooling capacity at amb. temp. +32°C dec. 480x330x295mm Connections: In: 6 Out: 10	
OS2471	Hermetic condensing units R404A, HMBP, expansion valve, cooling capacity at amb. temp. +32°C dec. 490x385x295mm Connections: In: 6 Out: 10	











## Hermetic Condensing Units

Code	Spare Part Description	Picture
OS1664	Hermetic condensing units R404A, HMBP, expansion valve, cooling capacity at amb. temp. +32°C dec. 490x385x295mm Connections: In: 6 Out: 10	
OS1033	Hermetic condensing units R404A, HMBP, expansion valve, cooling capacity at amb. temp. +32°C dec. 490x385x345mm Connections: In: 6 Out: 10	
OS1388	Hermetic condensing units R404A, HMBP, expansion valve, cooling capacity at amb. temp. +32°C dec. 490x385x345mm Connections: In: 10 Out: 12	
OS1387	Hermetic condensing units R404A, HMBP, expansion valve, cooling capacity at amb. temp. +32°C dec. 490x700x346mm Connections: In: 10 Out: 12	
OS0982	Hermetic condensing units R404A, LBP, capillary expansion device, cooling capacity at amb. temp. +32°C dec. 480x330x295mm Connections: In: 6 Out: 10	
OS0983	Hermetic condensing units R404A, LBP, expansion valve, cooling capacity at amb. temp. +32°C dec. 500x330x295mm Connections: In: 6 Out: 10	
OS2117	Hermetic condensing units R404A, LBP, expansion valve, cooling capacity at amb. temp. +32°C dec. 500x330x295mm Connections: In: 6 Out: 10	
OS2217	Hermetic condensing units R404A, LBP, expansion valve, cooling capacity at amb. temp. +32°C dec. 490x385x345mm Connections: In: 10 Out: 12	



## Hermetic Condensing Units







Code	Spare Part Description	Picture
OS1625	Hermetic condensing units R404A, LBP, expansion valve, cooling capacity at amb. temp. +32°C dec. 490x700x346mm Connections: In: 10 Out: 12	
OS0766	Hermetic condensing units R134A, HMBP, expansion valve, cooling capacity at amb. temp. +43°C dec. 425x340x245mm Connections: In: 1/4" Out: 3/8"	
OS0767	Hermetic condensing units R134A, HMBP, expansion valve, cooling capacity at amb. temp. +43°C dec. 425x350x270mm Connections: In: 1/4" Out: 3/8"	
OS0768	Hermetic condensing units R134A, HMBP, expansion valve, cooling capacity at amb. temp. +43°C dec. 425x350x270mm Connections: In: 1/4" Out: 3/8"	
OS0777	Hermetic condensing units R404A, HMBP, expansion valve, cooling capacity at amb. temp. +43°C dec. 425x330x245mm Connections: In: 1/4" Out: 3/8"	
OS0778	Hermetic condensing units R404A, HMBP, expansion valve, cooling capacity at amb. temp. +43°C dec. 450x355x270mm Connections: In: 1/4" Out: 3/8"	
OS0779	Hermetic condensing units R404A, HMBP, expansion valve, cooling capacity at amb. temp. +43°C dec. 425x355x270mm Connections: In: 1/4" Out: 3/8"	
OS0783	Hermetic condensing units R404A, LBP, expansion valve, cooling capacity at amb. temp. +43°C dec. 545x425x350mm Connections: In: 3/8 Out: 5/8	



## Hermetic Condensing Units

Code	Spare Part Description	Picture
0S2785	cond. unit hermetic mod HA004Z1111	

## Thermostatic Valves and Orifices

Code	Spare Part Description	Picture
083758	Thermostatic valve Valve type: TN2 Pressure equalisation: int. ½" Capillary length (m): 1,5 Connections Flare inlet: 3/8" Flare outlet: ½" Operating range Range N -40 to + 10°C: without MOP Range NM - 40 to -5°C: - Range NL -40 to - 15°C: - Danfoss code: 0	
0S1391	Thermostatic valve Valve type: TS2 Pressure equalisation: int. ½" Capillary length (m): 1,5 Connections Flare inlet: 3/8" Flare outlet: ½" Operating range Range N -40 to + 10°C: without MOP Range NM - 40 to -5°C: - Range NL -40 to - 15°C: - Danfoss code: 0	
0S1393	Thermostatic valve Valve type: TES2 Pressure equalisation: ext. ½" x ¼" Capillary length (m): 1,5 Connections Flare inlet: 3/8" Flare outlet: ½" Operating range Range N -40 to + 10°C: without MOP Range NM -40 to -5°C: - Range NL -40 to - 15°C: - Danfoss co	
0A9508	Thermostatic expansion valve Valve type: TS2 Pressure equalization: - Capillary length (m): 1,5 Connections Flare inlet: 3/8" Flare outlet: ½" Operating range Range N -40 to + 10°C: Range NM - 40 to -5°C: Range NL -40 to - 15°C: MOP -10°C Danfoss code: 068	
0S1932	Thermostatic valve Valve type: TEX2 Pressure equalisation: ext. 12mm x 6mm Capillary length (m): 1,5 Connections Flare inlet: 3/8" Flare outlet ODF: ½" Operating range Range N -40 to + 10°C: without MOP Range NM -40 to -5°C: - Range NL -40 to - 15°C: - Da	
OKW895	Thermostatic valve Valve type: TN2 Pressure equalisation: int. ½" Capillary length (m): 1,5 Connections Flare inlet: 3/8" Flare outlet ODF: ½" Operating range Range N -40 to + 10°C: without MOP Range NM -40 to -5°C: - Range NL -40 to - 15°C: - Danfoss cod	






## Thermostatic Valves and Orifices

Code	Spare Part Description	Picture
0T5187	Thermostatic valve Valve type: TES2 Pressure equalisation: ext. ½" x ¼" Capillary length (m): 1,5 Connections Flare inlet: 3/8" Flare outlet ODF: ½" Operating range Range N -40 to + 10°C: without MOP Range NM -40 to -5°C : - Range NL -40 to - 15°C: - Danfo	
0S2333	Thermostatic valve Valve type: T2-TE2 Orifice type: 0X Danfoss code: 068-2002	
084084	Thermostatic valve Valve type: T2-TE2 Orifice type: 00 Danfoss code: 068-2003	
083404	Thermostatic valve Valve type: T2-TE2 Orifice type: 02 Danfoss code: 068-2015	
0S2334	Thermostatic valve Valve type: T2-TE2 Orifice type: 03 Danfoss code: 068-2006	
0L2379	Thermostatic valve Valve type: T2-TE2 Orifice type: 04 Danfoss code: 068-2007	
0T5165	Orifice for T2-TE2 01 thermostatic expansion valve	
0L2378	Thermostatic expansion valve TEN2	






## Thermostatic Valves and Orifices

Code	Spare Part Description	Picture
0T6225	TES3 thermostatic expansion valve	

## Router/Hub/Boards

Code	Spare Part Description	Picture
OCK635	CONNECTIVITY WI-FI BOARD (NIU-HACL) Internet Connection: Cable connection from HUB to local router (connection is not required when using SkyDuo* only) Appliances connection to HUB: WI-FI q.ty: 1 per appliance	
OCB931	CONNECTIVITY ETHERNET BOARD OVEN (NIU-LAN) FOR OVENS+RACK TYPE DISHWASHERS Internet Connection: Cable connection from HUB to local router (connection is not required when using SkyDuo* only) Appliances connection to HUB: Cable (ethernet) q.ty: 1 per appli	
OCB930	CONNECTIVITY ETHERNET BOARD BLAST CHILLER (NIU-LAN) Internet Connection: Cable connection from HUB to local router (connection is not required when using SkyDuo* only) Appliances connection to HUB: Cable (ethernet) q.ty: 1 per appliance	

## Blast Chiller Probes

Code	Spare Part Description	Picture
OPRRNX	3-SENSOR PROBE FOR BLAST CHILLER FREEZER For 6-20 GN Blast chillers	
OPRRNY	6-SENSOR PROBE FOR BLAST CHILLER FREEZER For 6-20 GN Blast chillers	
OPRRNZ	3 SINGLE-SENSOR PROBE FOR BLAST CHILLER FREEZER Ideal when it is required to have multipoint testing Not recommended for continuous usage	

## Castors


Code	Spare Part Description	Picture
OPRRQ1	4 WHEELS IN AISI 304 FOR stacked 6 GN 1/1 oven on blast chiller Ideal for cleaning behind the oven 2 swivelling wheels with brakes and 2 fixed wheels without brakes If mounted on gas ovens, a flexible pipe is required	
OPRRRJ	4 WHEELS FOR 6-10 GN 1/1 BLAST CHILLER FREEZER Ideal for cleaning behind the blast chiller freezer 2 swivelling wheels with brakes and 2 fixed wheels without brakes	
OPRRRK	6 WHEELS FOR 10 GN 2/1 BLAST CHILLER FREEZER Ideal for cleaning behind the blast chiller freezer 2 swivelling wheels with brakes and 2 fixed wheels without brakes	

## Detergents for Automatic Washing

Code	Spare Part Description	Picture
OS2395	C22 Cleaning tabs. Cleaning powder in single use tabs for SkyLine ovens. Professional detergent for new generation ovens with automatic washing system. Suitable for all types of water Package: 100 tabs buckets - 65 gr. each tab	
OS2392	C23 Cleaning powder. Cleaning powder in single use bags for SkyLine ovens. Professional detergent for new generation ovens with automatic washing system. Suitable for all types of water Package: 100 bags bucket; 65 g. each	
OS2394	C25 Rinse & Descale tabs. Professional rinse and descale 2 in 1 in single use tabs for SkyLine ovens. Professional chemical agent for new generation ovens with automatic washing system. Suitable for all types of water. Package: 50 tab buckets; 30 g. each	
OS2282	C20 Extra Strong Detergent for ovens. - Detergent for ovens with automatic washing system - Tested and validated by Electrolux Professional Labs for best appliance performance, compatibility and durability - High degreasing power for ovens with integrated	
OS2283	C21 Extra Strong Rinse aid for ovens. - Rinse aid for ovens with automatic washing system - Tested and validated by Electrolux Professional Labs for best appliance performance, compatibility and durability - Quick drying and perfect shining cavity for ove	
OS2347	Metallic wall support	






## Detergents for Automatic Washing

Code	Spare Part Description	Picture
0S2559	Support for detergent tank to be hooked to the open base	

## Gas Conversion Kits

Code	Spare Part Description	Picture
0S2983	KIT TO CONVERT FROM LPG TO NATURAL GAS In case of conversion of 6 GN 1/1 or 6 GN 2/1 ovens from Natural Gas to LPG, also the chimney is needed	
0S2984	KIT TO CONVERT FROM NATURAL GAS TO LPG In case of conversion of 6 GN 1/1 or 6 GN 2/1 ovens from Natural Gas to LPG, also the chimney is needed	

## GN Grids and Trays

Code	Spare Part Description	Picture
0S1875	Aluminum tray with non-stick coating GN 1/2 325x265x20	
0S1876	Aluminum tray with non-stick coating GN 1/2 325x265x40	
0S1877	Aluminum tray with non-stick coating GN 1/2 325x265x60	











## GN Grids and Trays

Code	Spare Part Description	Picture
0S1872	Aluminum tray with non-stick coating GN 1/1 530x325x20	
0S1873	Aluminum tray with non-stick coating GN 1/1 530x325x40	
0S1874	Aluminum tray with non-stick coating GN 1/1 530x325x60	
0S1878	Aluminum grill with non-stick coating GN 1/1 530x325x12	
0S1894	Smooth/ribbed aluminum plate with non-stick coating GN 1/1 530x325x5	
0C8526	Aluminum egg tray with non-stick coating	
0S1992	Potato grid in AISI 304 steel GN 1/1 for 28 potatoes 530x325x85	












## GN Grids and Trays

Code	Spare Part Description	Picture
OC8525	Baguette tray with silicone coating GN 1/1 in perforated aluminum with silicone coating. Ideal for cooking 4 pieces of baguettes of 290gr each 530x325x14	
OS0868	AISI 304 steel GN 1/1 oven rack 530x325x12	
003189	GN 2/1 oven rack in AISI 304 steel 530x650x12	
OC6037	Baskets for frying GN 1/1 in AISI 304 steel 530x325x40	
OC7013	Grills for chickens in AISI 304 steel GN 1/2 265x325x140 4 chickens	
OS0869	Grills for chickens in AISI 304 steel GN 1/1 530x325x140 8 chickens	
OS2480	Grill for ducks PNC 922362 GN 1/1 530x325x258 8 ducks	
OS2513	Rhombus perforated non-stick grill ideal for grilled steaks, improves cooking and preheating is not necessary GN 1/1 530x325x14	










## GN Grids and Trays


Code	Spare Part Description	Picture
0S2514	Tray for traditional cooking ideal for braised meats, meat sauce and other traditional cooking methods GN 1/1 530x325x100	
0S2515	Non-stick tray for dehydration cycle ideal for: dehydrating fruit and vegetables without using baking paper GN 1/1 530x325 20 mm	
0S2516	Non-stick tray for dehydration cycle ideal for: dehydrating fruit and vegetables without using parchment paper GN 1/1 530x325 flat	
0S1752	GN 1/1 fat collection tray in AISI 304, ideal for easy fat collection thanks to the special integrated stainless steel drain pipe. Drain pipe and lid GN 1/1 530x325x40 included	
0S1993	GN 1/1 fat collection tray in AISI 304, ideal for easy fat collection thanks to the special integrated stainless steel drain pipe. Including drain tube and lid. GN 1/1 530x325x100	
0S2622	GN 2/1 fat collection tray in AISI 304, ideal for easy collection of fats thanks to the special integrated stainless steel drain pipe. Including drain tube and lid.	
0C8634	Pastry tray GN 1/1 in aluminum with two edges for bakery-pastry GN 1/1 530x325x10	
0S1747	Universal skewer grill GN 1/1 in AISI 304 530x325x55 4 long skewers	
0S1748	Universal skewer grill GN 1/1 in AISI 304 530x325x55 6 short skewers	



## GN Grids and Trays

Code	Spare Part Description	Picture
OS1750	Long skewer set 4pcs	
OS1751	Short skewer set 6pcs	
OS1749	Universal GN 1/1 skewer grill in AISI 304 not including skewers	
OCBAP1	Multifunction hook with 2 hooks in AISI 304 The hook is hung on the grid (OS0868 or 003189) and placed on the highest level of the tray rack	
OCB819	Kit Of 6 Non-Stick U-Pan - Gn 1/1 H=40Mm	
OCB818	Kit Of 6 Non-Stick U-Pan - Gn 1/1 H=20Mm	
OCB820	Kit Of 6 Non-Stick U-Pan - Gn 1/1 H=60Mm	
054845	Enamelled pan GN 2/3 for FCF2 ovens. Capacity 2l WxDxH (mm): 354x325x25	









## GN Inox Basins

Code	Spare Part Description	Picture
OS1733	GN 1/1 tray In stainless steel with step 530x325x100	









## GN Inox Basins

Code	Spare Part Description	Picture
0S1455	GN 1/1 tray In stainless steel with step 530x325x150	
0S0900	GN 1/2 tray In stainless steel with step 325x265x65	
0S2167	GN 1/2 tray In stainless steel with step 325x265x100	
0S2168	GN 1/2 tray In stainless steel with step 325x265x150	
0S2195	GN 1/3 tray In stainless steel with step 325x175x65	
0S2196	GN 1/3 tray In stainless steel with step 325x175x100	
0S2107	GN 1/3 tray In stainless steel with step 325x175x150	
0S2197	GN 1/4 tray In stainless steel with step 265x162x100	



## GN Inox Basins

Code	Spare Part Description	Picture
0S2198	GN 1/4 tray In stainless steel with step 265x162x150	
0S2199	GN 1/6 tray In stainless steel with step 176x162x100	
0S2200	GN 1/6 tray In stainless steel with step 176x162x150	
0G4461	GN 1/9 tray In stainless steel with step 176x108x65	
0S2067	GN 1/9 tray In stainless steel with step 176x108x100	

## GN Plastic Basins

Code	Spare Part Description	Picture
0S2918	GN 1/1 tray Made of polypropylene	
0S2919	GN 1/1 tray Made of polypropylene	
0S2920	GN 1/1 tray Made of polypropylene	
0S2921	GN 1/1 tray Made of polypropylene	
0S2922	GN 1/2 tray In polypropylene	



## GN Plastic Basins






Code	Spare Part Description	Picture
0S2923	GN 1/2 tray In polypropylene	
0S2924	GN 1/2 tray In polypropylene	
0S2925	GN 1/2 tray In polypropylene	
0S2926	GN 1/3 tray In polypropylene	
0S2927	GN 1/3 tray In polypropylene	
0S2928	GN 1/3 tray In polypropylene	
0S2929	GN 1/3 tray In polypropylene	
0S2930	GN 1/4 tray In polypropylene	
0S2931	GN 1/4 tray In polypropylene	
0S2932	GN 1/4 tray In polypropylene	
0S2933	GN 1/4 tray In polypropylene	
0S2934	GN 1/6 tray In polypropylene	
0S2935	GN 1/6 tray In polypropylene	
0S2936	GN 1/6 tray In polypropylene	
0S2937	GN 1/6 tray In polypropylene	
0S2938	GN 1/9 tray In polypropylene	



## GN Plastic Basins



Code	Spare Part Description	Picture
0S2939	GN 1/9 tray In polypropylene	

## Accessories for Basins






Code	Spare Part Description	Picture
0S1916	Lid in stainless steel for GN 1/1 containers	
OPR975	Lid in stainless steel for GN 1/2 containers	
0S2106	Lid in stainless steel for GN 1/3 containers	
0S1917	Lid in stainless steel for GN 1/4 containers	
0S2202	Lid in stainless steel for GN 1/6 containers	
0S2068	Lid in stainless steel for GN 1/9 containers	
0S2940	Polypropylene lid for basins	
0S2941	Polypropylene lid for basins	
0S2942	Polypropylene lid for basins	



## Accessories for Basins



Code	Spare Part Description	Picture
0S2943	Polypropylene lid for basins	
0S2944	Polypropylene lid for basins	
0S2945	Polypropylene lid for basins	
088951	Stainless steel supports for GN 1/1 containers	
0A8155	Stainless steel supports for GN 1/2 containers	

## GN Stainless Steel Trays

Code	Spare Part Description	Picture
0S1964	Tray GN 2/1 In stainless steel with step 650x530x20	
0S1965	Tray GN 2/1 In stainless steel with step 650x530x40	
0S1966	Tray GN 2/1 In stainless steel with step 650x530x65	
0S1967	Tray GN 1/1 In stainless steel with step 530x325x20	
0S1048	GN 1/1 tray In stainless steel with step 530x325x40	





## GN Stainless Steel Trays





Code	Spare Part Description	Picture
OS1968	GN 1/1 tray In stainless steel with step 530x325x65	
OS0991	GN 1/2 tray In stainless steel with step 325x265x20	
OS0954	GN 1/2 tray In stainless steel with step 325x265x40	
OS1969	Perforated tray GN 2/1 In stainless steel with step 650x530x20	
OS1970	Perforated tray GN 2/1 In stainless steel with step 650x530x40	
OS1232	Perforated tray GN 2/1 In stainless steel with step 650x530x65	
OS1971	Perforated tray GN 1/1 In stainless steel with step 530x325x20	
OS1972	Perforated tray GN 1/1 In stainless steel with step 530x325x40	



## GN Stainless Steel Trays


Code	Spare Part Description	Picture
0S0899	GN 1/1 perforated tray In stainless steel with step 530x325x65	
0S2201	Perforated tray GN 1/1 In stainless steel with step 530x325x100	

## Grease Filters






Code	Spare Part Description	Picture
006310	Grease filter for convection and conv./steam ovens Facilitates cleaning operations after cooking fatty foods. Dishwasher safe. 450x360x30	
005918	Grease filter for convection and conv./steam ovens Facilitates cleaning operations after cooking fatty foods. Dishwasher safe. 620x490x100	
003774	Grease filter for convection and conv./steam ovens Facilitates cleaning operations after cooking fatty foods. Dishwasher safe. Suitable for crosswise ovens. 580x450x80	
056044	Grease filter for convection and conv./steam ovens Facilitates cleaning operations after cooking fatty foods. Dishwasher safe. Suitable for crosswise ovens. 10 GN 1/1 - 10 GN 2/1 crosswise 483x598x51	



## Grease Filters





Code	Spare Part Description	Picture
056045	Grease filter for convection and conv./steam ovens Facilitates cleaning operations after cooking fatty foods. Dishwasher safe. Suitable for crosswise ovens. 20 GN 2/1 678x598x51	

## Grids and Trays for Bakery - Pastry

Code	Spare Part Description	Picture
0S1754	Oven grill in AISI 304 steel to be used as a support for containers	
0S0587	Non-stick baguette pan made of perforated aluminum with silicone coating; ideal for the preparation of 5 pcs of baguettes with max. 600mm	
0S0588	Flat perforated pan for baking/pastry in aluminium; ideal for "light" baked pastries (e.g. cream puffs)	
0S0936	Flat smooth pan for bread making/pastry in aluminium, ideal for bread making and pastry	
0S2585	Smooth/ribbed aluminum plate with non-stick coating for various cooking needs: dual use of the plate, the ribbed side for grilling and the smooth side for various baking and toasting.	






## Grids and Trays for Convection Ovens




Code	Spare Part Description	Picture
054846	GN 2/3 grill in chromed steel for FCF2 oven	
0S0901	GN 2/3 tray in AISI 304 steel with flat edges and capacity from 2lt to 4lt 354x325x20	
0S0926	GN 2/3 pan in AISI 304 steel with flat edges and capacity from 2lt to 4lt 354x325x40	
OCB009	Enamelled tray GN 2/3 354x325x20	
055428	AISI 304 steel GN 1/1 oven rack with 3 upstands: 2 on the short sides and one on the long side 325x530x40	
OC3029	Enamelled tray for oven FCF4 422x370x20	
OC3028	Enamelled tray for oven FCF4 422x370x33	
OC3030	Stainless steel grill for FCF4 oven 422x370x8	
OKB698	Tray GN 1/2 in stainless steel for combi oven 3 GN 1/2 325x265x40	
OKI553	GN 1/2 perforated tray in stainless steel for combi oven 3 GN 1/2 325x265x40	



## Grids and Trays for Convection Ovens

Code	Spare Part Description	Picture
OKI275	GN 1/2 flat non-stick tray for combi oven 3 GN 1/2 325x265x5	
OKD893	GN 1/2 grid in AISI 304 steel for combi oven 3 GN 1/2 325x265x5	
054297	Chromed grid for FCF4 ovens WxDxH (mm): 422x370x20	



## Oven Probes

Code	Spare Part Description	Picture
OS0668	Probe kit for ovens, suitable for cross wise convection ovens, 6-10 GN 1/1, Probe size: 675 x Ø4 mm	
OS2343	Probe kit for ovens, suitable for cross wise convection ovens, 10 GN 2/1. Needle dimension: 1300 x Ø4 mm	
OS2344	Probe kit for ovens, suitable for cross wise convection ovens, 20 GN 1 / 1-2 / 1. Needle dimension: 1120 x Ø4 mm	
OPRRPB	USB SINGLE POINT PROBE To be used in addition to the standard core temperature probe Suitable also for high temperature cooking	

## Smokers and Accessories





Code	Spare Part Description	Picture
0S1753	Volcano smoker in AISI 304	
0S2159	Charcoal for Volcano smoker	
0S2602	Carob Essence Pellets	
0S2603	Pellets Essence Walnut	
0S2604	Pellets Essence Maple	
0S2605	Pellets Essence Cherry	
0S2606	Apple Essence Pellets	
0S1919	Gas burner	

## Sous-vide Cooking



Code	Spare Part Description	Picture
OS1532	SMOOTH bags for vacuum COOKING - thickness 90 micron 150X300	
OS1523	SMOOTH bags for vacuum COOKING - thickness 90 micron 200x300	
OS2473	SMOOTH bags for vacuum COOKING - thickness 90 micron 250x350	
OS2474	SMOOTH bags for vacuum COOKING - thickness 90 micron 300x400	
OS1526	SMOOTH bags for vacuum COOKING - thickness 90 micron 400x500	
OS2475	SMOOTH bags for vacuum COOKING - thickness 90 micron 400x600	
OS2476	EMBOSSED bags for vacuum COOKING - Thickness 105 micron 150X300	
OS2477	EMBOSSED envelopes for vacuum COOKING - Thickness 105 micron 200X300	



## Sous-vide Cooking

Code	Spare Part Description	Picture
0S2478	EMBOSED bags for vacuum COOKING - Thickness 105 micron 250X350	
0S2479	EMBOSED envelopes for vacuum COOKING - Thickness 105 micron 300X400	
0S1827	Silicone adhesive tape for vacuum cooking	
0C8514	USB probe for vacuum cooking	

## Sous-vide Storage

Code	Spare Part Description	Picture
0S1500	SMOOTH bags for vacuum STORAGE - thickness 90 microns 200x300	
0S1503	SMOOTH bags for vacuum STORAGE - thickness 90 micron 250x350	



## Sous-vide Storage

Code	Spare Part Description	Picture
OS1504	SMOOTH bags for vacuum STORAGE - thickness 90 micron 250x400	
OS1501	SMOOTH bags for vacuum STORAGE - thickness 90 micron 300x400	
OS1505	SMOOTH bags for vacuum STORAGE - thickness 90 micron 300x500	
OS1506	SMOOTH bags for vacuum STORAGE - thickness 90 micron 350x450	
OS2472	SMOOTH bags for vacuum STORAGE - thickness 90 micron 400x500	
OS1507	SMOOTH bags for vacuum STORAGE - thickness 90 micron 400x600	
OS1531	SMOOTH bags for vacuum STORAGE - thickness 140 micron 150X300	
OS1508	SMOOTH bags for vacuum STORAGE - thickness 140 micron 200X300	
OS1510	SMOOTH bags for vacuum STORAGE - thickness 140 micron 250X350	



## Sous-vide Storage

Code	Spare Part Description	Picture
OS1511	SMOOTH bags for vacuum STORAGE - thickness 140 micron 250X400	
OS1512	SMOOTH bags for vacuum STORAGE - thickness 140 micron 300X400	
OS1513	SMOOTH bags for vacuum STORAGE - thickness 140 micron 300X500	
OS1514	SMOOTH bags for vacuum STORAGE - thickness 140 micron 350X450	
OS1515	SMOOTH bags for vacuum STORAGE - thickness 140 micron 400X500	
OS1516	SMOOTH bags for vacuum STORAGE - thickness 140 micron 400X600	
OS1517	EMBOSED bags for vacuum STORAGE - thickness 105 micron 200x300	
OS1518	EMBOSED bags for vacuum STORAGE - thickness 105 micron 250x400	



## Sous-vide Storage

Code	Spare Part Description	Picture
OS1519	EMBOSED bags for vacuum STORAGE - thickness 105 micron 300x400	
OS1520	EMBOSED bags for vacuum STORAGE - thickness 105 micron 300x500	
OS1521	EMBOSED bags for vacuum STORAGE - thickness 105 micron 400x500	
OS1522	EMBOSED bags for vacuum STORAGE - thickness 105 micron 400x600	
OS2899	RECYCLABLE bags for vacuum STORAGE - thickness 80 micron 150X300	
OS2900	RECYCLABLE bags for vacuum STORAGE - thickness 80 micron 200X300	
OS2901	RECYCLABLE bags for vacuum STORAGE - thickness 80 micron 250X350	
OS2902	RECYCLABLE bags for vacuum STORAGE - thickness 80 micron 300X400	










## Sous-vide Storage

Code	Spare Part Description	Picture
0S2903	RECYCLABLE bags for vacuum STORAGE - thickness 80 micron 400X600	
0S2894	RECYCLABLE bags for vacuum STORAGE - thickness 80 micron 150X300	
0S2895	RECYCLABLE bags for vacuum STORAGE - thickness 80 micron 200X300	
0S2896	RECYCLABLE bags for vacuum STORAGE - thickness 80 micron 250X350	
0S2897	RECYCLABLE bags for vacuum STORAGE - thickness 80 micron 300X400	
0S2898	RECYCLABLE bags for vacuum STORAGE - thickness 80 micron 400X600	












## Sous-vide Storage

Code	Spare Part Description	Picture
0S2788	SYV valve in stainless steel for core probe allows to detect the core temperature of the product subjected to vacuum cooking, creating an effective barrier to the passage of air at the crossing point of the probe needle with the bag	
0S1533	Stainless steel container with plexiglass lid GN 1/1 530 x 325	
0S1534	Stainless steel container with plexiglass lid GN 1/1 530 x 325	
0S1535	Stainless steel container with plexiglass lid GN 1/2 325 x 265	
0S1536	Stainless steel container with plexiglass lid GN 1/2 325 x 265	
0S1537	Stainless steel container with plexiglass lid GN 1/3 325 x 175	
0S1538	Stainless steel container with plexiglass lid GN 1/3 325 x 175	
0S2616	Lid in Tritan™ for GN 1/1 stainless steel containers	
0S2617	Lid in Tritan™ for GN 1/2 stainless steel pans	
0S2618	Tritan™ lid for GN 1/3 stainless steel pans	
0S2619	Steel lid for GN 1/1 stainless steel containers	
0S2620	Steel lid for GN 1/2 stainless steel containers	
0PRQXV	External vacuum hose on containers External vacuum device in plastic material complete with sleeve and connection	



## Sous-vide Storage

Code	Spare Part Description	Picture
OPPRC6	Accessory for external vacuum Use with Easy Flat 35 embossed bags	
OPPRC7	Accessory for external vacuum Use with Easy Flat 40 embossed bags	
OPPRFG	Inclined stainless steel top for bench machines for vacuum packing of liquids, complete with adjustment angle. Length 300 mm	
OPPRFH	Inclined stainless steel top for bench machines for vacuum packaging of liquids, complete with adjustment angle. Length 400 mm	
OPPRBS	Polyethylene tablets	
OPPRBT	Polyethylene tablets	
OPPRBU	Polyethylene tablets	
OPPRBV	Polyethylene tablets	
OPPRBW	Polyethylene tablets	










## Sous-vide Storage

Code	Spare Part Description	Picture
OPRRBX	Polyethylene tablets	
OPRQXR	Complete Bluetooth LP printer (1 ribbon and 1 label roll) 100-240V KIT	
OPRQXS	Start pack for tag kit printer (4 ribbons and 9 label rolls)	
OPRQXT	Black Ribbon Set 4 pieces	
OPRQXU	Label rolls Set of 9 pieces	
OS2608	External vacuum hose with sleeve	
OS2609	Quick connection fitting compatible with Electrolux Professional, Dito Sama packaging machines	
OS1543	Polyethylene tablets 310x230x25	




## Sous-vide Storage

Code	Spare Part Description	Picture
0S1539	Polyethylene tablets 450x380x30	
0S1540	Polyethylene tablets 550x465x30	
0S1541	Polyethylene tablets 620x580x30	
0S2188	Roll of adhesive label for high temperatures for HACCP printer	
OPRRVS	complete set of gaskets (3pcs each, 9 in total) to be periodically exchanged for the external vacuum valve cod. 0S2788	
OPRRVT	Replacement gaskets (set of 10pcs) to be periodically exchanged for the external vacuum valve cod. 0S2788. This gasket is the one where the probe run through.	
<b>650009</b> 8EXT650009	MP series. Inclined stainless steel top for countertop machines for vacuum packaging of liquids, complete with adjustment angle. 280x230x100mm. Compatible with 6-8-10 m <sup>3</sup> / h. 1pc	
<b>650010</b> 8EXT650010	MP series. Inclined stainless steel top for countertop machines for vacuum packaging of liquids, complete with adjustment angle. 445x420x89mm. Compatible with 20 m <sup>3</sup> / h. 1pc	
<b>650011</b> 8EXT650011	MP series. Inclined stainless steel top for countertop machines for vacuum packaging of liquids, complete with angle adjustment. 620x590x86mm. Compatible with 40 m <sup>3</sup> / h. 1pc	

## Thermal Covers







Code	Spare Part Description	Picture
0S1994	Thermal cover for tray holder structure 10 GN 1/1 390x660x720	
0S1995	Thermal cover for tray holder structure 10 GN 2/1 625x785x720	
0S1996	Thermal cover for tray holder structure 20 GN 1/1 385x660x1560	
0S1997	Thermal cover for tray holder structure 20 GN 2/1 625x785x1550	

## Washing Systems

Code	Spare Part Description	Picture
006696	Concealed shower unit	






## Washing Systems



Code	Spare Part Description	Picture
0S0662	External shower unit	
003164	Shower dispenser up to 08-2010	
0S1639	Shower head from 09-2010	
003167	Black shower head 1/2"	
0S0555	Tap with knob	
0S2351	Faucet with knob and bracket	
0S0354	External shower unit	



## Washing Systems

Code	Spare Part Description	Picture
OS0323	Black shower head 1/2"	
OS0324	Anchor bracket	
OS0325	Flexible hose Ø 1/2" FF L=2000mm	

## Water Treatment for Ovens

Code	Spare Part Description	Picture
OS1632	Purity STEAM 450 filter. With MDU -litre counter system included Capacity 3,680 l at 10° dH with bypass at pos.1 Working temp. 4°C-30°C Max press. 6.9 bar Inlet/outlet head connections G1" - G3/4" ØxH (mm): 249x408	
OS1633	Purity STEAM 600 filter. With MDU -litre counter system included Capacity 5,771 l at 10° dH with bypass at pos.1 Working temp. 4°C-30°C Max press. 6.9 bar Inlet/outlet head connections G1" - G3/4" ØxH (mm): 249x520	








## Water Treatment for Ovens


Code	Spare Part Description	Picture
OS1634	Purity STEAM 1200 filter. With MDU- liter counter system included Capacity 10,800 l at 10° dH with bypass at pos.1 Working temp. 4°C-30°C Max press. 6.9 bar Inlet/outlet head connections G1" - G3/4" ØxH (mm): 249x550	
OS1635	Purity STEAM 450 cartridges	
OS1636	Purity STEAM 600 cartridges	
OS1637	Purity STEAM 1200 cartridges	
OS2490	Cartridge PURITY C 500 STEAM.	
OS2488	Cartridge PURITY C 1100 STEAM	









## Water Treatment for Ovens

Code	Spare Part Description	Picture
0S2795	Purity C500 STEAM kit suitable for 6 GN 1/1 and 10 GN 1/1	
0S2796	Purity C1100 STEAM kit suitable for 10 GN 1/1	
0S1701	Carbonate total and partial hardness kit	


## Accessories for Boiling Pans

Code	Spare Part Description	Picture
005585	Colander 1 sector	
0CC044	Colander-vegetable strainer 2 sectors	
0CC043	Colander-vegetable strainer 2 sectors	
038002	Handle for colander-vegetable basket 2 sectors	

## Accessories for Grills

Code	Spare Part Description	Picture
0C9150	Scraper in AISI 304 steel Suitable for cleaning the HP gas grill	
0CA819	AISI 304 steel scraper Suitable for cleaning the HP electric grill	
0CA637	Scraper in AISI 304 steel Suitable for cleaning greedy grills cod. 0CA628, 0CA630, 0CA632 Long handle grip	
0C5156	Scraper in AISI 304 steel Suitable for cleaning greedy grills cod. 0C6875 and 0C6876 Long handle grip	
0C9974	Scraper in AISI 304 steel Suitable for cleaning the cast iron grate	
050859	Lava stone for grill	

## Accessories for Speedelight

Code	Spare Part Description	Picture
0S2292	C41 RAPID GREASE for Speedelight for cleaning of Speedelight hot plates (max 175°C). Practical nozzle and spray unit included. 1 pack of six 1l bottles (Sprayer 0S2331 included)	




## Accessories for Speedelight



Code	Spare Part Description	Picture
0S2331	Sprayer for C41 RAPID GREASE with extension	
0CBAKJ	NSF food grade non-stick paper for Speedelight Keeps the plate clean by eliminating food and grease residues	
0CB905	Teflon-coated tray for Speedelight Flat tray in PTFE resistant up to 260°C	
0C9500	Corrugated plate in Teflon-coated aluminum Suitable for machines set up for the insertion of the corrugation	
0D4063	Versatile silicone plate spatula for multiple uses	
0CB904	Metal cleaning slim brush For non-ferrous metals and delicate surfaces	
0CB903	Slim brush for cleaning delicate surfaces Without abrasion, also suitable for electrical parts	
0D4024	Silicone protective mat for glass ceramic plate. Indicated to protect the glass during cleaning from the upper plate (to be used only during maintenance)	
0D7015	Plate cleaning brush Suitable for high temperatures, removes solid residues and crumbs	





## Accessories for SpeedDelight

Code	Spare Part Description	Picture
0CA736	Removable flat Teflon plate. For ease of cleaning and maintenance	


## Accessories for Bain-Marie

Code	Spare Part Description	Picture
004852	Perforated false bottom in stainless steel Suitable for 400mm wide bain-marie; compatible with all models	
004858	Perforated false bottom in stainless steel Suitable for 800mm wide bain-marie; compatible with all models	



## Accessories for Braising Pans

Code	Spare Part Description	Picture
0CA640	Stainless steel lid for 400mm wide multifunction braising pans	
0CA641	Stainless steel lid for 800mm wide multifunction braising pans	





## Castors

Code	Spare Part Description	Picture
0L2658	Set of 4 pcs/small wheels for dishwasher dim 80x62.6 mm H 20 mm	

## Accessories for Electric Modular Cookers




Code	Spare Part Description	Picture
0CA622	Cast iron crossbars Suitable for extending the cooking area, can only be used with square-shaped electric plates; set 2pcs	
002012	Cast iron crossbars Suitable for extending the cooking area, can only be used with square-shaped electric plates; set 2pcs	

## Accessories for Fry Tops










Code	Spare Part Description	Picture
0S1841	C40 Degreaser for hot surfaces. Detergent active at high temperatures for plates, grids, free cooking surfaces, fry tops and grills (max 175°C). Practical nozzle and spraying unit included Packing: 1 pack of 6x1 liter bottle	
0CC064	Scraper for smooth plate Suitable for cleaning all smooth plate fry tops complete with 2 blades 0C6241	
0CB172	Scraper for grooved plate Suitable for cleaning fry tops with grooved plates	
0C2519	Stainless steel blades for scraper For scraper 0CC064 Not suitable for chrome fry top Set 10pcs	



## Accessories for Fry Tops

Code	Spare Part Description	Picture
0C6241	Stainless steel blades for scraper with rounded corners For scraper OCC064 Suitable for chromed fry tops Set 2pcs	
006469	Stainless steel blade for scraper For scraper OCC064 Suitable for multifunction braising tank modular cooking One piece	
0C6384	Stainless steel cap For horizontal griddle fry top Suitable for keeping the fat released by the food on the griddle	
OS1379	Brush with handle for hot surfaces Suitable for cleaning hot plates with a maximum temperature of 175° C Non-abrasive With handle in heat-resistant material	
OS1380	Spare sponge for brush Suitable for cleaning hot plates with a maximum temperature of 175° C Non-abrasive	
OS1377	Squeegee with handle for hot surfaces Suitable for cleaning hot plates with a maximum temperature of 175° C With wooden handle	
055995	Scraper for smooth cooking plate. Compatible with: generic, for all smooth fry tops 700XP; 900XP; EVO900; ELCO900; EVO700; ELCO700; HD900; MD700; N700; N900; PR700; 600; B700 WxDxH (mm): 320x120x30	








## Accessories for Fryers

Code	Spare Part Description	Picture
054948	Chromed fryer basket Half basket for fryers with 7 l bowl	
004492	Chromed basket for fryer Entire basket for fryers with 7 l tank	
054960	Chromed fryer basket Half basket for fryers with 12 l bowl	
005933	Chrome fryer basket Full basket for fryers with 14-15 well programmable electric fryers	
005974	Chromed fryer baskets Pair of half baskets for monobloc fryers with 12 -14-15 well programmable electric fryers	
004499	Chromed fryer basket Half basket for fryers with 34 l and 40 l tanks	
005180	Chromed fryer basket Entire basket for 34 l and 40 l fryers	
0HB228	Stainless steel basket for fryer Half basket in stainless steel	
0HB229	Stainless steel fryer basket Entire stainless steel basket	














## Accessories for Fryers

Code	Spare Part Description	Picture
059327	Chromed fryer basket Half basket for fryers with 20 l tank	
059307	Chromed basket for fryer Entire basket for fryers with 20 l tank	
0C9735	Chromed fryer basket Half basket for fryers with 20-23 l bowl	
006133	Chrome Fryer Basket Half Basket for 18-23 Tank Fryers Programmable Electric Fryers	
0CA823	Chromed fryer basket with front hook Half basket for fryers with tank for 18-23 programmable electric fryers - dim.137x330x142 - Compatible with 900XP; EVO900; N900; ELCO900; HD900	
006539	Chrome fryer basket Full basket for fryers with 18-23 well programmable electric fryers	
0CA824	Chromed basket for fryer with front hook Full basket for fryers with tank for 18-23 programmable electric fryers - dim.285x330x142 - Compatible with 900XP; EVO900; N900; ELCO900; HD900	
053206	Chromed fryer basket Half basket for monobloc fryers with 36 l bowl	









## Accessories for Fryers

Code	Spare Part Description	Picture
052683	Chromed basket for fryer Full basket for monobloc fryers with 36 l bowl	
005704	Chromed basket for fryer Entire basket for fryers with 7 l tank	
0C3723	Plastic handle for fryer basket	
005932	Chromed grill for the bottom of the fryer tank	
005965	Chromed grill for the bottom of the fryer tank	
0C1743	Chromed grill for the bottom of the fryer tank	
006130	Chromed grill for the bottom of the fryer tank	
0C1859	Stainless steel deflector Suitable for monobloc fryers with 15 l "V" shaped tank The use of the deflector located on the inclined part of the tank is to prevent the breading or flour released by the products from depositing on the sides of the same and ca	
0C3717	Stainless steel deflector Suitable for monobloc fryers with 23 l "V" shaped tank The use of the deflector located on the inclined part of the tank is to prevent the breading or flour released by the products from depositing on the sides of the same and ca	



## Accessories for Fryers






Code	Spare Part Description	Picture
0CA623	Stainless steel fryer lid Suitable for fryers with a 23 l tank	
0CA776	Internal tank filter for 15 l fryer Suitable for collecting the sediments in the tank for monobloc fryers	
0CA777	Internal filter tank for 23 l fryer Suitable for collecting sediments in tank for monobloc fryers	
0CA642	Brush for 15 l fryer Suitable for cleaning the fryer tub drain Ø 6mm	
0CA643	Brush for 23 l fryer Suitable for cleaning the fryer tub drain Ø 6mm	
006149	Polyester filter	
006160	Stainless steel frame for filter	
006161	Crosspiece for filter	
0TH071	Hexagon nut M4x3.2	
0G1697	Flat washer	
0C8556	M4x14 screw	



## Accessories for Fryers










Code	Spare Part Description	Picture
OC9119	Stainless steel oil filter For monobloc fryers (PNC 206359 - until 2016)	
OC9069	Stainless steel oil filter For monobloc fryers	
OCB343	Stainless steel pre-filter For 23 l fryers. Supplied as standard in all models with oil recirculation pump.	
OCB512	Paper filter kit for advanced filtration system For 23 l fryers. Mandatory if paper filters are used	
OCB513	Paper Filters for Advanced Filtration System For 23L fryers. Set of 100 pieces	
OC7974	Oil drain extension Suitable for fryers with 23 l bowl - 1"-270mm long	
OC6282	Oil drain extension Suitable for fryers with 15 l 3/4" well - 185mm long	
OCB466	Oil drain connection hose extension For 23 l fryers with oil circulation pump.	

## Accessories for Gas Modular Cookers

Code	Spare Part Description	Picture
0CC022	Smooth food contact enamelled grill plate Suitable for direct cooking of food; The plate can only be installed on front burners	
0CC023	Grooved food contact enamelled grill plate Suitable for direct cooking of food; The plate can only be installed on front burners	
0C4708	Radiant smooth single burner cast iron plate Suitable for indirect cooking of food using pans	
002009	Radiant smooth single burner cast iron plate Suitable for indirect cooking of food using pans	
059273	Single burner cast iron ribbed plate For Ø 85 mm burners Suitable for direct cooking of food equipped with fat collection channel	
059274	Double burner cast iron ribbed plate For Ø 85 mm and Ø 103 mm burners Suitable for direct cooking of food equipped with fat collection channel	
0CC019	Smooth food contact enamelled grill plate Suitable for direct cooking of food equipped with fat collection channel	
0CC020	Grooved food contact enamelled grill plate Suitable for direct cooking of food equipped with fat collection channel	
0C6770	Ribbed cast iron bifire plate Suitable for direct cooking of food equipped with fat collection channel	
0C6771	Radiant smooth biburner cast iron plate Suitable for indirect cooking of food using pans	
026953	Cast iron disc for solid top	













## Accessories for Gas Modular Cookers

Code	Spare Part Description	Picture
0CA626	Wok pan support In stainless steel for open fire Ø 260mm	
0C1985	Cast iron pan support single burner. Black enamelled finish	
0C1278	Stainless steel grill for single burner pan support	
0C6298	Stainless steel grill for bifire pan support	
0C0130	Stainless steel grill for bifire pan support	
0C0132	Cast iron pan support single burner pan Black enamelled finish (PNC 206208 pair of pan supports)	
002437	Cast iron pan support single burner. Black enamelled finish	
058179	Cast iron pan support single burner. Black enamelled finish with long spokes	
0CB759	Stainless steel grill for bifire pan support	
0C2526	Cast iron pan support single burner. Black enamelled finish	
		






## Accessories for Gas Modular Cookers





Code	Spare Part Description	Picture
002436	Cast iron pan support single burner. Black enamelled finish	
004976	Cast iron pan support bifire support. Black enamelled finish	
0CA772	Stainless steel burner reduction grate Reduction grate 265x265 mm	
0S2805	Chromed steel fire reduction grate Reduction grate 260x260 mm	
0C4706	Single burner smooth plate for steaks. Fry top mode for gas burner and simple service: use 1 on the 400mm models, 2 on the 800mm models and 3 on the 1200mm models. Can be installed on front burners only. Compatible with: 700XP; N700; EVO700; ELCO700 WxDxH	
0C4707	Single burner ribbed plate for steaks. Fry top mode for gas burner and simple service: use 1 on the 400mm models, 2 on the 800mm models and 3 on the 1200mm models. Can be installed on front burners only. Compatible with: 700XP; N700; EVO700; ELCO700 WxDxH	
055556	Single burner ribbed plate. In cast iron; fry top mode for gas burners with grease collector. Compatible with: MD700; PR700 WxDxH (mm): 315x328x60	
055550	Single burner smooth plate. In cast iron; solid top mode (suitable for indirect cooking with use of pots). Compatible with: MD700; PR700 WxDxH (mm): 315x328x60	
002815	Single burner ribbed plate. In cast iron; fry top mode for gas burners with grease collector. Compatible with: PR700 WxDxH (mm): 300x330x15	
054653	Single burner smooth plate. In cast iron for burners of 85 mm. Diameter. Solid top mode (suitable for indirect cooking with use of pots). Compatible with: H900 - P1000 WxDxH (mm): 345x395x30	



## Accessories for Gas Modular Cookers

Code	Spare Part Description	Picture
002010	Single burner smooth plate for steaks. In cast iron; fry top mode for gas burners with grease collector. Compatible with: 900XP; EVO900; N900; ELCO900; HD900 WxDxH (mm): 350x390x30	
002011	Single burner ribbed plate for steaks. In cast iron; fry top mode for gas burners with grease collector. Compatible with: 900XP; HD900; N900; EVO900; ELCO900 WxDxH (mm): 350x390x30	
OCB505	Disk for cooking plate. Compatible with: 700XP; EVO700; N700; ELCO700; MD700 ØxH (mm): 197x18	







## Grids

Code	Spare Part Description	Picture
OCA629	AISI 304 steel rod grill for monobloc modular cooking 900 Suitable for direct cooking of food with AISI 304 steel rod grill For 400-800mm wide equipment Dimensions 324X635X57.5	
OCA627	AISI 304 steel rod grill for monobloc modular cooking 900 Suitable for direct cooking of food with AISI 304 steel rod grill For 400-800mm wide equipment Dimensions 360X635X57.5	
OCA631	AISI 304 steel rod grill for monobloc modular cooking 700 Suitable for direct cooking of food with AISI 304 steel rod grill For 400-800mm wide equipment Dimensions 324x473x57.5	
OCBAP7	AISI 304 steel rod grill for monobloc modular cooking 700 Suitable for direct cooking of food with AISI 304 steel rod grill For 400-800mm wide equipment Dimensions 360x473x57.5	
OCA634	AISI 304 steel grooved grill for modular top and monoblock cooking 700 Suitable for direct cooking of food with AISI 304 steel grooved grill For 400 wide equipment	
OCA632	AISI 304 steel grooved grill for monobloc modular cooking 700 Suitable for direct cooking of food with AISI 304 steel grooved grill For 800 wide equipment (contains 2pcs for the entire grill surface) Including scraper OCA637	









## Grids








Code	Spare Part Description	Picture
0CA630	AISI 304 steel gourd grill for monobloc modular cooking 900 Suitable for direct cooking of food with AISI 304 steel gourd grill For 400 wide equipment Including scraper 0CA637	
0CA628	AISI 304 steel grooved grill for monobloc modular cooking 900 Suitable for direct cooking of food with AISI 304 steel grooved grill For 800 wide equipment (contains 2pcs for the entire grill surface) Including scraper 0CA637	
0C6878	AISI 304 steel gourd grill for top 700 modular cooking Suitable for direct cooking of food with AISI 304 steel gourd grill	
0C6876	AISI 304 steel gourd grill for monobloc modular cooking 900 Suitable for direct cooking of food with AISI 304 steel gourd grill	
0C6875	AISI 304 steel gourd grill for monobloc modular cooking 700 Suitable for direct cooking of food with AISI 304 steel gourd grill	
0C9059	Cast iron grid for modular cooking top 700 Suitable for direct cooking of food with cast iron grid	

## Accessories for Induction


Code	Spare Part Description	Picture
0S2059	Stainless steel induction pot With Ø 200mm stainless steel handle.	
0S2060	Induction saucepan in non-stick aluminum With stainless steel handle Ø 240mm.	
0S2061	Induction pot in non-stick aluminum With stainless steel handle Ø 280mm.	
0S2062	WOK pan for induction in stainless steel With stainless steel handle Ø 350mm.	



## Accessories for Induction



Code	Spare Part Description	Picture
0T2024	WOK pan for induction in mild steel With wooden handle Ø 360mm.	
0CA638	WOK pan for induction stainless steel With stainless steel handle Ø 360mm (PNC 911587)	
0CA639	Lid for WOK pan in stainless steel Ø 360mm.	
0S2064	Non-stick grooved plate Suitable for direct cooking of food on induction hobs max cooking surface 260x330	
0S1606	Scraper for glass ceramic hobs	
0S1071	Stainless steel blades For scraper 0S1606 - Set 5pcs	
0S2063	Non-stick grilling plate - smooth. Universal frying pan with smooth plate suitable for induction cookers 260 x 330 cooking surface. WxDxH (mm): 465x275x50	

## Accessories for Modular Cooking Ovens





Code	Spare Part Description	Picture
025020	GN 2/1 chromed grill for ovens Suitable for modular cooking ovens with backsplash on the short side and anti-tip lock	



## Accessories for Modular Cooking Ovens








Code	Spare Part Description	Picture
0C1722	Chromed grill for large ovens Suitable for large modular cooking ovens with backsplash on the long side and anti-tip lock	
0C7336	GN 2/1 chromed grill for ovens Suitable for vent ovens. modular hob with backsplash on the long side and anti-tip lock	

## Accessories for Pasta Cookers

Code	Spare Part Description	Picture
004874	Stainless steel basket for pasta cooker Full basket with 2 handles	
OCBAGM	Stainless steel basket for pasta cooker, 1/2 basket with 2 handles - dim. 220x170x240 - Compatible with 700XP; EVO700; N700; ELCO700; PR700	
004873	Stainless steel basket for pasta cooker 1/2 longitudinal basket with handle on the short side	
OCB360	Stainless steel baskets for pasta cooker kit* Pair of 1/4 right and left baskets with handle	










## Accessories for Pasta Cookers

Code	Spare Part Description	Picture
0CB361	Stainless steel baskets for pasta cooker kit* Pair of 1/6 right and left baskets with handle	
056919	Stainless steel basket for pasta cooker 1/3 basket for "rapid system" pasta cooker with handle on the short side	
006886	Stainless steel basket for pasta cooker Basket for pasta cooker with automatic lift	
0C9539	Stainless steel basket for pasta cooker Basket for pasta cooker with automatic lift	
OCA806	Stainless steel baskets for pasta cooker kit Pair of 1/6 right and left baskets with handle	
0C1901	Stainless steel basket for pasta cooker Longitudinal 1/3 basket with handle on the short side	
0C1341	Stainless steel basket for pasta cooker Full basket with 2 handles	











## Accessories for Pasta Cookers

Code	Spare Part Description	Picture
0C1339	Stainless steel basket for pasta cooker 1/2 basket with 2 handles (PNC 910513)	
0C1340	Stainless steel basket for pasta cooker 1/3 basket with 2 handles	
005809	Stainless steel basket for pasta cooker Full basket with 2 handles	
0C6290	Stainless steel baskets for pasta cookers Pair of 1/2 baskets with two handles	
0C6291	Stainless steel baskets for pasta cooker kit 1/4 right and left baskets with handle (nr. 4pcs)	
057728	Black Bakelite athermal handle	
056917	Stainless steel basket for pasta cooker 1/3 round basket with handle Ø 170mm	







## Accessories for Pasta Cookers



Code	Spare Part Description	Picture
056918	Stainless steel basket for pasta cooker 1/6 round basket with handle Ø 135mm	
0C1338	Universal athermic handle in black bakelite	
0CA751	Athermic handle kit in polyamide 66 (30%) black - knob with insert	
0CBAP2	Basket support for line 700 pasta cooker to be used with basket 004873	
0C6831	Stainless steel support for round baskets Suitable for 6 round baskets 1/6 (056918) to be used to fix the baskets during cooking	
0CA625	Bottom grid in stainless steel Support for pasta cooker baskets	
0CB362	Bottom grid in stainless steel Support for pasta cooker baskets	
004876	Bottom grid in stainless steel Support for pasta cooker baskets H 265 mm	
056922	Bottom grid in stainless steel Support for pasta cooker baskets	



## Accessories for Pasta Cookers






Code	Spare Part Description	Picture
0C1902	Bottom grid in stainless steel Support for pasta cooker baskets	
0CA788	Stainless steel lid for pasta cooker	
0CA789	Stainless steel lid for pasta cooker	
004875	Basket for pasta cooker in stainless steel. Half size square basket with 2 side handles Compatible with: 700XP; EVO700; ELCO700; N700; PR700 WxDxH (mm): 230x180x240	

## Chemicals

Code	Spare Part Description	Picture
0S0842	Neutral liquid detergent TABOR LEMON Manual dishwashing product 1 pack of four 5l tanks	
0S1574	Chlorinated liquid detergent TOPMATIC HERO for dishwashers. Removes the most stubborn of stains. Not suitable for soft metals. One 12kg pack.	



## Chemicals

Code	Spare Part Description	Picture
OS0843	Solid detergent for dishwashers SOLID MEGA 1 pack of four 4.5 kg caps	
OS2384	Alkaline degreasing detergent REGAIN suitable for automatic cleaning of exhaust ventilation systems. 1 pack of two 5l tanks	
OS2712	SANIALC ultra alcoholic detergent for surfaces and tissues. UN1170, CL3, II. 1 pack of six 750ml bottles.	
OS2308	Pickling agent for metals Sparkle. Product that allows you to instantly pickle, restore, clean and polish all metallic surfaces, making them immediately bright. Does not stain and prevents corrosion and oxidation. Instruction for use: - Spray the product	
OS0994	Ammonia-based cleaner SPRAY CLEANER for metal surfaces, ceramic tiles, glass. 1 pack of twelve 500ml cans	
OS0995	Polishing detergent SS POLISH & CLEANER for s/steel surfaces and other metals. 1 pack of twelve 500ml cans	





## Chemicals

Code	Spare Part Description	Picture
0S0060	Clean Spray detergent for removing grease, oil, grime from adhesive, silicone, wax, etc. One 500ml can	
003363	LUBRICANT; 500ML; UNI1950 II AEROSOLS	
0S0327	Lubricating grease for high temperatures. Suitable for bearings. One 1kg pack	
005256	Silicone compound conductive for FCV ovens applicable for boiler probes One 100 g tube	
0S2275	Grease for food contact for Speedelight One 50 g tube	
0D8030	Grease for food contact suitable for incidental contact with food; ideal for lubrication of mechanical devices (bearing, reducer, gear); water resistant. 1 400 g tube	
059611	One-component adhesive sealant for roofing leaks appliances, s/steel gray 310ml pack	
006083	Adhesive sealant for oven seals 90ml pack	



## Chemicals

Code	Spare Part Description	Picture
0C0074	Polyurethane adhesive sealant PACTAN HT 6076 310ml pack	
0CB101	SILICONE SEALANT-RED RTV 106	
0CB051	Red silicone adhesive sealant for Speedelight Max temperature 300° C 300ml pack	
0S2680	Sika® Aktivator-205; Pre-treatment agent 250ml	
088313	Catalyst PRIMER 1015 PACTAN 500ml pack	
0D6223	Polyurethane adhesive for vitroceramic plates NOVASIL S 76 Ideal for thermaline induction 310ml pack	
0C0069	Spacer for glass ceramic Pack of 8 pcs	







## Chemicals

Code	Spare Part Description	Picture
0S1830	Eurover 2000 glass wool (roll) used to insulate ovens, pasta cooker tanks, pots etc. Covered on both sides with 15 micron aluminum foil Thickness 30 mm Density 30 kg/m <sup>3</sup> Dim. 6000x850 mm	
006451	Aluminised tape Length 50m Width 50mm	
006101	Corrosion inhibitor kit Also used for gas indirect heat boiling pans 10 sachets of "trisodium phosphate" (5 pairs)	
0S0939	Hydraulic oil ISO46 One 1l pack	
0S0940	Hydraulic oil ISO46 One 5l pack	
0S2607	Hydraulic oil ISO32 One 1l pack	
0S0941	Hydraulic oil ISO32 One 5l pack	









## Chemicals

Code	Spare Part Description	Picture
OS0942	Hydraulic oil NORMAL100 One 5l pack	
OS2399	Granulate for cutlery dryer One 9 kg pack	
OS0659	Liquid detergent for dishwashers LIQUID TRUMP particularly suitable for hard water 1 pack. from 4 tanks of 5l	
OSZ895	SUPER TRUMP liquid detergent for dishwashers particularly suitable for soft and medium-hard water, recommended for dishwashing systems with demineralizers 1 pack. from 4 tanks of 5l	
OS0859	TOPMATIC CRYSTAL liquid detergent for dishwashers particularly suitable for soft and medium hard water, recommended for dishwashing systems with reverse osmosis 1 pack. from 4 tanks of 5l	
OS2389	DIP-IT PLUS granular detergent for dishwashers and laundry Whitening action for dishes and bleaching for fabrics. Also suitable for non-ferrous surfaces and soft metals. 1 pack of 6 2.4 kg cans	
OSZ896	Universal rinse aid with neutral pH CLEAR DRY CLASSIC particularly suitable for hard water 1 pack. from 2 tanks of 5l	



## Chemicals

Code	Spare Part Description	Picture
OS0845	Universal rinse aid with neutral pH CLEAR DRY N particularly suitable for all types of water hardness 1 pack. from 2 tanks of 5l	
OS1615	Acid-based rinse aid CLEAR DRY HD IT particularly suitable for very hard water 1 pack. from 2 tanks of 5l	
OS2504	C50 Sanitizing descaler product suitable for ice makers and refrigerated distributors 1 pack. of 4 bottles of 1l	
OS1764	Bactericidal disinfectant tablets Suitable for cleaning and sanitizing maintenance. Universal for all dishwashers. Ideal for disinfecting work surfaces, floors, walls, equipment and machinery. Pack of 6pcs x 1kg	
OS2975	Spray lubricant for the food sector; it is particularly suitable for food preparation equipment such as slicers, mincers... It can also be applied to aluminium, stainless steel and all plastic materials. If in contact with the product, it does not pose any	
OS1779	Microfiber cloth for cleaning stainless steel surfaces set 20pcs	
OS0841	Quick degreaser GREASE CUTTER PLUS product suitable for ovens, cooking plates and chrome fry tops 1 pack. from 4 tanks of 5l	




## Chemicals


Code	Spare Part Description	Picture
0S2711	Ready-to-use sanitizing degreaser SANI ACTIVE Ideal also on food contact surfaces 1 pack. of 6 bottles of 750ml	
0S2797	VITRO CARE glass ceramic cleaner Removes food, grease and water residues on induction and glass ceramic hobs. Concentrated, a few drops are enough 1 pack. of 12 bottles of 300ml	
0KZL56	Granuldisk pot washer granules	
0S2819	Grease for gas taps 1 pack. from 750 g	
0S2826	Spray grease for Speedelight. NSF certified for food equipment. Recommended to lubricate the upper plate release mechanism once a year or after 66,000 cooking cycles. Operating temperature from -30°C to + 1100°C 1 can of 500ml	
0SPO27	U01 Cleaning Tabs For Espresso Machine 120Pcs	
0SPO28	U02 Cleaning Tabs For Standard Espresso Coffee Machines 100Pcs	






## Chemicals

Code	Spare Part Description	Picture
0SPO29	U03 Milk Frother Cleaner 1Lt	

## Tools








Code	Spare Part Description	Picture
0S1808	Sponge with a delicate side and an abrasive side to facilitate the scrubbing of pots, pans or other surfaces	

## Baskets for Pot Washers

Code	Spare Part Description	Picture
0E3564	Stainless steel basket for pot washers	
0E3563	Stainless steel basket for pot washers	
049664	Stainless steel basket for pot washers	









## Baskets for Pot Washers

Code	Spare Part Description	Picture
049692	Set of 4 basket wheels for pot washers	
OL3583	Reinforced stainless steel basket for pot washers	
049709	Stainless steel basket for pot washers	
OL3582	Reinforced stainless steel basket for pot washers	
075690	Stainless steel grid for pans and trays	
OL2014	Stainless steel wire basket for pizza plates, trays and small utensils;	
OL2441	Stainless steel wire basket for small tools	










## Accessories for Baskets

Code	Spare Part Description	Picture
048892	Green separator for 16 glasses max Ø 100 mm	
0S0572	Green separator for 16 glasses max Ø 100 mm Set of 15 pieces	
048951	Green separator with tilter for 16 glasses max Ø 100mm with sloping bottom	
0S0963	Green separator with tilter for 16 glasses max Ø 100mm with sloping bottom. Set of 8 pieces	
048953	Blue separator for 25 glasses max Ø 80mm	
0S0573	Blue separator for 25 glasses max Ø 80mm Set 15 pieces	











## Accessories for Baskets

Code	Spare Part Description	Picture
048952	Blue separator with tilter for 25 max Ø 80mm glasses with sloping bottom	
0S0964	Blue separator with tilter for 25 glasses max Ø 80mm with sloping bottom. Set of 8 pieces	
048955	Yellow separator for 36 glasses max Ø 70mm	
0S0574	Yellow separator for 36 glasses max Ø 70mm Set 15 pieces	
048954	Yellow separator with tilter for 36 glasses max Ø 70mm with sloping bottom	
0S0965	Yellow separator with tilter for 36 glasses max Ø 70mm with sloping bottom. Set of 8 pieces	
048948	Brown separator for 49 glasses max Ø 60mm	







## Accessories for Baskets



Code	Spare Part Description	Picture
0S0575	Brown separator for 49 glasses max Ø 60mm Set 15 pieces	
048949	Red separator for 64 glasses max Ø 50mm	
0S0576	Red separator for 64 glasses max Ø 50mm Set 15 pieces	
048950	Blue ring suitable for increasing the height of the glass rack 048796 by 50mm	
0S0571	Blue ring suitable for increasing the height of the glass rack by 50mm 048796 Set of 8 pieces	
048946	Wire insert for plates suitable for holding 16 flat plates or 16 soup plates on universal blue basket cod. 048796	
048947	Wire insert for pizza plates suitable for holding 12 pizza plates Ø max 320mm on universal blue basket cod. 048796	
069399	Wire insert for cups suitable for tilting cups or mugs on blue basket 048796	



## Accessories for Baskets






Code	Spare Part Description	Picture
0S0860	Cover grid in AISI 304 steel suitable for blocking small or light objects on the blue basket 048796	
0L4546	Stainless steel wire insert for 6 trays suitable for flattened symmetrical shape tray basket	
0S2528	Insert in stainless steel wire for 10 trays suitable for open-sided tray rack	
048959	Insert in stainless steel wire for 5 insulated trays suitable for insulated trays basket with flattened open side	

## Detergents for Dishwashers

Code	Spare Part Description	Picture
0S2092	C11 Detergent for dishwashers. - Ideal for all types of crockery: ceramic, porcelain, glass, crystal and metal - It is very functional for removing caffeine and theine deposits from cups and teapots - Its delicate aroma helps minimize the unpleasant odor	
0S2281	C11 Detergent for dishwashers. - Ideal for all types of crockery: ceramic, porcelain, glass, crystal and metal - It is very functional for removing caffeine and theine deposits from cups and teapots. - Its delicate aroma helps minimize the unpleasant odor	



## Detergents for Dishwashers





Code	Spare Part Description	Picture
OS2094	C12 Rinse aid for dishwashers. - Brightener additive for crockery rinsing in the dishwasher - Guarantees sparkling clean and dry crockery - Use of vegetable origin surfactants - Ideal for ceramics, porcelain, glass and crystal Specific formula for hard wa	
OS2093	"C13 ECO Detergent for dishwashers 1 pack with two 5lt tanks "	
OS2095	C14 Rinse aid Plus for dishwashers. - Rinse additive for crockery rinsing in the dishwashers. Super concentrated formula recommended for soft water conditions - Offers a perfect drying without stains or any water trace, therefore highly recommended for gl	
OS2362	C30 Multipurpose descaler. - effectively eliminates encrustations and scale from washing appliances and boilers of any professional equipment - the regular use of C30 Multipurpose descaler keeps the equipment always efficient, while slowing down the natur	
OS2904	C15 Rinse aid Plus for dishwashers 1 pack. with two 5lt tanks	

## Foot Mixer Taps


Code	Spare Part Description	Picture
OS1755	Foot tap 1/2" Single control lever L=160mm hot and cold water Floor or wall installation	
OL1695	Rotating spout 1/2" L= 220mm with riser (code OS1849)	
OL1696	Flexible hose 1/2"FF Ø14x1000 mm (for tap OS1755)	
OS1407	Rotating spout 1/2" L= 180mm without riser	
OS0721	Foot tap 3/8" Double lever control L=165mm hot and cold water Floor installation	
OS1059	Flexible hose 3/8"M 1/2"F for dispensing spout L=1000 mm	
OS0962	Foot tap 3/8" Double control lever L=255mm with locking lever Under-sink installation	
OS0723	Flexible hose 3/8"M 1/2"F for dispensing spout; Ø12x1200 mm 1 piece for tap OS0962	
OS0722	Floor support bracket for OS0962	
OS0351	Foot tap 1/2"FL=245mm Double control lever complete with: Ø 18x250mm spout 1100 mm flexible hose Floor installation	
OS0352	Delivery spout Ø18x250 mm connection Ø 1/2"MA=250 mm B=175 mm	



## Foot Mixer Taps








Code	Spare Part Description	Picture
0S0061	Foot tap 3/8" L=310mm Single control lever complete with: Ø 18x200mm spout 1100 mm flexible hose Under-shelf installation	
032865	Mixer block for foot tap 0S0061	
0S2328	AISI 304 bracket for foot tap 0S0061	
0S0967	Foot tap 3/8" FL=330mm Double control lever with blocking lever Under-sink installation C= 3/8" F	
0S0876	MIDIREEL washing group in AISI 304 steel Wall version with automatic retractor Ø1/2" G water connection EPDM rubber hose 6 m NITOI shower head	
OL1300	EPDM rubber hose for MIDIREel 6m	
0S1263	Regulator nozzle	

## Mixer Taps and Shower Groups

Code	Spare Part Description	Picture
0S1244	Single hole tap with clinical lever Ø1/2" water connection Ø 52mm fixing hole Ø 20x320 mm spout	









## Mixer Taps and Shower Groups

Code	Spare Part Description	Picture
OS0863	Single hole tap with clinical lever Ø1/2"G water connection Ø3/4" fixing hole Ø 25x225 mm spout	
OS0864	Single hole tap with clinical lever Ø1/2"G water connection Ø3/4" fixing hole Ø 25x275 mm spout	
OS2839	Clinical lever single-hole tap with pull-out spray from 70 to 80cm Ø1/2"G water connection Ø42mm fixing hole 220 mm spout	
OS0862	Single hole tap with knobs Ø 1/2"G water connection Ø3/4"G fixing hole Ø 25x300 mm spout	
033125	Two-hole tap with knobs water connection Ø3/4"G center distance 155mm fixing hole Ø3/4"G spout Ø 25x300 mm	
OS1457	Two-hole tap with clinical lever Ø3/4"G water connection wheelbase 155mm Ø3/4"G fixing hole spout 270mm	
OS1472	Wall-mounted two-hole tap with knobs Ø1/2"G water connection center distance 155 mm Ø 25x300 mm spout	











## Mixer Taps and Shower Groups

Code	Spare Part Description	Picture
OS1250	Wall-mounted two-hole tap with clinical lever water connection Ø 1/2" G wheelbase 150mm spout 200mm	
OS1436	Infrared single-hole tap water connection Ø1/2" fixing hole Ø 35mm spout Ø 45x102mm Power supply 220V/6V with external power supply	
OS2511	Infrared single-hole tap water connection Ø1/2" fixing hole Ø 35mm spout Ø 45x102mm Battery powered (4pcs AA LI x1,5V included)	
OS0092	Single hole tap with knobs water connection Ø 1/2" F fixing hole Ø 30-32 mm spout Ø18x300 mm	
OS0096	Two-hole tap with knobs Ø 1/2" M water connection center distance 160 mm Ø 22 mm fixing hole Ø18x300 mm spout	
OS0097	Two-hole tap with knobs Ø 3/4" M water connection center distance 160 mm Ø 22 mm fixing hole Ø18x300 mm spout	
OS2846	Single hole tap with clinical lever connection Ø G3/8" F fixing hole Ø 56.5 mm spout spout 230 mm	









## Mixer Taps and Shower Groups

Code	Spare Part Description	Picture
037616	Single hole tap with clinical lever connection Ø 1/2" F fixing hole Ø 32-34 mm spout spout 250 mm	
0S0341	Two-hole tap with clinical lever connection Ø 3/4" M center distance 155 mm fixing hole Ø 22 mm spout spout 250 mm	
037617	Single hole shower set with clinical lever tap Ø 1/2" M connection Ø 30-32 mm fixing hole spout spout 250 mm flexible hose height from top h=1265mm	
0S1579	Single hole tap with clinical lever shower group connection Ø 3/4" M connection spout spout 250 mm	
0S0342	Two-hole shower set with clinical lever tap Ø 3/4" M connection Ø 30-32 mm fixing hole spout spout 250 mm flexible hose height from top h=1265mm	
0S1365	Two-hole tap with clinical lever and shower unit connection Ø 3/4" M connection center distance 155 mm spout spout 250 mm	




## Mixer Taps and Shower Groups






Code	Spare Part Description	Picture
0S0956	JOLLY single hole shower set with lever tap connection Ø1/2" G fixing hole Ø35-36mm, spout Ø 24x200mm flexible hose height from top h=950mm	
0S0347	Black shower head	
069968	Single hole shower unit with clinical lever tap Ø3/8" F connection with broach knobs 8x20 hose height from the top h=1250mm	
0S0894	MOLLY single-lever shower group connection Ø3/8" FH=400 mm	
0S0895	MOLLY single-lever shower unit connection Ø1/2" FH=400 mm	
0S0906	One hole mixer tap with shower unit. with swivel, water supply connection Ø1/2", base connection Ø3/4", spout of mixer tap L=300mm H=260mm	



## Mixer Taps and Shower Groups


Code	Spare Part Description	Picture
OS0875	Two hole mixer tap with shower unit. wall-mounted; with thermostatic control; water supply Ø1/2"; spout of mixer tap L=180mm H=80mm	

## Accessories for Water Taps and Shower Groups








Code	Spare Part Description	Picture
OL0699	Gray clinical lever length 220 mm	
OS0597	Shower unit	
OS1212	Shower unit base	
OS2572	Mignon shower group	
OS0348	Hose	







## Accessories for Water Taps and Shower Groups

Code	Spare Part Description	Picture
OS0349	Support spring	

## Plastic Baskets 500x250mm


Code	Spare Part Description	Picture
OS1161	Base rack for cups and glasses for universal use	
OS1163	Glass basket for 14 glasses h. max 100mm Ø max 70mm	
OS1164	Glass basket for 14 glasses h. max 140mm Ø max 70mm	
OS1165	Saucer basket for 24 saucers	
OS1166	Green separator for glasses suitable for holding up to 14 glasses h max 100mm on basket cod. OS1161	
OS1168	Blue separator for glasses suitable for holding up to 14 glasses h max 140mm on basket cod. OS1161	
OS1170	Saucer separator suitable for holding up to 24 saucers on basket cod. OS1161	

## Plastic Baskets 500x500mm

Code	Spare Part Description	Picture
048891	Green basket for soup plates for 12 soup plates - max Ø 240mm	
0L1965	Green basket for soup plates for 12 soup plates - max Ø 240mm Pack of 5 pieces	
048960	Blue flat/soup plate basket for 16 soup plates or 16 dinner plates max Ø 240 mm - with Rilsan insert	
048795	Yellow flat plate rack for 18 flat plates - max Ø 240mm	
0L1964	Yellow flat plate rack for 18 flat plates - max Ø 240mm Pack of 5 pieces	
068692	Gray basket for plates/soups for 18 flat plates or 16 soup plates max Ø 240mm for 9 serving plates 450x370mm	
0S0944	Gray basket for plates/soups for 18 flat plates or 16 soup plates max Ø 240mm for 9 serving plates 450x370mm Pack of 5 pieces	
048961	Blue basket for pizza plates for 12 pizza plates max Ø 320mm (for undercounter dishwashers max Ø 300mm; for larger plates use code 049895) with rilsan insert	
048796	Blue basket for universal use with large meshes	












## Plastic Baskets 500x500mm

Code	Spare Part Description	Picture
OL1961	Blue basket for universal use with wide mesh Pack of 5 pieces	
048964	Blue basket for cups or small cups for 20 cups or 24 small cups with rilsan insert with sloping bottom	
048797	Brown basket for cutlery with narrow mesh	
OL1962	Brown close-mesh cutlery basket Pack of 5 pieces	
048965	Blue cutlery basket complete with 16 cutlery containers	
OL1813	Yellow containers for cutlery pack of 4 pcs	
OS1131	Gray cutlery box with 8 compartments for all types of cutlery	
048890	Red open side tray rack for 7 trays with dim. max 530x370mm	
OL1963	Red open side tray rack for 7 trays with dim. max 530x370mm Pack of 5 pieces	
048962	Red open side tray rack for 5 trays with dim. max 530x370mm complete with stainless steel insert	









## Plastic Baskets 500x500mm

Code	Spare Part Description	Picture
0S2583	Red open side tray rack for 10 trays with dim. max 530x370mm complete with stainless steel insert	
068701	Red basket for symmetrical shaped trays for 6 trays with dim. max 530x370mm	
0L4545	Red basket for GN1/1 trays with symmetrical shapes for 6 trays with dim. Max 530x325mm	
0S0318	Blue basket for glasses for 16 glasses h. max 70mm Ø max 100mm	
048968	Blue basket for sloping bottom glasses for 16 glasses max height 100mm Ø max 100mm	
048971	Blue basket for sloping bottom glasses for 16 glasses max height 150mm Ø max 100mm	
048974	Blue basket for sloping bottom glasses for 16 glasses max height 200mm Ø max 100mm	
048969	Blue basket for sloping bottom glasses for 25 glasses max height 100mm Ø max 80mm	
048972	Blue basket for sloping bottom glasses for 25 glasses max height 150mm Ø max 80mm	
048975	Blue basket for sloping bottom glasses for 25 glasses max height 200mm Ø max 80mm	






## Plastic Baskets 500x500mm






Code	Spare Part Description	Picture
048970	Blue basket for sloping bottom glasses for 36 glasses max height 100mm Ø max 70mm	
048973	Blue basket for sloping bottom glasses for 36 glasses max height 150mm Ø max 70mm	
048976	Blue basket for sloping bottom glasses for 36 glasses max height 200mm Ø max 70mm	
048966	Blue basket for flat-bottomed glasses for 49 glasses max height 70mm Ø max 60mm	
048967	Blue basket for flat bottom glasses for 64 glasses max height 70mm Ø max 50mm	
048963	Red basket for trays. For 5 GN 1/1 trays Compatible with: undercounter WxDxH (mm): 538x504x110	

## Plastic Baskets for Glasswashers


Code	Spare Part Description	Picture
0S2177	Round plastic basket suitable for glasses and cups/cups Ø350x160	



## Plastic Baskets for Glasswashers



Code	Spare Part Description	Picture
OS2178	Round plastic basket suitable for glasses and cups/cups Ø380x170	
OS2179	Round plastic basket suitable for glasses and cups/cups Ø400x180	
OR0069	Square basket. Compatible with: glass washers WxDxH (mm): 400x400x180	
OR0070	Square basket with tilted bottom; 400x400x180mm. Compatible with: glass washers WxDxH (mm): 400x400x180	
OS2182	Tilting insert for glasses. In plastic. Compatible with: basketball OS1130	

## Accessories for Plastic Baskets - Glasswashers




Code	Spare Part Description	Picture
OS2105	Square container for plastic cutlery	










## Accessories for Plastic Baskets - Glasswashers

Code	Spare Part Description	Picture
0S2104	Insert for 12 plastic saucers	
0S2215	Inclined insert for plastic cups compatible with 0S1130	

## Rubber Collar for Waste Disposal




Code	Spare Part Description	Picture
0PE213	Rubber collar for waste disposal	
0S2793	Rubber collar for waste disposal	
069318	Rubber collar for waste disposal	

## Shower Groups


Code	Spare Part Description	Picture
OS1990	Single hole shower group with clinical lever tap water connection Ø 3/8"GF fixing hole Ø 3/4"G delivery spout Ø 25x175mm flexible hose height from top h= 600mm	
OS0874	Single hole shower set with clinical lever tap water connection Ø1/2"G fixing hole Ø3/4"G delivery spout Ø 25x275mm hose height from top h= 1080mm	
OS1182	Single hole tap with clinical lever and shower attachment Ø1/2" F connection Ø 20x275 mm spout	
OS1461	Two hole shower group with clinical lever tap water connection Ø3/4"G wheelbase 155mm fixing hole Ø3/4"G spout spout 330mm hose height from top h=1030mm	
OS0920	Two-hole tap with clinical lever and shower connection 3/4"G spout spout 330mm	
OL0643	Two-hole shower mixer with knobs water connection Ø3/4"G center distance 155mm fixing hole Ø3/4" hose height from the top h=1100mm	
OS1465	Two-hole knob shower set with knob tap water connection Ø3/4"G center distance 155mm fixing hole Ø 29mm spout Ø 25x225 mm flexible hose height from top h=1200mm	




## Shower Groups

Code	Spare Part Description	Picture
OS1036	Single hole shower set with knobs water connection Ø1/2"G fixing hole Ø 3/4"G flexible hose height from the top h=1080mm	
OS0951	Single hole shower set with knobs water connection Ø1/2"G fixing hole Ø 3/4"G hose height from the top h=1080mm with non-return valve	
OS2838	Single hole hand shower set with hand tap water connection Ø 3/8"G fixing hole Ø 29mm spout L=250 mm flexible hose height from top h=446mm	

## Accessories for Shower Groups










Code	Spare Part Description	Picture
OL0640	Black shower head with 1/2" M connection	

## Wall Washing Units

Code	Spare Part Description	Picture
OS0877	MAXIREEL washing group in AISI 304 steel wall version with automatic retractor Ø1/2"G water connection EPDM rubber hose 10 m standard shower head	
OL0821	EPDM rubber hose for MAXIReel 10m	



## Wall Washing Units


Code	Spare Part Description	Picture
OS1857	MAXIREEL washing group in AISI 304 steel with NITO 2 shower group wall version with automatic retractor Ø1/2"G water connection EPDM rubber hose 10 m NITO2 shower head	
OS0878	MAXIREEL washing group in AISI 304 steel with standard shower group wall version with automatic retractor Ø1/2"G water connection EPDM rubber hose 15 m standard shower head	
OS0785	EPDM rubber hose for MAXIReel 15m with Kreel connection	
OS1856	MAXIREEL washing group with NITO 2 shower group wall version with automatic retractor Ø1/2"G water connection EPDM rubber hose NITO2 shower head 15 m	
OS1923	MAXIREEL washing group with NITO 2 shower group wall version with automatic retractor Ø1/2"G water connection EPDM rubber hose NITO2 shower head 20 m	
OS1924	EPDM rubber hose for MAXIReel 20m with M 1/2"G connection	
OS0823	NITO 1 water gun	
OS1132	NITO 2 spray gun	
OS1858	Extension for NITO 1 and NITO 2 spray guns	

## Water Treatment







Code	Spare Part Description	Picture
OS1079	Automatic softeners GIX TIMED with Autotrol. AISI 304 cylinder: 8 lt Cationic resins for cylinder: 5,6 lt Max flow rate: 1500 lt/h Brine: 20 kg Salt for regener. Cycle: 1,0 kg Supply power: 230V 50/60 Hz Water conn.: Ø 3/4" G Min/max pressure: 2-8 bar Tem	
OS2695	Water Softner MAXI with housing, with AUTOTROL valve 255 Logix 740, max. flow rate 1500lt/h, 230V 50/60Hz, 24lt fiberglass cylinder with 17lt of cationic resins suitable for softening, salt container 50kg, Ø 3/4" water connection, min/max pressure 2-8 b	
OS0801	PURITY 1200 CLEAN filter system. With PARTIAL demineralisation including filter cartridge. Connections: inlet G1"- outlet G3/4" Min./max inlet pressure: 2-6 bar Working temperature 4°-60°C Capacity: 13.000 l at 10° KH	
OS0803	PURITY 1200 EXTRA filter system. With TOTAL demineralisation including filter cartridge. Connections: inlet G1"- outlet G3/4" Min./max inlet pressure: 2-6 bar Working temperature 4°-60°C Capacity: 5.000 l at 10° KH	
OS0802	PURITY 1200 CLEAN cartridge	
OS0804	PURITY 1200 CLEAN EXTRA cartridge	



## Water Treatment








Code	Spare Part Description	Picture
0S2556	Digital volumetric liter counter Flow meter 100-700A Flow rate 100-700 l/h	

## Wire Baskets 500x500mm

Code	Spare Part Description	Picture
0S0057	Plastic-coated steel wire basket for dishes for 18 dishes suitable for fixed-jet dishwashers	
0S1045	Corner piece for baskets in plastic-coated steel wire	
0S0058	Plastic-coated steel wire basket for glasses, cutlery and glasses suitable for fixed-jet dishwashers	
0S0861	Rilsan wire basket for wine glasses h. max 270mm Ø max 104mm	
049895	Wire basket in AISI 304 steel for 12 pizza plates max Ø 320mm	
0S2180	Multifunctional rilsan wire basket complete with insert for cups, plates, saucers and cutlery container	





## Wire Baskets for Glasswashers






Code	Spare Part Description	Picture
049069	Rilsan wire basket for glasses for models LB/WT/GW 1-2	
0S2173	Rilsan wire basket for glasses	
049365	Rilsan wire basket for glasses suitable for long-stemmed glasses	
049367	Rilsan wire basket for sloping bottom glasses for 16 glasses for models LB/WT/GW 1-2	
049364	Rilsan wire basket for plates suitable for holding up to 16 Ø 190mm plates 8 Ø 240mm plates for GW 2 models	
049366	Multifunction rilsan wire basket complete with insert for saucers and cutlery container for models LB/WT/GW 1-2	
049269	Round rilsan wire basket for glasses suitable for glasses with square frame	
0L4313	round wire basket	
0L4314	square wire frame	



## Wire Baskets for Glasswashers




Code	Spare Part Description	Picture
069563	Rilsan wire basket for glasses for models LTB 11-12-22 (not compatible with models LB/WT/GW 1-2) 382x382x105	
0R0068	Rilsan wire basket for glasses with sloping bottom 350x350x180	

## Accessories for Wire Baskets




Code	Spare Part Description	Picture
049071	Rilsan wire insert for saucers suitable for holding up to 14 saucers	
049369	Rilsan thread insert for plates for 7 saucers max Ø 240mm; for wire basket	
049368	Angled rilsan wire insert for cups for wire basket cod. 049069	
0S2174	Square plastic basket for glasses suitable for glasses and cups/cups	
0S2175	Square plastic basket for glasses suitable for glasses and cups/cups	



## Accessories for Wire Baskets








Code	Spare Part Description	Picture
0S1130	Square plastic basket for glasses suitable for glasses and cups/cups	
0L3731	Square plastic basket for glasses suitable for glasses and cups/cups with protected corners	
0S2176	Square plastic dish rack suitable for dishes	

## B2000 - B3000

Code	Spare Part Description	Picture
<b>650132</b> 8FRJ650132	Stainless steel crusher tube with 353 mm blades for B3000 bayonet connection	
<b>650133</b> 8FRJ650133	Stainless steel crusher tube with 453 mm blades for B3000 bayonet connection	
<b>650134</b> 8FRJ650134	Stainless steel crusher tube with blades 553 mm for B3000 bayonet connection	



## B2000 - B3000

Code	Spare Part Description	Picture
<b>650135</b> 8FRJ650135	Stainless steel crusher tube with 653 mm blades for B3000 bayonet connection	
<b>653578</b> 8FRJ653578	Reinforced stainless steel whisk for portable mixer B3000 with bayonet connection	
<b>653294</b> 8FRJ653294	Stand for B3000 portable mixer	
<b>653292</b> 8FRJ653292	Adjustable guides for containers/pots diam. from 375 to 650mm. To be used in conjunction with the support cod. 653294	
<b>0D6297</b>	Plastic wall support for Bermixer and tools	
<b>0D7068</b>	Stainless steel crusher tube with blades 353 mm for B3000 clip connection	
<b>0D7069</b>	Stainless steel crusher tube with blades 453 mm for B3000 clip attachment	




## B2000 - B3000





Code	Spare Part Description	Picture
<b>0D7070</b>	Stainless steel crusher tube with blades 553 mm for B3000 clip attachment	
<b>0D7071</b>	Stainless steel crusher tube with blades 653 mm for B3000 clip attachment	
<b>0D7073</b>	Whisk for portable mixer B3000 clip attachment	
<b>653313</b> 8FRJ653313	Stainless steel crusher tube with 352 mm blades for B2000	
<b>653491</b> 8FRJ653491	Reinforced whisk for B2000 portable mixer	
<b>653264</b> 8FRJ653264	Stainless steel tube with blades. 452mm for B2000	
<b>653265</b> 8FRJ653265	Stainless steel tube with blades. 552mm for B2000	



## B2000 - B3000





Code	Spare Part Description	Picture
<b>653274</b> 8FRJ653274	Stainless steel tube with blades. 652mm for B2000	

## BE5



Code	Spare Part Description	Picture
<b>653295</b> 8FRJ653295	5 l stainless steel tank for BE5	
<b>653765</b> 8FRJ653765	Spiral stainless steel hook (only for BE5)	
<b>653781</b> 8FRJ653781	BPA-free CLOSED protective screen for BE5 without K-mount	
<b>653782</b> 8FRJ653782	BPA-free CLOSED protective shield for BE5 with K-mount	

**Genuine Replacement Parts, Accessories and Consumables Catalogue**  
**Accessories and Consumables**

## BE8







Code	Spare Part Description	Picture
<b>653766</b> 8FRJ653766	8 l stainless steel tank for BE8	
<b>653769</b> 8FRJ653769	Stainless steel whisk for BE8	
<b>653768</b> 8FRJ653768	Stainless steel spatula for BE8	
<b>653767</b> 8FRJ653767	Stainless steel spiral hook for BE8	

## BMX60 - BMXE60 - XBE60

Code	Spare Part Description	Picture
<b>650129</b> 8FRJ650129	60 l stainless steel tank for BMX60-BMXE60-XBE60	
<b>653084</b> 8FRJ653084	Stainless steel spiral hook for BMX60-BMXE60-XBE60	





## BMX60 - BMXE60 - XBE60

Code	Spare Part Description	Picture
<b>653083</b> 8FRJ653083	Spatula for BMX60-BMXE60-XBE60	
<b>653086</b> 8FRJ653086	Stainless steel whisk for BMX60-BMXE60-XBE60	
<b>653097</b> 8FRJ653097	Reinforced stainless steel whip for BMX60-BMXE60-XBE60	
<b>653442</b> 8FRJ653442	Scraper for 60 L tank BMX60-BMXE60-XBE60	
<b>650127</b> 8FRJ650127	40 l reduction kit (bowl, hook, spatula and whisk) for 60/80 l mixer BMX60-BMXE60-XBE60-BMXE80-XBE80	
<b>0D7798</b>	40 l stainless steel tank for reduction kit 650127	
<b>0D0463</b>	Hook for reduction kit 650127	






## BMX60 - BMXE60 - XBE60



Code	Spare Part Description	Picture
0D0462	Spatula for reduction kit 650127	
0H1010	Stainless steel whisk for reduction kit 650127	

## BMXE80 - XBE80




Code	Spare Part Description	Picture
650130 8FRJ650130	80 l stainless steel tank for BMXE80-XBE80	
653133 8FRJ653133	Stainless steel spiral hook for BMXE80-XBE80	
653135 8FRJ653135	Spatula for BMXE80-XBE80	



## BMXE80 - XBE80


Code	Spare Part Description	Picture
<b>653134</b> 8FRJ653134	Stainless steel whisk for BMXE80-XBE80	
<b>653443</b> 8FRJ653443	Scraper for 60 L tank BMX60-BMXE60-XBE60	
<b>650131</b> 8FRJ650131	60 l reduction kit (bowl, hook, spatula and whisk) for 80 l mixer BMXE80-XBE80	

## CT6/10 - DTA - CF4

Code	Spare Part Description	Picture
<b>653100</b> 8FRJ653100	6 mm blade block for slicer CT6	
<b>653099</b> 8FRJ653099	6 mm guide carriage for CT6 slicer	
<b>653445</b> 8FRJ653445	Grid 7mm	









## CT6/10 - DTA - CF4



Code	Spare Part Description	Picture
<b>653460</b> 8FRJ653460	Grid 9mm	
<b>653461</b> 8FRJ653461	Grid 11mm	
<b>653462</b> 8FRJ653462	Presser 7 mm	
<b>653463</b> 8FRJ653463	9mm presser	
<b>653464</b> 8FRJ653464	Presser 11 mm	
<b>653124</b> 8FRJ653124	Cast iron base for CF4 support on table	
<b>653467</b> 8FRJ653467	Grid 4 wedges for tomatoes and citrus fruit for tomato, citrus fruit and apple portioners	



## CT6/10 - DTA - CF4

Code	Spare Part Description	Picture
<b>653468</b> 8FRJ653468	Grid 6 wedges for tomatoes and citrus fruit for tomato, citrus fruit and apple portioners	
<b>653469</b> 8FRJ653469	Grid 8 wedges for tomatoes and citrus fruit for tomato, citrus fruit and apple portioners	
<b>653470</b> 8FRJ653470	Grid 12 wedges for tomatoes and citrus fruit for tomato, citrus fruit and apple portioners	
<b>653471</b> 8FRJ653471	Grid 8 apple wedges for apple portioners	
<b>653118</b> 8FRJ653118	Supplementary presser 4/8 segments	
<b>653117</b> 8FRJ653117	Supplementary presser 6/12 segments	

## Ditomix

Code	Spare Part Description	Picture
<b>653286</b> 8FRJ653286	Flat aluminum hook (only for DITOMIX5)	
<b>653508</b> 8FRJ653508	5 l stainless steel tank (only for DITOMIX5)	

## Emix

Code	Spare Part Description	Picture
<b>653754</b> 8FRJ653754	5 l stainless steel tank only for Emix	
<b>653755</b> 8FRJ653755	Stainless steel semi-spiral hook 5 l (only for Emix)	
<b>653756</b> 8FRJ653756	Stainless steel spatula for Emix-DITOMIX-BE5	
<b>653757</b> 8FRJ653757	Stainless steel whisk for Emix-Ditomix-BE5	





## Genuine Replacement Parts, Accessories and Consumables Catalogue

### Accessories and Consumables

#### Emix

Code	Spare Part Description	Picture
<b>653043</b> 8EXT653043	60mm mincer for machines with K-type accessory socket (12mm square socket). Aluminum body complete with 1 stainless steel disc with 6 mm diameter holes	
<b>653044</b> 8EXT653044	Kit 3 discs Ø holes 3- 4.5 - 8 mm for mincer	
<b>0C9122</b>	Pasta accessory kit with K-type attachment Complete with three accessories: 0D4201 for lasagne/sfoglia 9pos. from 2.5 to 0.3 mm 0D4202 for fettuccine/tagliatelle 6 mm 0D4203 for tagliolini 1.5 mm	
<b>0D4200</b>	Spaghetti accessory Type K attachment for spaghetti 2 mm - PNC 653298	
<b>0D4201</b>	Puff pastry accessory Type K attachment for lasagne/puff pastry 9 pos. from 2.5 to 0.3 mm - PNC 653296	
<b>0D4202</b>	Fettuccine accessory Attachment type K For fettuccine/tagliatelle 6 mm	
<b>0D4203</b>	Tagliolini accessory Type K attachment for 1.5 mm tagliolini	

## K120/KE120 - K120S/KE120S




Code	Spare Part Description	Picture
<b>653179</b> 8FRJ653179	Smooth blade unit for 11.5 l cutter mixer usable without scraper	
<b>653299</b> 8FRJ653299	Knurled knife unit for 11.5 l cutter mixer	
<b>653538</b> 8FRJ653538	Meat serrated blade unit for cutter mixer 11.5L (use at speeds up to 1500rpm)	
<b>650060</b> 8FRJ650060	Microtoothed blade group for cutter mixer 11.5 lt.	
<b>650073</b> 8FRJ650073	11.5 liter stainless steel tank. for cutter mixers K120S-KE120S	
<b>650059</b> 8FRJ650059	Scraper for cutter mixer K120S and KE120S to be used only with the micro-toothed blade unit 650060	

## K180/KE180 - K180S/KE180S




Code	Spare Part Description	Picture
<b>653119</b> 8FRJ653119	Smooth blade group for cutter mixer 17,5 l	
<b>653120</b> 8FRJ653120	Knurled knife unit for 17.5 l cutter mixer	
<b>653539</b> 8FRJ653539	Toothed blade knife unit for meat for cutter mixer 17.5 l (use at speeds up to 1500 rpm)	
<b>650047</b> 8FRJ650047	Microtoothed blade group for cutter mixer 17.5 lt.	
<b>650074</b> 8FRJ650074	17.5 liter stainless steel tank. for cutter mixers K180S-KE180S	
<b>650046</b> 8FRJ650046	Scraper for cutter mixer K180S and KE180S Use only with the microtoothed blade group 650047	



## K25 - K35 - K45 -K 55 -K70

Code	Spare Part Description	Picture
<b>653029</b> 8FRJ653029	Smooth blade group for K35	
<b>653028</b> 8FRJ653028	Microtoothed blade group for K35	
<b>653096</b> 8FRJ653096	Stainless steel tank for K35	

## MB40 - MBE40

Code	Spare Part Description	Picture
<b>650128</b> 8FRJ650128	40 l stainless steel tank for MB-MBE40	
<b>653092</b> 8FRJ653092	Hook for MB-MBE40	
<b>653093</b> 8FRJ653093	Spatula for MB-MBE40	





## MB40 - MBE40


Code	Spare Part Description	Picture
<b>653094</b> 8FRJ653094	Stainless steel fine emulsion whisk for MB-MBE40	
<b>653127</b> 8FRJ653127	Reinforced stainless steel whisk for MB-MBE	
<b>650126</b> 8FRJ650126	20 lt reduction kit (bowl, hook, spatula and whisk) for 40 lt mixer MB-MBE40	
<b>0D7872</b>	20 l stainless steel tank for reduction kit 650126	
<b>OKQ303</b>	Hook for reduction kit 650126	
<b>OKQ302</b>	Spatula for reduction kit 650126	
<b>OKJ061</b>	Stainless steel whisk for reduction kit 650126	



## MB40 - MBE40









Code	Spare Part Description	Picture
<b>650186</b> 8FRJ650186	MB-MBE40 40 l tank scraper	
<b>653585</b> 8FRJ653585	Trolley for 40/60/80 liter tank (cannot be used if the wheel kit frame code 653552 is installed)	

## Mini Green

Code	Spare Part Description	Picture
<b>0D8296</b>	RD2 Stainless steel grating disc 2 mm	
<b>653004</b> 8FRJ653004	RD4 Stainless steel grating disc 4 mm	
<b>653005</b> 8FRJ653005	RD7 Stainless steel grating disc 7 mm	
<b>653171</b> 8FRJ653171	ED2 Disc for sticks - stainless steel matches 2 mm	
<b>653006</b> 8FRJ653006	ED4 Disc for sticks - stainless steel matches 4 mm	






## Mini Green





Code	Spare Part Description	Picture
<b>650214</b> 8FRJ650214	TD2 Stainless steel slice disc 2 mm	
<b>650215</b> 8FRJ650215	TD3 Stainless steel slice disc 3 mm	
<b>650216</b> 8FRJ650216	TD5 Stainless steel slice disc 5 mm	
<b>650217</b> 8FRJ650217	TD7 Stainless steel slice disc 7 mm	
<b>650218</b> 8FRJ650218	WD2 Stainless steel corrugated slice disc 2 mm	
<b>653050</b> 8FRJ653050	Container for 1 cutting disc (Ø 175 mm and 205 mm)	
<b>653176</b> 8FRJ653176	TD2; stainless steel slicing disc 2mm	
<b>653177</b> 8FRJ653177	TD3; stainless steel slicing disc 3mm	



## Mini Green





Code	Spare Part Description	Picture
<b>653007</b> 8FRJ653007	WD2; stainless steel wavy slicing disc 2mm	
<b>653001</b> 8FRJ653001	TD5; stainless steel slicing disc 5mm	
<b>653002</b> 8FRJ653002	TD7; stainless steel slicing disc 7mm	

## Multigreen



Code	Spare Part Description	Picture
<b>653145</b> 8FRJ653145	Accessory set for cutter function: - 2.5 l ABS tank with lid and smooth blade group of knives	
<b>653146</b> 8FRJ653146	Smooth blade group for Multigreen/K25	
<b>650035</b> 8FRJ650035	Microtoothed blade group for Multigreen/K25	
<b>653487</b> 8FRJ653487	2.5 l stainless steel bowl for Multigreen cutter-mixer	



## Multigreen

Code	Spare Part Description	Picture
<b>653488</b> 8FRJ653488	2,5 l ABS tank for Multigreen cutter mixer	
<b>ODF013</b>	Transparent polycarbonate cover for vegetable cutter (K25 and Multigreen)	
<b>653770</b> 8FRJ653770	"fresh cut" hopper with safety lever	
<b>OD6447</b>	Plastic knife holder also suitable for wall mounting	






## RC14

Code	Spare Part Description	Picture
<b>653022</b> 8FRJ653022	8x8 mm stick cutting blocks (French fries)	
<b>653023</b> 8FRJ653023	10x10 mm stick cutting blocks (French fries)	



**Genuine Replacement Parts, Accessories and Consumables Catalogue**  
**Accessories and Consumables**


## RC14

Code	Spare Part Description	Picture
<b>653024</b> 8FRJ653024	12x12 mm stick cutting blocks (French fries)	
<b>653018</b> 8FRJ653018	14x14 mm stick cutting blocks (French fries)	
<b>653503</b> 8FRJ653503	4 mm puff pastry cutting blocks (French fries)	
<b>653504</b> 8FRJ653504	6 mm puff pastry cutting blocks (French fries)	
<b>653505</b> 8FRJ653505	8 mm puff pastry cutting blocks (French fries)	

## Speedy Mixer

Code	Spare Part Description	Picture
OPR950	Stainless steel tube with 150 mm blades for Speedy Mixer	
OPR951	Stainless steel tube with 200 mm blades for Speedy Mixer	
OPRB64	Stainless steel tube with 250 mm blades for Speedy Mixer	
<b>650057</b> 8FRJ650057	Variable Speed Speedy Mixer Whisk	
OPRPXN	Emulsion tube with 250 mm blade for Speedy Mixer	
OPRPXO	Stainless steel wall support for Speedy Mixer	

## T10E - T15E

Code	Spare Part Description	Picture
<b>653203</b> 8FRJ653203	Sanding disc for T10E-T15E	





## T10E - T15E






Code	Spare Part Description	Picture
<b>653205</b> 8FRJ653205	Grinding disc for large onions T10E-T15E	
<b>653184</b> 8FRJ653184	Sanding disc for spring onions, shallots and garlic (not suitable for models with sanding drum) T10E-T15E	
<b>653204</b> 8FRJ653204	Knife disc for T10E-T15E (not suitable for models with abrasive cylinder)	
<b>0KQ570</b>	Set of 10 knives	
<b>653058</b> 8FRJ653058	Disc for washing and brushing vegetables T10E-T15E	
<b>653208</b> 8FRJ653208	Centrifuge basket for T10E only	
<b>653209</b> 8FRJ653209	Centrifuge basket for T15E only	

## T5S - T5E/T5M - T8E/T8M




Code	Spare Part Description	Picture
<b>653182</b> 8FRJ653182	Sanding disc for T5S	
<b>653183</b> 8FRJ653183	Knife disc for T5S	
<b>653057</b> 8FRJ653057	Disk with brushes-washing for T5S	
<b>653784</b> 8FRJ653784	Filter table with support surface for 5/10/15 kg peelers complete with: - extractable shelf with handle and waste container with filter	
<b>653316</b> 8FRJ653316	Sanding disc for T5E-T5M-T8E-T8M	
<b>653486</b> 8FRJ653486	Mussel cleaning disc for T5E-T5M-T8E-T8M	
<b>653314</b> 8FRJ653314	Filter basket only for T5E-T5M	






## T5S - T5E/T5M - T8E/T8M

Code	Spare Part Description	Picture
<b>653514</b> 8FRJ653514	Filter basket for potato peeler T8E-T8M and mussel cleaner for T5E-T5M-T8E-T8M	
<b>653315</b> 8FRJ653315	Vegetable centrifuge basket only for T5E	
<b>653496</b> 8FRJ653496	Stainless steel stand for peelers and mussel cleaners T5E-T5M-T8E-T8M	
<b>653515</b> 8FRJ653515	Kit for peeling vegetables on the T5M mussel cleaner Includes bowl with handles and abrasive disc	
<b>653495</b> 8FRJ653495	Vegetable centrifuge basket only for T8E	

## Ti25 - T25E

Code	Spare Part Description	Picture
<b>653506</b> 8FRJ653506	Sanding disc for Ti25-T25E	
<b>653302</b> 8FRJ653302	Trolley tank with handle and filter only for T25E	
<b>653509</b> 8FRJ653509	Device to facilitate the dilution of waste only for T25E	








## TR260

Code	Spare Part Description	Picture
<b>650150</b> 8FRJ650150	J302N Stainless steel Julienne disc 2 mm	
<b>650151</b> 8FRJ650151	J303N Stainless steel Julienne disc 3 mm	
<b>650152</b> 8FRJ650152	J304N Stainless steel Julienne disc 4 mm	






**Genuine Replacement Parts, Accessories and Consumables Catalogue**  
**Accessories and Consumables**

## TR260

Code	Spare Part Description	Picture
<b>650153</b> 8FRJ650153	J307N Stainless steel Julienne disc 7 mm	
<b>650154</b> 8FRJ650154	J309N Stainless steel Julienne disc 9 mm	
<b>650148</b> 8FRJ650148	P300 Stainless steel Parmesan grating disc	
<b>650149</b> 8FRJ650149	K300 Stainless steel canederli grating disc	
<b>653198</b> 8FRJ653198	AF306 Disc for 6x6 mm sticks	
<b>653199</b> 8FRJ653199	AF308 Disc for 8x8 mm sticks	
<b>653200</b> 8FRJ653200	AF310 Disc for 10x10 mm sticks	
<b>653195</b> 8FRJ653195	A302 Disc for sticks 2x2 mm	



## TR260

Code	Spare Part Description	Picture
<b>653196</b> 8FRJ653196	A303 Disc for sticks 3x3 mm	
<b>653197</b> 8FRJ653197	A304 Disc for sticks 4x4 mm	
<b>650157</b> 8FRJ650157	DJ607N Stainless steel Julienne disc for corer 7 mm for cabbage hopper, hood (only for TR260)	
<b>653188</b> 8FRJ653188	C301 Disc slices 1 mm	
<b>653172</b> 8FRJ653172	C302 Disc slices 2 mm	
<b>653173</b> 8FRJ653173	C303 Disc slices 3 mm	
<b>653189</b> 8FRJ653189	C305 Disc slices 5 mm curved knife with knurling for tomatoes	
<b>653190</b> 8FRJ653190	C306 Disc slices 6 mm	










**Genuine Replacement Parts, Accessories and Consumables Catalogue**  
**Accessories and Consumables**

## TR260

Code	Spare Part Description	Picture
<b>653191</b> 8FRJ653191	C308 Disc slices 8 mm	
<b>653192</b> 8FRJ653192	C310 Disc slices 10 mm	
<b>653193</b> 8FRJ653193	C316 Disc slices 16 mm	
<b>653009</b> 8FRJ653009	D601 Coring slicer disc 1 mm for cabbage hopper only for TR260)	
<b>653227</b> 8FRJ653227	D602 Coring slicer disc 2 mm for cabbage hopper, hood (only for TR260)	
<b>653228</b> 8FRJ653228	D603 Coring slicer disc 3 mm for cabbage hopper, hood (only for TR260)	
<b>653217</b> 8FRJ653217	C302W Disc slices 2 mm for wavy cut	








## TR260

Code	Spare Part Description	Picture
<b>653218</b> 8FRJ653218	C303W 3 mm slice disc for wavy cut	
<b>653219</b> 8FRJ653219	C306W 6 mm slice disc for wavy cut	
<b>653051</b> 8FRJ653051	MT310 Grid for cubes 10x10 mm for TR260	
<b>653301</b> 8FRJ653301	MT312 Grid for cubes 12x12 mm for TR260	
<b>653052</b> 8FRJ653052	MT316 Grid for cubes 16x16 mm for TR260	
<b>653053</b> 8FRJ653053	MT320 Grid for cubes 20x20 mm for TR260	
<b>653054</b> 8FRJ653054	MT325 Grid for cubes 25x25 mm for TR260	






## TR260

Code	Spare Part Description	Picture
<b>653055</b> 8FRJ653055	MT332 Grid for cubes 32x32 mm for TR260	
<b>653212</b> 8FRJ653212	Stainless steel disc holder (for discs diam. 300) to be fixed on support 653017 (only for TR260)	
<b>653017</b> 8FRJ653017	Stainless steel support with 4 wheels with brake h=730 mm (only for TR260)	
<b>653224</b> 8FRJ653224	Stainless steel trolley for GN 2/1 tray (tray excluded) recommended for the collection of cut products to be positioned under the product outlet	
<b>650155</b> 8FRJ650155	Stainless steel grating disc ; J307MN 7mm. MOZZARELLA only with cabbage hopper, hood (only for TR260)	

## TR300

Code	Spare Part Description	Picture
<b>653068</b> 8FRJ653068	M310 Grid for cubes 10x10 mm for TR300	




### TR300








Code	Spare Part Description	Picture
<b>653499</b> 8FRJ653499	M312 Grid for cubes 12x12 mm for TR300	
<b>653075</b> 8FRJ653075	M316 Grid for cubes 16x16 mm for TR300	
<b>653073</b> 8FRJ653073	M320 Grid for cubes 20x20 mm for TR300	
<b>653259</b> 8FRJ653259	M332 Grid for cubes 32x32 mm for TR300	
<b>653076</b> 8FRJ653076	Chip cutting block 6x6 mm To be combined with slice discs and ejector 653143 (only for TR300)	
<b>653074</b> 8FRJ653074	Chip cutting block 8x8 mm To be combined with slice discs and ejector 653143 (only for TR300)	
<b>653069</b> 8FRJ653069	Chip cutting block 10x10 mm To be combined with slice discs and ejector 653143 (only for TR300)	
<b>653142</b> 8FRJ653142	ES300 Universal ejector (no chips) for TR300	



## TR300

Code	Spare Part Description	Picture
<b>653143</b> 8FRJ653143	EF300 French fries ejector (only for french fries cutting blocks)	

## TrinityPro

Code	Spare Part Description	Picture
<b>650213</b> 8FRJ650213	C17X1 Stainless steel disc slices 1 mm	
<b>650214</b> 8FRJ650214	TD2 Stainless steel slice disc 2 mm	
<b>650215</b> 8FRJ650215	TD3 Stainless steel slice disc 3 mm	
<b>650237</b> 8FRJ650237	C17X4 Stainless steel disc slices 4 mm	
<b>650216</b> 8FRJ650216	TD5 Stainless steel slice disc 5 mm	
<b>650217</b> 8FRJ650217	TD7 Stainless steel slice disc 7 mm	
<b>650218</b> 8FRJ650218	WD2 Stainless steel corrugated slice disc 2 mm	











## TrinityPro

Code	Spare Part Description	Picture
<b>650219</b> 8FRJ650219	C17XW5 Stainless steel slice disc with 5 mm wavy blades	
<b>650198</b> 8FRJ650198	J172 Julienne stainless steel disc 2 mm	
<b>650199</b> 8FRJ650199	J173 Julienne stainless steel disc 3 mm	
<b>650205</b> 8FRJ650205	J174 Julienne stainless steel disc 4 mm	
<b>650207</b> 8FRJ650207	J177 Julienne stainless steel disc 7 mm	
<b>650208</b> 8FRJ650208	J17P Stainless steel grater disc for seasoned cheese 2 mm	
<b>650220</b> 8FRJ650220	C17X8 Aluminum disc slices 8 mm	
<b>650221</b> 8FRJ650221	C17X10 Aluminum disc slices 10 mm	
<b>650209</b> 8FRJ650209	AS172 Stainless steel disc stick 2 mm	



**Genuine Replacement Parts, Accessories and Consumables Catalogue**  
**Accessories and Consumables**

## TrinityPro

Code	Spare Part Description	Picture
<b>650210</b> 8FRJ650210	AS174 Stainless steel disc stick 4 mm	
<b>650211</b> 8FRJ650211	AS178 Stainless steel disc stick 8 mm	
<b>650232</b> 9FRJ650232	Parmesan ejector disc	
<b>650222</b> 8FRJ650222	MT08 Grid cubes (to be combined with slice discs) 8x8 mm	
<b>650223</b> 8FRJ650223	MT10 Grid cubes (to be combined with slice discs) 10x10 mm	
<b>650110</b> 8FRJ650110	Comb for cleaning cubes grid Compatible with grids size 5/8/10MM	
<b>650226</b> 8FRJ650226	Microtoothed blade group for 2.6 liter cutter mixer	
<b>650227</b> 8FRJ650227	Plain blade unit for TrinityPro - 2.6 liter bowl	



## TrinityPro


Code	Spare Part Description	Picture
<b>650228</b> 8FRJ650228	Stainless steel bowl for 2.6 liter cutter mixer	
<b>650229</b> 8FRJ650229	Transparent copolyester tank for 2.6 liter cutter mixer	
<b>650230</b> 8FRJ650230	Bowl scraper for 2.6 liter cutter mixer	
<b>650117</b> 8FRJ650117	Transparent lid for 2.6 liter cutter mixer	
<b>650234</b> 8FRJ650234	Smooth blade unit for 3.6 liter cutter mixer	
<b>650233</b> 8FRJ650233	Microtoothed blade group for 3.6 liter cutter mixer	
<b>650235</b> 8FRJ650235	Stainless steel bowl for 3.6 liter cutter mixer	



## TrinityPro



Code	Spare Part Description	Picture
<b>650236</b> 8FRJ650236	Bowl scraper for 3.6 liter cutter mixer	
<b>650118</b> 8FRJ650118	Transparent lid for 3.6 liter cutter mixer	

## TRK45 - TRK55 -TRK 70

Code	Spare Part Description	Picture
<b>653579</b> 8FRJ653579	Smooth blade group for cutter mixer TRK45	
<b>653581</b> 8FRJ653581	Smooth blade group for cutter mixer TRK55	
<b>653583</b> 8FRJ653583	Smooth blade group for cutter mixer TRK70	
<b>653614</b> 8FRJ653614	Smooth blade group specific for emulsions for TRK45 cutter mixer	
<b>653665</b> 8FRJ653665	Smooth blade group specific for emulsions for TRK55 cutter mixer	



## TRK45 - TRK55 -TRK 70

Code	Spare Part Description	Picture
<b>653712</b> 8FRJ653712	Knife unit with smooth blade specific for emulsions for TRK70 cutter mixer	
<b>650039</b> 8FRJ650039	Knife set with micro-toothed blade specific for emulsions for TRK45 cutter mixer	
<b>650040</b> 8FRJ650040	Micro-toothed blade group specific for emulsions for TRK55 cutter mixer	
<b>650041</b> 8FRJ650041	Knife set with micro-toothed blade specific for emulsions for TRK70 cutter mixer	
<b>653580</b> 8FRJ653580	Microtoothed blade group for TRK45 cutter mixer	
<b>653582</b> 8FRJ653582	Microtoothed blade group for TRK55 cutter mixer	
<b>653584</b> 8FRJ653584	Microtoothed blade group for cutter mixer TRK70	







## TRK45 - TRK55 -TRK 70





Code	Spare Part Description	Picture
<b>650099</b> 8FRJ650099	Lid and bowl scraper for TRK45 cutter mixer	
<b>653589</b> 8FRJ653589	4.5 l stainless steel bowl for TRK45 cutter mixer	
<b>650102</b> 8FRJ650102	Lid and bowl scraper for TRK55 cutter mixer	
<b>653590</b> 8FRJ653590	5.5 l stainless steel bowl for TRK55 cutter mixer	
<b>650104</b> 8FRJ650104	Lid and bowl scraper for TRK70 cutter mixer	
<b>653593</b> 8FRJ653593	7 l stainless steel bowl for TRK70 cutter mixer	



## TRK45 - TRK55 -TRK 70







Code	Spare Part Description	Picture
0D7971	Vegetable cutter transformation kit	
0D1250	Transparent silicone adhesive sealant	

## TRS - TR210

Code	Spare Part Description	Picture
<b>653773</b> 8FRJ653773	J2X Stainless steel Julienne disc 2 mm	
<b>653774</b> 8FRJ653774	J3X Stainless steel Julienne disc 3 mm	
<b>653775</b> 8FRJ653775	J4X Stainless steel Julienne disc 4 mm	
<b>653776</b> 8FRJ653776	J7X Stainless steel Julienne disc 7 mm for mozzarella	









## TRS - TR210

Code	Spare Part Description	Picture
<b>653777</b> 8FRJ653777	J9X Stainless steel Julienne disc 9 mm for mozzarella	
<b>653778</b> 8FRJ653778	KX Stainless steel grating disc for dumplings and bread	
<b>653779</b> 8FRJ653779	PX Stainless steel grating disc for cheese and bread	
<b>650166</b> 8FRJ650166	AS2XX Disc for 2 mm stainless steel sticks	
<b>650158</b> 8FRJ650158	AS2X8X Stainless steel sticks disc with "S" blades 2x8 mm (tagliatelle)	
<b>650159</b> 8FRJ650159	AS2X10X Stainless steel sticks disc with "S" blades 2x10 mm (tagliatelle)	









## TRS - TR210

Code	Spare Part Description	Picture
<b>650167</b> 8FRJ650167	AS3XX Disc for 3 mm stainless steel poles	
<b>650077</b> 8FRJ650077	AS4XX Disc for 4 mm stainless steel sticks	
<b>650078</b> 8FRJ650078	AS6XX Stainless steel sticks disc with "S" blades 6x6mm (also suitable for french fries)	
<b>650079</b> 8FRJ650079	AS8XX Stainless steel sticks disc with "S" blades 8x8mm (also suitable for french fries)	
<b>650080</b> 8FRJ650080	AS10XX Stainless steel sticks disc with "S" blades 10x10mm (also suitable for french fries)	
<b>650081</b> 8FRJ650081	C06SX Stainless steel slicing disc with 0.6 mm "S" blades (suitable for slicing or combined with cube grids)	









## TRS - TR210

Code	Spare Part Description	Picture
<b>650082</b> 8FRJ650082	C1SX Stainless steel slicing disc with 1 mm "S" blades (suitable for slicing or combined with cube grids)	
<b>650083</b> 8FRJ650083	C2SX Stainless steel slicing disc with 2 mm "S" blades (suitable for slicing or combined with cube grids)	
<b>650084</b> 8FRJ650084	C3SX Stainless steel slicing disc with 3 mm "S" blades (suitable for slicing or combined with cube grids)	
<b>650085</b> 8FRJ650085	C4SX Stainless steel slicing disc with 4 mm "S" blades (suitable for slicing or combined with cube grids)	
<b>650086</b> 8FRJ650086	C5SX Stainless steel slicing disc with "S" blades with 5 mm presser (suitable for slicing or combined with cube grids)	
<b>650087</b> 8FRJ650087	C6SX Stainless steel slicing disc with "S" blades with 6 mm presser (suitable for slicing or combined with cube grids)	









### TRS - TR210

Code	Spare Part Description	Picture
<b>650088</b> 8FRJ650088	C8SX Stainless steel slicing disc with "S" blades with 8 mm presser (suitable for slicing or combined with cube grids)	
<b>650160</b> 8FRJ650160	C10SX Stainless steel slicing disc with "S" blades with 10 mm MOZZARELLA pusher (suitable for slicing or combined with dicing grids)	
<b>650161</b> 8FRJ650161	C12SX Stainless steel slicing disc with "S" blades with 12 mm presser (suitable for slicing or combined with cube grids)	
<b>650165</b> 8FRJ650165	C13SX Stainless steel slicing disc with "S" blades with 13 mm presser (suitable for slicing or combined with cube grids)	
<b>650089</b> 8FRJ650089	C2WX Stainless steel disc with 2 mm "S" wavy blades (suitable for slicing or combined with dicing grids)	
<b>650090</b> 8FRJ650090	C3WX Stainless steel disc with 3 mm "S" wavy blades (suitable for slicing or combined with dicing grids)	









## TRS - TR210

Code	Spare Part Description	Picture
<b>650091</b> 8FRJ650091	C6WX Stainless steel disc with 6 mm "S" wavy blades (suitable for slicing or combined with dicing grids)	
<b>650162</b> 8FRJ650162	C8WX Stainless steel disc with "S" wavy blades with 8 mm presser (suitable for slicing or combined with dicing grids)	
<b>650164</b> 8FRJ650164	C10WX Stainless steel disc with "S" wavy blades with 10 mm presser (suitable for slicing or combined with dicing grids)	
<b>653566</b> 8FRJ653566	MT05T Grid for 5x5 mm stainless steel cubes to be combined with slice discs with smooth (C) and wavy (CW) blade	
<b>653567</b> 8FRJ653567	MT08T Grid for 8x8 mm stainless steel cubes to be combined with slice discs with smooth (C) and wavy (CW) blade	
<b>653568</b> 8FRJ653568	MT10T Grid for 10x10 mm stainless steel cubes to be combined with slice discs with smooth (C) and wavy (CW) blade	








## TRS - TR210

Code	Spare Part Description	Picture
<b>653569</b> 8FRJ653569	MT12T Grid for 12x12 mm stainless steel cubes to be combined with slice discs with smooth (C) and wavy (CW) blade	
<b>653570</b> 8FRJ653570	MT20T Grid for 20x20 mm stainless steel cubes to be combined with slice discs with smooth (C) and wavy (CW) blade	
<b>650115</b> 8FRJ650115	C10 Aluminum slice disc, with 10 mm presser	
<b>650116</b> 8FRJ650116	C8 Aluminum slice disc, with 8 mm presser	
<b>653571</b> 8FRJ653571	FT06 Stainless steel potato strips grill 6x6 mm to be combined with slice discs with smooth (C) and wavy (CW) blade	
<b>653572</b> 8FRJ653572	FT08 Stainless steel slatted grill 8x8 mm to be combined with slice discs with smooth (C) and wavy (CW) blade	






## TRS - TR210




Code	Spare Part Description	Picture
<b>653573</b> 8FRJ653573	FT10 Stainless steel slat grid 10x10 mm to be combined with slice discs with smooth (C) and wavy (CW) blade	
<b>653772</b> 8FRJ653772	Disc ejector	
<b>653283</b> 8FRJ653283	Stainless steel trolley with support surface, folding shelves, lower shelf and disc rack for TRK, TRS and TR210 bench models	
<b>650065</b> 8FRJ650065	Stainless steel trolley for GN 2/1 tray (tray excluded) for TR210. Recommended for the collection of cut products, to be positioned under the product outlet	
<b>0D7727</b>	LOCTITE 2700 threadlocker glue 50ml tube	

## XBM10 - XBE10



Code	Spare Part Description	Picture
<b>653276</b> 8FRJ653276	Stainless steel tank 10 l for XBM10 -XBE10	



## XBM10 - XBE10

Code	Spare Part Description	Picture
<b>653269</b> 8FRJ653269	Stainless steel whisk for XBM10-XBE10	
<b>653267</b> 8FRJ653267	Spatula for XBM10-XBE10	
<b>653268</b> 8FRJ653268	Hook for XBM10-XBE10	

## XBM20 - XBE20 - XBB20

Code	Spare Part Description	Picture
<b>650121</b> 8FRJ650121	20 l stainless steel tank for XBM20-XBE20-XBB20	
<b>653114</b> 8FRJ653114	Hook for XBM20-XBE20-XBB20	







## XBM20 - XBE20 - XBB20



Code	Spare Part Description	Picture
<b>653116</b> 8FRJ653116	Spatula for XBM20-XBE20-XBB20	
<b>653109</b> 8FRJ653109	Stainless steel whisk for XBM20-XBE20-XBB20	
<b>653254</b> 8FRJ653254	Reinforced stainless steel whisk for XBM20-XBE20-XBB20	
<b>653434</b> 8FRJ653434	Steel table with shelf for 20 lt planetary mixers (excluding XBB20)	
<b>650122</b> 8FRJ650122	10 lt reduction kit (bowl, hook, spatula and whisk) for 20 lt mixer XBM20 -XBE20-XBB20	
<b>0D7870</b>	10 l stainless steel tank for reduction kit 650122	
<b>0KQ278</b>	Hook for reduction kit 650122	



## XBM20 - XBE20 - XBB20






Code	Spare Part Description	Picture
0KQ277	Spatula for reduction kit 650122	
0H1017	Stainless steel whisk for reduction kit 650122	
653562 8FRJ653562	Trolley for 20/30 liter tank (cannot be used if the wheel kit frame code 653552 is installed on the XBs)	
653552 8FRJ653552	3-wheel frame to be fixed to 20/30/40 l mixers (XB models only)	

## XBM30 - XBE30 - XBB30








Code	Spare Part Description	Picture
650123 8FRJ650123	30 l stainless steel tank for XBM30-XBE30-XBB30	
653161 8FRJ653161	Hook for XBM30-XBE30-XBB30	



## XBM30 - XBE30 - XBB30




Code	Spare Part Description	Picture
<b>653165</b> 8FRJ653165	Spatula for XBM30-XBE30-XBB30	
<b>653166</b> 8FRJ653166	Stainless steel whisk for XBM30-XBE30-XBB30	
<b>653253</b> 8FRJ653253	Reinforced stainless steel whisk for XBM30-XBE30-XBB30	
<b>650124</b> 8FRJ650124	10 L reduction kit (bowl, hook, spatula and whisk) for 30 L mixer XBM30-XBE30-XBB30	
<b>0D7871</b>	10 l stainless steel tank for reduction kit 650124	
<b>650125</b> 8FRJ650125	20 L reduction kit (bowl, hook, spatula and whisk) for 30 L mixer XBM30 -XBE30-XBB30	
<b>0D7813</b>	20 l stainless steel tank for reduction kit 650125	

## Accessories For Planetary Mixers


Code	Spare Part Description	Picture
<b>653720</b> 8EXT653720	70 mm aluminum meat mincer (MMH70) with H type connection	
<b>653724</b> 8EXT653724	82 mm aluminum mincer (MMH82) with H type connection	
<b>653721</b> 8EXT653721	Aluminum mincing kit "Enterprise" for 70 mm mincer	
<b>653726</b> 8EXT653726	Aluminum mincing kit "Enterprise" for 82 mm mincer	
<b>653722</b> 8EXT653722	Stainless steel "Enterprise" mincing kit for 70 mm mincer	
<b>653725</b> 8EXT653725	Stainless steel "Enterprise" mincing kit for 82 mm mincer	
<b>653723</b> 8EXT653723	Stainless steel "1/2 Hunger" mincing kit for 70 mm mincer	



## Accessories For Planetary Mixers

Code	Spare Part Description	Picture
<b>653727</b> 8EXT653727	Stainless steel "1/2 Hunger" mincing kit for 82 mm mincer	
<b>653187</b> 8FRJ653187	Masher/masher with type H connection mod. P200 complete with 3 stainless steel sieves of 1.5-3-6 mm	
<b>653225</b> 8FRJ653225	Vegetable cutter with type H attachment mod. CX21D complete with ejector (without discs) detachable transmission	

## Accessories Cold Rooms






Code	Spare Part Description	Picture
<b>092010</b>	Ideal for reducing heat loss when the cell doors are opened - dim. Door opening width 610/700 (mm) Door opening height 1900 (mm)	
<b>0S1813</b>	Ideal for reducing heat loss when the cell doors are opened - dim. Door hole width 800 (mm) Door hole height 1900 (mm)	
<b>092509</b>	Ideal for reducing heat loss when the cell doors are opened - dim. Door hole width 950 (mm) Door hole height 1900 (mm)	
<b>0S2116</b>	Ideal for reducing heat loss when the cell doors are opened - dim. Door hole width 1174 (mm) Door hole height 2000 (mm)	
<b>0S2372</b>	Ideal for reducing heat loss when the cell doors are opened - dim. Door hole width 1174 (mm) Door hole height 2400 (mm)	
<b>0S2373</b>	Ideal for reducing heat loss when the cell doors are opened - dim. Door hole width 1574 (mm) Door hole height 2400 (mm)	



## Accessories Cold Rooms

Code	Spare Part Description	Picture
097575	Ideal for reducing heat loss when the cell doors are opened - dim. Door hole width 1574 (mm) Door hole height 2800 (mm)	
0S2374	Ideal for reducing heat loss when the cell doors are opened - dim. Door hole width 1974 (mm) Door hole height 2800 (mm)	
097573	Ideal for reducing heat loss when the cell doors are opened - dim. Door hole width 1974 (mm) Door hole height 3200 (mm)	
097574	Ideal for reducing heat loss when the cell doors are opened - dim. Door hole width 2374 (mm) Door hole height 3200 (mm)	







## Accessories For Breeding Station

Code	Spare Part Description	Picture
095791	Cleaning kit Complete cleaning kit	
095780	Universal round brush with hard bristles	
095781	Hard plastic spatula	
095846	Pipe cleaners with nylon bristles Ø 9 mm	
095782	Multi-purpose brush Universal multi-purpose brush with stiff bristles	





## Accessories For Breeding Station

Code	Spare Part Description	Picture
095815	Chicken breeding basket Ergonomic handling for best shaking	
094869	White bowl for breeding	
094861	Gray bowl for breeding	
095806	Lid for white breeding pan	
094860	Molded cap for breeding pan	
096110	Collect crumbs	
095783	Conical basket for chicken washing in stainless steel Code Dimensions (mm) 094869 580x350x170 Code Dimensions	
095680	Chicken washing basket in stainless steel	






## Accessories For Breeding Station






Code	Spare Part Description	Picture
095400	Collar for wash baskets to be used with baskets codes 095783 and 095680	
095753	Sieve basket for filtering flour	
094903	Removable filter for sink diam. 160mm	
095687	Removable filter for sink diam. 225mm	
095758	Storage tray for refrigerated area	
095580	Collection tray for dough balls	
095788	Left hopper with wide discharge and grate	
095789	Right hopper with wide discharge and grate	










## Accessories For Breeding Station

Code	Spare Part Description	Picture
095681	Elongated breeding tray support assembly	
095682	Inclined breeding tray support assembly	
094856	Suction filter with handle	






## Anti-Vibration Plates

Code	Spare Part Description	Picture
0S2762	Anti-vibration plates Rubber and composite material. Superior cushioning effect compared to cork or solid rubber plates. Resistant to oil and humidity. Maximum load: 3.5 kg/cm2 Code LxPxH (mm)	
0S2763	Anti-vibration plates Rubber and composite material. Superior cushioning effect compared to cork or solid rubber plates. Resistant to oil and humidity. Maximum load: 3.5 kg/cm2 Code LxPxH (mm)	
0S2764	Anti-vibration plates Rubber and composite material. Superior cushioning effect compared to cork or solid rubber plates. Resistant to oil and humidity. Maximum load: 3.5 kg/cm2 Code LxPxH (mm)	
0S2765	Anti-vibration plates Rubber and composite material. Superior cushioning effect compared to cork or solid rubber plates. Resistant to oil and humidity. Maximum load: 3.5 kg/cm2 Code LxPxH (mm)	
0S2766	Anti-vibration plates Rubber and composite material. Superior cushioning effect compared to cork or solid rubber plates. Resistant to oil and humidity. Maximum load: 3.5 kg/cm2 Code LxPxH (mm)	











## Basins

Code	Spare Part Description	Picture
082468	PVC tray GN 2/1 h=200mm	
095466	Plastic container GN 1/1 h=65mm	
087024	Plastic container GN 1/1 h=100mm	
095467	Plastic container GN 1/1 h=150mm	
080702	Plastic tray for fish GN 1/1 h=200mm	
080901	False bottom in AISI 304 steel for fish bowl cod. 080702	
0A8858	PVC bowl for fish h=210mm	
0A8860	False bottom in AISI 304 steel for fish bowl cod. 0A8858	

## Castors











Code	Spare Part Description	Picture
OS1070	Kit of 4 castors (two with brake) square expansion consisting of: n.2 033656 castor with brake n.2 033657 castor without brake n.4 033655 square expansion for kit PNC 855030	
OS2631	Kit of 2 swivel wheels Kit of 2 wheels (one with brake) for fridge	
OS2598	Kit of 4 swivel castors Kit of 4 swivel castors (2 with brakes) for refrigerated cabinets, diam. 125mm (PNC 881002)	
OS2633	Kit of 4 swivel wheels Kit of 4 swivel wheels (2 with brakes) diam. 50mm	
OS2630	Kit of 6 swivel wheels Kit of 6 swivel wheels (2 with brakes) diam. 50mm	
OS2632	4 wheels kit 4 wheels kit for 250 l table/saladette	
OTTP20	Two swivel wheels kit. 2 wheels (one with brake) for refrigerators Compatible with: refrigerated cabinets Ø (mm): 125 (PNC 881002)	
OTTY33	Four swivel wheels kit. 4 wheels (two with brake) for refrigerators. Compatible with: refrigerated cabinets; not for remote models Ø (mm): 50	
OTTX47	Four swivel wheels kit. Four swiveling wheels kit (two with brake) for counters and 250 lt saladettes. Compatible with: counters and 250 l saladettes	

## Grids

Code	Spare Part Description	Picture
082307	Chrome grille for Slim models with backsplash on one side	
082729	White rilsan grid GN 1/1 with 4 feet H= 20mm	
082885	White rilsan grill GN 2/1 with splashback on the short side and anti-tipping block	
082904	White rilsan grid with splashback on one side and anti-tipping block	
081883	Grid in AISI 304 GN 2/1 steel with backsplash on the short side and anti-tip lock - dim.530x650x40	
083595	White rilsan grid	
083615	Gray rilsan grid GN 1/1 with 4 feet H=25mm	
093252	Gray rilsan grill GN 2/1 with splashback on the short side - dim. 530x650x40	
083734	Gray rilsan grid with backsplash on the long side for prostor	
083785	Gray rilsan grill GN 2/1 with backsplash on the long side	













## Grids

Code	Spare Part Description	Picture
083911	Gray rilsan grid with splashback on one side	
091169	AISI 304 steel grid GN 1/1 with 4 feet H=25mm	
094105	Gray Rilsan grid for Prostore 900 / Gelateria 720lt models with backsplash on the long side	
095010	Grid in AISI 304 steel for Prostore 470lt with upstand on the long side	
099619	Gray rilsan grid for 400lt wine fridge with backsplash on the long side	
099875	Gray rilsan grid for refrigerator 160lt shelf per cold room	
099876	Gray rilsan grid for 160lt refrigerator, bottom shelf of the cold room	
099879	Gray Rilsan grid for freezer 160lt shelf per cell	
099880	Gray Rilsan grid for freezer 160lt shelf lower part of the cell	
095643	Gray rilsan grid for undercounter refrigerator 160lt, shelf per cold room	







## Grids

Code	Spare Part Description	Picture
095644	Gray rilsan grid for undercounter refrigerator 160lt, bottom shelf of the cell	
OPRAX6	Grid in reinforced stainless steel for PASTRY LINE 600x800x25 refrigerators	
OPRAX7	Grid in rilsan for PASTRY LINE refrigerators 600x800x25	
OPRAY1	Stainless steel grid for PASTRY LINE refrigerated tables 400x600x10	
OPRAY2	Grid in rilsan for PASTRY LINE refrigerated tables	
0A8650	White Rilsan grid for refrigerator 400lt shelf per cold room	
095009	Stainless steel grid for Prostore 470lt with backsplash on the short side	
094169	Gray rilsan grid for Prostore 470lt with backsplash on the short side	
095008	Grid in AISI 304 GN 2/1 steel with backsplash on the long side	
0A8876	Perforated shelf GN 2/1 Perforated shelf for bottles	







## Grids

Code	Spare Part Description	Picture
087222	Meat hook with 4 hooks	
083635	Gray rilsan grid GN 2/1. With 2 stoppers on the short side WxDxH (mm): 530x650x40	
095876	Grid in AISI 304 GN1/1. With 4 U-feet. Set of 2 pieces WxDxH (mm): 325x530x25	
093360	Grid in AISI 304 GN 2/1. With 1 stopper on the short side WxDxH (mm): 530x650x40	

## Modular Shelving

Code	Spare Part Description	Picture
OIM002	Floor Lamp; 1500X373mm	
OIM000	Floor Lamp; 1700X373mm	
OIM001	Floor Lamp; 1700X475mm	
OIM041	Header; 1700X577mm	
OIM054	Central Stand	
OIM055	Central Stand	
OIM056	Central Stand	



## Modular Shelving





Code	Spare Part Description	Picture
OIM005	Grilled Shelf; 373X708mm; Plastic	
OIM006	Grilled Shelf; 373X798mm; Plastic	
OIM007	Grilled Shelf; 373X886mm; Plastic	
OIM008	Grilled Shelf; 373X974mm; Plastic	
OIM009	Grilled Shelf; 373X1062mm; Plastic	
OIM010	Grilled Shelf; 737X1152mm; Plastic	
OIM013	Grilled Shelf; 373X1505mm; Plastic	
OIM046	Shelf; 475X708mm	
OIM047	Shelf; 475X798mm	
OIM048	Shelf; 475X886mm	
OIM037	Shelf; 475X974mm	
OIM049	Shelf; 475X1062mm	
OIM050	Shelf; 475X1152mm	
OIM051	Shelf; 475X1240mm	
OIM043	Shelf; 1330X475mm	
OIM042	Shelf; 1505X475mm	



## Modular Shelving



Code	Spare Part Description	Picture
OIM014	Joint Profile; 373mm; For Angle	
OIM015	Joint Profile; 475mm; For Angle	
OIM039	Joint; L=577mm	
OIM003	Grilled shelf; 373x532mm; plastic	
OIM004	Grilled shelf; 373x620mm; plastic	
OIM011	Grilled shelf; 373x1240mm; plastic	
OIM012	Grilled shelf; 373x1330mm; plastic	
OIM044	Shelf; 475x532mm	
OIM045	Shelf; 475x620mm	

## Shelf Guides




Code	Spare Part Description	Picture
093849	Stainless steel guide for Ecostore models kit consisting of AISI 304 right and left guide	
097444	Stainless steel guide for Ecostore models kit consisting of AISI 430 right and left guide	
093851	Stainless steel guide for Heavy Duty models set 2pcs right and left 650-1400 lt	
093852	Stainless steel guide for Heavy Duty models set 2pcs right and left 550-1100lt	





## Shelf Guides

Code	Spare Part Description	Picture
093853	Sliding guide for Prostore models set 2pcs right and left	
093850	Sliding guide for Standard Benefit models right and left set 2pcs	

## Wire Baskets







Code	Spare Part Description	Picture
082536	GN 2/1 chromed wire basket h= 150 mm	
082537	GN 2/1 chromed wire basket h= 200 mm	
082794	Gray rilsan wire basket GN 1/1 h= 150 mm	

## Measuring Gauges

Code	Spare Part Description	Picture
0S2342	Text 324-Pressure and leakage measurement on gas and water pipes. All measurements for gas and water pipes in one instrument. High resolution color graphic display. Simple menu structure. Easy operation thanks to single hose connection. Case with gas-feed	
0S0970	Testo 312-4 gas pressure gauge. Instrument for all leak testing of gas/water systems, DVGW approved for gas control and regulation, delivery return temperature and ionisation currents, with sound alarm. Recording measured values and data transfer using. E	









## Measuring Gauges

Code	Spare Part Description	Picture
OS0390	Flexible thermocouple in fibreglass Length 1500 mm (use only with adapter OS1019) measuring range -50 ÷ +400°C	
OS0969	High pressure probe 0...25 bar for Testo 312-4 For pressure tests on water/gas systems	
OS2231	High pressure connection 3/8" and 3/4"	
OS2232	High pressure connection 1/2" and 1"	
OS2233	Flexible 2m with FF quick coupling	
OS0917	Testo 316-1 Combustion gas leak detector. The instrument also detects slight gas leaks. Complete with optical and acoustic alarm when limits are exceeded, flexible probe for hard to reach pipes, top safe case against dirt and impacts (optional). Recommend	









## Measuring Gauges

Code	Spare Part Description	Picture
OS0918	Testo 317-3 digital carbon monoxide detector. The instrument signals the presence of CO concentrations. Complete with acoustic and visual alarm, leather case, headphones, wrist strap, autotest function, sampler. Recommended during installation and mainten	
OS2109	Testo 270 Tester for cooking oil. Instrument for measuring the quality and temperature of the oil. Oil working temp. + 40... + 200°C. IP 65 protection rating, waterproof and washable under running water. battery life approx. 25h (500 measurements). Comple	
OS1486	Reference oil for setting and calibration of cooking oil tester testo 270 (1 x 100 ml)	
OS2651	Tester for cooking oil. Avoid using spent oil for food preparation through the electronic oil control system, ensuring sustainable operations, cost savings and preventing health risks.	
OS0830	Testo 410-2 Vane anemometer Measurer of air velocity with propeller sensor Ø40mm, relative humidity and amb. Temperatures. Measuring range from 0.4 to 20m/s; from 0 to 100% RH and from -10 to + 50 °C Including protective hood, test protocol and batteries	
OS2108	Testo 510 gas micromanometer. Differential pressure gauge with temperature compensated sensor. Measuring range from 0 to 100 hPa. Including protective hood, test protocol and batteries.	
OS2470	Testo 606-2 - Moisture Meter, Air Temperature and Humidity. Allows you to measure the moisture content in wood and building materials - and the surrounding environment too. Which means that storage and drying conditions of goods are quickly and easily check	
OS0831	Testo 460 revolution counter Instrument for measuring the rotation speed with protective hood, test protocol. Measuring range from 100 to 29.999rpm. Batteries included	





## Measuring Gauges

Code	Spare Part Description	Picture
OS0832	Testo 810 Surface Thermometer for air and surfaces with infrared sensor and laser pointer. Measuring range: air from -10 to +50°C, IR surfaces from -30 to +300°C. Including protective hood, test protocol and batteries	
OS1283	Testo 570-2 digital manometric group. The Testo 570-2 digital manometric group replaces many tools and measuring instruments needed for daily work on cooling systems and heat pumps: it measures, analyzes and documents pressure, temperature, flow and vacuu	
OS1122	Mini Datalogger 174T kit. The instrument controls the temperature of food, ensuring constant monitoring of the cold chain. With the help of software it is possible to program and read the temperature data logger, and analyze the data on PC. For this purpo	
OS1126	Mini Datalogger 174T. Complete with wall mount, batteries (2 x CR 2032 lithium) and test protocol	
OS1984	Data Logger SAVERIS 2 T2 WI-FI (WLAN) with display for measuring temperature, two ports for connection of NTC, temperature probes or external port contacts, includes: USB cable, wall mount, batteries and calibration protocol. Measuring range : - 50... +150	
OS1985	Aluminum tube probe - IP65 Measuring range: -30.. +90°C Stretched fixed cable 2400mm	
OS1745	Refrigerant gas leak detector. Leak detector for all the most common refrigerant gases: R134a, R22, R404a, H2; all the most common refrigerant gases such as CFC, HCFC, HFC. Sensitivity 4 g/year according to EN 14624 and E35-422; optical and acoustic alarm	








## Measuring Gauges

Code	Spare Part Description	Picture
OS0837	Testo 316-4 Refrigerant gas leak detector. Leak detector for all the most common refrigerant gases: R134a, R22, R404a, R290, R600, H2, all the most common refrigerant gases such as CFC, HCFC, HFC sensitivity 3 g/year according to EN 14624 and E35-422 long	
OS1265	Refrigerant change sensor for all the most common refrigerant gases: CFC, HCFC, HFC	
OS1282	FLUKE 117 digital multimeter complete with multifunction measurements, cables and shockproof shell, measuring range Volts: 2V÷700 Volt (AC), measuring range Amperes 20mA÷20A(AC)	
OS1456	FLUKE 323 current clamp Measuring range Current AC: Range 400.0 A Voltage AC/DC: Range 600.0 V Resistance: Range 400.0 - 4000 Continuity ≤ 70 Max wire diameter 30 mm (600MCM) Complete with test leads, soft case and manual dim. 207 x 75 x 34 mm	
OS2267	thermometer. Testo 926 digital food thermometer with official ACCREDIA/LAT calibration certificate, ACCREDIA certification is foreseen for the instrument with air probe on 4 points: -30°; +10°C; +100°C; +240°C. The instrument is complete with air probe Me	
OS1722	LCR 878B inductance meter. The portable instrument quickly and accurately detects inductance, capacitance and resistance. Applications include passive component resolution, electronic assembly and quality control (sorting component). Resolution with 40,00	







## Measuring Gauges

Code	Spare Part Description	Picture
OS0838	Testo 925 thermocouple digital thermometer. Thermometer with one channel arranged for K TYPE probes, 3-digit LCD display. Measuring range: from -50° to +1000°C, backlit display, possibility of printing measured data and connecting additional probe via rad	
OS1152	Probe for flat surface -60°..+400°C (0602.1993)	
OS1158	Water immersion-penetration probe -50°..+400°C (code 0602.1293)	
OS1400	Ultrasonic probe for mixed surface -50°..+300°C (code 0602.0393)	
OS1401	Surface waterproof probe with small measuring terminal (TC type K) -60°....+1000°C	
OS1118	Microwave detector TX2000. Tool for microwave leakage detection, strong and compact, with a single RF power measuring range designed to operate in the frequency range 2.45 GHz. The instrument is calibrated and provided with international calibration certi	
OS2400	Plastic case for holding measuring instruments and accessories dim: 500 x 380 x 140 mm	
OK7904	Water liter counter	






## Measuring Gauges

Code	Spare Part Description	Picture
OS0971	Laser distance meter. Ideal for measuring distances and determining surfaces and volumes. Complete with case and batteries Technical data: • measuring capacity from 50 mm to 100 mt. • min. displayed unit 1mm • weight 150 g • dim. mm 135x50x31	
OS0478	Water pressure gauge (feed water pressure) black ABS casing • impact-resistant resin glass • brass precision movement • red needle • threaded connection: R 1/4" (Gas) • diameter 63 mm • conforms to ISPESE standards • measuring range: 0 ÷10 bar • tolerance	
OS0480	Gas pressure gauge (feed gas pressure) measuring range: 0÷60 mmbar tolerance: ± 5%	
OS0586	Manual hardness analysis tool (approx. 300 tests) with TT method complete with: • two 25 ml flasks reagent H1 • two 85 ml flasks reagent H2 • one measuring cup 5÷10 ml • one Dispenser 5 ml • one Titrator for hardness in ° d	
OS2255	Spare-replacement pH electrode cartridge	
OS0585	Manual chloride analysis tool (approx. 200 tests) with TT method complete with: • one 20 ml flask reagent CL1 • one 28 ml flask reagent CL2 • two 88 ml flasks reagent CL3 • one. measuring cup 5÷10 ml • one 5 ml dispenser • one chloride titrator in ml/l	
OS2246	Buffer solution pH 7.01 HI70007P 25 sachets (20 ml)	




## Measuring Gauges

Code	Spare Part Description	Picture
0S2247	Buffer solution pH 4.01 HI70004P 25 sachets (20 ml)	
0S2248	Conductivity solution 1413 µS/cm HI70031P 25 sachets (20 ml)	
0S1707	Solution TDS 1382ppm HI70032P 25 sachets (20ml)	
0S2968	Environmental measuring instrument with differential pressure sensor Testo 440Dp Differential pressure sensor included, for Pitot tube measurements and filter monitoring. Ideal for the regulation of ventilation and air conditioning systems, air quality mo	
0S0904	Testo infrared printer Complete with 1 roll of thermal paper and 4 AA batteries	
0S2970	Testo 549i Bluetooth high pressure gauge Measurement of high and low pressure. Ideal for maintenance and troubleshooting of air conditioning and refrigeration systems. Via the Testo Smart App it also allows you to automatically calculate the evaporation a	
0S2113	Testo 510i Bluetooth differential pressure gauge Suitable for measuring for pressure tightness testing and for calculating the flow rate. Can also be used via the Testo Smart app for smartphones and tablets. Bluetooth® with range up to 100m. 3 x AAA batte	
0S2610	Flue gas analyzer Testo 330-1 LL V3 kit The instrument is a multi-function flue gas flue gas analyzer capable of performing all types of measurements on heating systems; equipped with a high-resolution color display, with graphical representation of the m	
0S2969	Gas leak detector with flexible probe Testo 316i Ideal for detecting leaks in gas connections or ruling them out. Equipped with an audible alarm, a simple traffic light LED on the terminal and a clear bar scale. The ppm and LEL (lower explosive limit) val	






## Measuring Gauges

Code	Spare Part Description	Picture
0S2972	Flue gas analyzer Testo 300 Next Level KIT *Without printer	
0S2831	Digital manifold Kit Testo 550S BLUETOOTH	
0S2832	Digital manifold Kit testo 557S The Bluetooth manifold for commissioning, service and maintenance of systems.	
0S2967	Testo Smart Probes Bluetooth Refrigeration kit The kit includes: - 2 testo 115i clamp thermometers cod 0S2971 - 2 testo 549i high pressure gauges cod. 0S2970 - 1 text Smart Case	
0S2731	Data Logger 175 T3 with display for measuring temperature, two ports for connecting external thermocouple probes (type T or type K). Particularly convenient for frequent or continuous measurements are the memory for 1 million measurement values and the ba	
0S2853	Data Logger 176 T4 with display for measuring temperature, four ports for connecting external thermocouple probes (type TK and J). Particularly convenient for frequent or continuous measurements are the memory for 2 million measurement values and the batt	
0S2732	USB cable for PC connection	
0S2234	Flexible air probe	
0S2854	K-type temperature probe TC connector and fiberglass insulation for quick and easy temperature measurement.	
0S2579	Ethernet LAN cable tester	
0S2804	Digital refractometer Instrument for analyzing the sugar content in foods and beverages. Suitable for correct installation and verification of any anomalies in cold drink dispensers, slush machines, cold creams and soft ice cream. Report results with an a	
0S2744	Electronic scale with 5kg capacity	



## Measuring Gauges






Code	Spare Part Description	Picture
0S2745	Electronic scale with 5kg capacity	
0S2746	Electronic scale with 5kg capacity	
0S1756	Electronic scale with 30kg capacity	
0SR805	Goods support surface in stainless steel Capacity 10kg; division 2gr	
0SR806	Stainless steel goods shelf Capacity 20kg; division 2-5gr	
0S2364	Stainless steel goods shelf Capacity 40kg; division 5gr	
0S2956	LAB KIT water analysis case complete with: • Conductivity/ph-meter cod. 0S2889 • Manual chloride analysis instrument (about 200 tests) cod. 0S0585 • Electrode storage solution cod. 0S2383 • Carbonate total and partial hardness kit cod. 0S1701 • Carbonate	
0S2957	BASIC KIT water analysis case complete with: • Portable watertight PH, EC, TDS and temperature meter, cod. 0S2245 • Carbonate total and partial hardness kit cod. 0S1701 • Carbonate analysis, set of 100 test sticks, cod. 0S2916 • Total iron analysis, set o	
0S2383	Electrode storage solution 230 ml bottle	



## Measuring Gauges

Code	Spare Part Description	Picture
0S2889	Conductivity/ph-meter complete with probe and buffer solutions measuring range: 0÷ 3999 S/cm	

## Ppe








Code	Spare Part Description	Picture
0SE422	Blue washable filter mask with White logo	
0S2652	3-ply surgical mask	
0S2659	Protective visor Face shield with visor	
0S2653	OX3000 transparent safety goggles	
0S2667	White 3M protective coverall with PE hood size XL	



# Genuine Replacement Parts, Accessories and Consumables Catalogue

## Accessories and Consumables

### Ppe

Code	Spare Part Description	Picture
0S2668	White 3M protective coverall with PE hood size 2XL	
0S2654	Infrared medical thermometer	
0S2675	High thickness blue nitrile glove size M	
0S2676	High thickness blue nitrile glove size L	
0S2677	High thickness blue nitrile glove size XL	
0S2640	Disposable nitrile gloves size L	
0S2641	Disposable nitrile gloves size XL	



## Genuine Replacement Parts, Accessories and Consumables Catalogue

### Accessories and Consumables

#### Ppe

Code	Spare Part Description	Picture
0S2660	Wall display for PPE products for kit van	
0S2661	Seat covers in LDPE 30m	
0S2662	Seat covers in HDPE 10m	
0S2663	Seat covers in LDPE BIO 13m	
0S2664	Protection film	
0S2665	Knob	
0S2666	Protection for van interior kit (set 5pcs)	











## Genuine Replacement Parts, Accessories and Consumables Catalogue

### Accessories and Consumables

## Ppe

Code	Spare Part Description	Picture
OS2671	White HDPE Tyvek overalls with hood, size XL	
OS2672	White HDPE Tyvek overalls with hood, size 2XL	
OS2985	Robust heat and cut protection glove, resistant to contact heat up to 350 °C. Size: 10. Caliber: 7. Standards: EN 388, EN 407, EN 420. Category: 2. Material: Aramid fibre/cotton	

## Tools



Code	Spare Part Description	Picture
OG6126	THERMA nozzle wrench s/steel used to remove/fit nozzles on pilot burners of Therma hobs	
OST071	Crimping plier for connector lugs	
OCB287	Cavity fan extractor kit for SkyLine Ovens	
OS2336	1 Set of maintenance stickers Essentia 50 sheets/750 stickers Ø 35mm	
OST072	Ratchet pliers for cann cable. RJ45 Professional ratchet model Built-in wire stripper and cutter Uniform pressure and complete closure of the pliers to obtain optimal crimping Including screwdriver to release the ratchet if necessary For PLUG: 4/4 - 6/4 -	
OST017	Three arm extractor 160x130 mm; M19 Interchangeable narrow or wide hook ends lock automatically. Self-locking: by lever effect, the arms forcefully lock the piece to be extracted. This makes the extraction process particularly safe.	









### Tools

Code	Spare Part Description	Picture
0CK86U	Flange for extractor kit To be used with extractor code 0ST017 Suitable for Skyline oven fans.	
0W4857 94081008	Belt tension gauge Instrument to obtain the correct tension of the transmission belts Suitable for any type of belt Sensitive from 20 to 600Hz Complete with unidirectional microphone and ABS case	
006956	Polycord round belt/rope welding machine Useful and necessary tool for welding belts/ropes of conveyor belts trays with min Ø from 2mm to 15mm Voltage 230V, 50Hz dim. 420x140x115h Weight 0.68 Kg	
0CK638	OnE platform connectivity HUB (SIM version)	
0CK639	OnE platform connectivity HUB (LAN version)	
0S2864	Set of 10 pcc of Maintenance Stickers "Electrolux Professional"	

### Trolleys









Code	Spare Part Description	Picture
0S2578	Tool trolley case (tools excluded). Case in thick polypropylene, injection moulded. Very high resistance to corrosive substances, impacts and high and low temperatures. Injection molding allows a constant thickness of the material to be obtained, especial	
0S1288	Kit of assorted tools Tools sold separately. For the list of available tools please look at the Genuine Replacement Parts Catalogue.	

## Automatic Water Softeners

Code	Spare Part Description	Picture
OS1945	Automatic softener with ALIA valve, capacity 0,6 kg. AISI 304 cylinder: 5 lt Cationic resins for cylinder: 3,5 lt Max flow rate: 1500 lt/h Brine: 10 kg Salt for regener. Cycle: 0,6 kg Supply power: 230V 50/60 Hz Water conn.: Ø 3/4" G Min/max pressure: 2-8	
OS1946	Automatic softener with ALIA valve, capacity 1 kg. AISI 304 cylinder: 8 lt Cationic resins for cylinder: 5,6 lt Max flow rate: 1500 lt/h Brine: 20 kg Salt for regener. Cycle: 1,0 kg Supply power: 230V 50/60 Hz Water conn.: Ø 3/4" G Min/max pressure: 2-8 b	
OS1947	Automatic softener with ALIA valve, capacity 1,5 kg. AISI 304 cylinder: 12 lt Cationic resins for cylinder: 8,5 lt Max flow rate: 1500 lt/h Brine: 25 kg Salt for regener. Cycle: 1,5 kg Supply power: 230V 50/60 Hz Water conn.: Ø 3/4" G Min/max pressure: 2-	
OS2457	Automatic softeners GIX TIMED with Autotrol. AISI 304 cylinder: 5 lt Cationic resins for cylinder: 3,5 lt Max flow rate: 1500 lt/h Brine: 10 kg Salt for regener. Cycle: 0,6 kg Supply power: 230V 50/60 Hz Water conn.: Ø 3/4" G Min/max pressure: 2-8 bar Tem	
002454	Automatic softeners GIX TIMED with Autotrol. AISI 304 cylinder: 8 lt Cationic resins for cylinder: 5,6 lt Max flow rate: 1500 lt/h Brine: 20 kg Salt for regener. Cycle: 1,0 kg Supply power: 230V 50/60 Hz Water conn.: Ø 3/4" G Min/max pressure: 2-8 bar Tem	
OS2458	Automatic softeners GIX TIMED with Autotrol. AISI 304 cylinder: 12 lt Cationic resins for cylinder: 8,5 lt Max flow rate: 1500 lt/h Brine: 25 kg Salt for regener. Cycle: 1,4 kg Supply power: 230V 50/60 Hz Water conn.: Ø 3/4" G Min/max pressure: 2-8 bar Te	



## Automatic Water Softeners

Code	Spare Part Description	Picture
OS2694	Timed Automatic water softeners with housing, with Autotrol valve 255 Logix 740 12 lt	
OS2459	Automatic softeners LARGE SERIES VOLUMETRIC with valve, Autotrol 255 Logix 760. Fiberglass cylinder: 50 lt 10"x44" Cationic resins for cylinder: 35 lt Max flow rate: 1500 lt/h Brine: 120 kg Salt for regener. Cycle: 7,2 kg Supply power: 230V 50/60 Hz Water	
OS2460	Automatic softeners LARGE SERIES VOLUMETRIC with valve, Autotrol 255 Logix 760. Fiberglass cylinder: 84 lt 13"x44" Cationic resins for cylinder: 59 lt Max flow rate: 1500 lt/h Brine: 120 kg Salt for regener. Cycle: 12,2 kg Supply power: 230V 50/60 Hz Wate	
OS2461	Automatic softeners LARGE SERIES PERFORMA VOLUMETRIC with valve. Fiberglass cylinder: 24 lt 8"x35" Cationic resins for cylinder: 17 lt Max flow rate: 4000 lt/h Brine: 80 kg Salt for regener. Cycle: 2,7 kg Supply power: 230V 50/60 Hz Water conn.: Ø 3/4" G	
OS2462	Automatic softeners LARGE SERIES PERFORMA VOLUMETRIC with valve. Fiberglass cylinder: 50 lt 10"x44" Cationic resins for cylinder: 35 lt Max flow rate: 4000 lt/h Brine: 120 kg Salt for regener. Cycle: 7,2 kg Supply power: 230V 50/60 Hz Water conn.: Ø 3/4"	
OS2463	Automatic softeners LARGE SERIES PERFORMA VOLUMETRIC with valve. Fiberglass cylinder: 84 lt 13"x44" Cationic resins for cylinder: 59 lt Max flow rate: 4000 lt/h Brine: 120 kg Salt for regener. Cycle: 12,2 kg Supply power: 230V 50/60 Hz Water conn.: Ø 3/4"	
OS2464	Automatic softeners LARGE SERIES PERFORMA TIMED with valve. Fiberglass cylinder: 24 lt 8"x35" Cationic resins for cylinder: 17 lt Max flow rate: 4000 lt/h Brine: 80 kg Salt for regener. Cycle: 2,7 kg Supply power: 230V 50/60 Hz Water conn.: Ø 3/4" G Min/m	
OS2325	Automatic water softener Fiberglass cylinder: 50 lt 10"x44" Cationic resins for cylinder: 35 lt Max flow rate: 4000 lt/h Brine: 120 kg Salt for regener. Cycle: 7,2 kg Supply power: 230V 50/60 Hz Water conn.: Ø 3/4" G Min/max pressure: 2-8 bar Temp. Water	



## Automatic Water Softeners






Code	Spare Part Description	Picture
OS2326	Automatic water softener Fiberglass cylinder: 84 lt 13"x44" Cationic resins for cylinder: 59 lt Max flow rate: 4000 lt/h Brine: 120 kg Salt for regener. Cycle: 12,2 kg Supply power: 230V 50/60 Hz Water conn.: Ø 3/4" G Min/max pressure: 2-8 bar Temp. Water	
OS2696	Automatic water softeners TIMED cabin cruisers with Autotrol 255 valve Logix 760 12lt	
OS2697	Automatic water softeners TIMED cabin cruisers with Autotrol 255 valve Logix 760 24lt	
OS2536	Automatic water softner with valve 368 5lt	
OS2534	Automatic water softner with valve 368 8lt	
OS2535	Automatic water softner with valve 368 12lt	
OS2599	WATER SOFTENER	
OS2869	Automatic digital VOLUMETRIC water softener that can be fed with hot water up to 65°C	
OS1083	Automatic softener TIMED cabinet with Autotrol valve 255. Fiberglass cylinder: 12 lt Cationic resins for cylinder: 8,5 lt Max flow rate: 1500 lt/h Brine: 25 kg Salt for regener. Cycle: 1,4 kg Supply power: 230V 50/60 Hz Water conn.: Ø 3/4" G Min/max press	
OS1089	Automatic softener TIMED cabinet with Autotrol valve 255. Fiberglass cylinder: 24 lt Cationic resins for cylinder: 17 lt Max flow rate: 1500 lt/h Brine: 50 kg Salt for regener. Cycle: 2,7 kg Supply power: 230V 50/60 Hz Water conn.: Ø 3/4" G Min/max pressu	

## Consumables for Manual Water Softeners

Code	Spare Part Description	Picture
OL1140	Water filter NK111. With wound cartridge 50m. Recommended for manual water softeners Ø5". Coupling 3/8" G	
OL1141	Water filter NK112. With wound cartridge 50m Recommended for manual water softeners Ø 5". Coupling 3/4" G	
OS1027	Wound cartridge 5" 50µm Ø 61 H 127 mm For OL1140 and OL1141	
OS2250	Carbon block cartridge 5m for OL1140 and OL1141	
OS1423	Complete filter NK223C with carbon block cartridge 5m. Recommended for manual water softeners Ø 9, Coupling 1/2"G m/f	
OS1029	Wound cartridge 9" 50µm Ø 61 H 247 mm For OS1423	
005480	Carbon block cartridge 5m. For OS1423	




## Consumables for Manual Water Softeners

Code	Spare Part Description	Picture
OS2165	Salt for water softener 25kg package	
OS2191	Cationic Resin. Suitable for all softeners with use of resin, of any capacity 5 kg package (lt 6,14)	
OS2192	Cationic Resin. Suitable for all softeners with use of resin, of any capacity 10 kg package (lt 12,28)	
OS0333	Cationic Resin. Suitable for all softeners with use of resin, of any capacity 25 kg package (lt 30,71)	
OS1090	Resin sanitizer for automatic water softeners. Resin disinfection device for Autotrol 255 Logix valve with salt alarm. Water softeners codes OS1079-OS1083-OS1089.	
OS2245	Watertight pH/EC/TDS/ Temperature meter – scale EC/ TDS low. Pocket watertight instrument for : - pH/EC/TDS/ (3999 µS/cm, 2000 ppm) - temperature 0: 60°C - scale EC/TDS low Floating watertight body. Replaceable pH electrode with renewable fiber junction w	
OL5138	Mechanical filter for hot water Filtration capacity 100m, Reduces ferrous residues, rust and sand. Connection 3/4" Dim 158x180h mm	
OS2850	Salt Detector for automatic water softeners	

## Manual Water Softeners

Code	Spare Part Description	Picture
OC1903	Manual water softeners. AISI 304 cylinder: 8 lt Cationic resins for cylinder: 5,6 lt Max flow rate: 1000 lt/h Salt for regener. Cycle: 1,0 kg Water conn.: Ø 3/4" G Min/max pressure: 1-8 bar Temp. Water supply: 8-25°C ØxH (mm): 190x400	
OS0330	Manual water softener AISI 304 cylinder: 12 lt Cationic resins for cylinder: 8,4 lt Max flow rate: 1000 lt/h Salt for regener. Cycle: 1,5 kg Water conn.: Ø 3/4" G Min/max pressure: 1-8 bar Temp. Water supply: 8-25°C LxDxH: Ø190x515 mm	
OS0329	Manual water softener AISI 304 cylinder: 20 lt Cationic resins for cylinder: 14 lt Max flow rate: 1000 lt/h Salt for regener. Cycle: 2,5 kg Water conn.: Ø 3/4" G Min/max pressure: 1-8 bar Temp. Water supply: 8-25°C LxDxH: Ø190x900 mm	
OS1074	Manual water softeners "by pass". AISI 304 cylinder: 8 lt Cationic resins for cylinder: 5,6 lt Max flow rate: 1000 lt/h Salt for regener. Cycle: 1,0 kg Water conn.: Ø 3/4" G Min/max pressure: 1-8 bar Temp. Water supply: 8-25°C ØxH (mm): 190x400	
OS1076	Manual water softeners "by pass". AISI 304 cylinder: 12 lt Cationic resins for cylinder: 8,4 lt Max flow rate: 1000 lt/h Salt for regener. Cycle: 1,5 kg Water conn.: Ø 3/4" G Min/max pressure: 1-8 bar Temp. Water supply: 8-25°C ØxH (mm): 190x500	

## Reverse Osmosis Water Treatment

Code	Spare Part Description	Picture
OS1822	Reverse osmosis filter. Supply voltage: 220 ... 240 V / 1N ph / 50/60 Hz Power consumption 0.18kw Feed water pressure: 1 - 4 bar Water temperature of power supply: 5-35 ° C Water inlet pipe dimensions: 3/4"	









## Reverse Osmosis Water Treatment







Code	Spare Part Description	Picture
OS1821	Replacement filter cartridge for osmosis	
OPRY39	Container for filter membrane 3012 Connection 1/4 "- 3/8" (membrane not included)	
OPRAH2	Wheels for reverse osmosis filter Kit of 4 pcs	
OS1826	Head with wall bracket	
OS1848	Filter membrane 3012. 300 GPD	
OS0730	Descaler kits. For osmosis membrane cleaning. Complete with 2 carbon filters and 1 descaling agent. 200gr	
OS0728	Carbon filter for RO600C	



## Reverse Osmosis Water Treatment





Code	Spare Part Description	Picture
OS0735	Pump filter with membranes For RO400/600"	
OS0738	Pump kit RO600	
OS0737	Motor RO600 23V	
OS2912	EF reverse osmosis system with high flow and high instantaneous flow rate	
OS1901	Reverse osmosis system with high flow and high instantaneous flow rate With 20 liter expansion vessel supply voltage: 230 V / 1N / 50-60 Hz absorbed power 0,25kw absorbed current 2,5 A supply water pressure 1,5 - 6 bars; feed water temperature 5-30 °C; in	
OS2422	Medium chloride filter cartridge	
OS2913	TWB2A1 filter membrane	
OPRRA9	Vessel container for membrane filter TWB2A1 connection 1/8" (membrane not included)	
OS2830	Low pressure fitting Kit for osmosis cod OS1822	
OS0736	Protection bushing	

## Water Treatment

Code	Spare Part Description	Picture
OS1628	Purity C 150 Quell ST System. Capacity 2408 l at 10° dH with bypass 40% (coffee machines) Capacity 1656 l at 10° dH with bypass 10% (ovens) working temp. 4°C-30°C min/max pressure 2-8.6 bar Head connections 3/8" Complete with digital flow meter (OS2555),	
OS1629	Purity C 300 Quell ST System. Capacity 4000 l at 10°dH with bypass 40% (coffee machines) Capacity 2750 l at 10°dH with bypass 10% (ovens) working temp. 4°C-30°C min/max pressure 2-8.6 bar Head connections 3/8" Complete with digital flow meter (OS2555), wa	
OS1630	Purity C 500 Quell ST system. Capacity 6800 l at 10° dH with bypass 40% (breakfast) Capacity 4675 l at 10° dH with bypass 10% (ovens) working temp. 4°C-30°C min/max pressure 2-8.6 bar Head connections 3/8" Complete with digital flow meter (OS2555), water	
OS1631	Purity C 1100 Quell ST System. Capacity 11,500 l at 10° dH with bypass 40% (breakfasts) Capacity 7906 l at 10° dH with bypass 10% (ovens) working temp. 4°C-30°C min/max pressure 2-8.6 bar Head connections 3/8" Complete with digital flow meter (OS2555), wa	
OS1054	Cartridge Purity C 150 Quell ST	
OS1055	Cartridge Purity C 300 Quell ST	



## Water Treatment

Code	Spare Part Description	Picture
OS1056	Cartridge Purity C 500 Quell ST	
OS1708	cartridge. Purity C 1100 Quell ST	
OS1892	Service cartridge Purity C for cleaning, disinfection and descaling of equipment directly connected. Ø 125 mm - H 233 mm Maximum cartridge capacity 0.5 l Operating pressure 0.5-8.6 bar Temp. water inlet 4-30 ° C The cartridge does not include the head OS1	
OS1638	Head with bypass. Variable 0%-70% and rinsing valves male connections 3/8"	
OS2123	Brita PURITY C reduction kit. 3/4"-3/8" Set of 2 pieces	
OS2555	Digital volumetric liter counter Flow meter 100-100A Flow rate 10-100 l/h temp. 4°C - 30°C max 8 bar Indicates the remaining liters the filtration system can treat Battery powered	
OS2132	cartridge. Filter Purity C 1000 AC Ideal for vending machines for cold and hot drinks	



## Water Treatment

Code	Spare Part Description	Picture
0S2226	cartridge. Set of 20 Purity C 1000 AC cartridges	
0S2489	Head PURITY C STEAM. 3/8" M	
0S1223	Head for Purity CLEAN and CLEAN EXTRA with bypass	
0S0797	Purity AquaQuell 450 cartridges	
0S0798	Purity AquaQuell 600 cartridges	
0S0683	Purity AquaQuell 1200 cartridges.	
0S2133	Purity C 50 Fresh cartridge; activated carbon filtration, ideal for coffee machines. Reduction of chlorine and all other substances with an unpleasant smell and taste	



## Water Treatment

Code	Spare Part Description	Picture
OS2852	PURITY C1100 XtraSafe Cartridge Ideal for corrosive and problematic waters. It offers targeted double protection against chlorides, sulphates and chalk. It allows you to obtain totally demineralised water. Inlet water temperature 4-30°C Operating flow rat	
OS2119	MDU Display for Purity - Purity Steam	
OS2812	Black base with ejector for PURITY 1200	
OS1943	Tested with MDU PURITY for Purity 1200 STEAM	
OS2621	Wall bracket for PURITY and PURITY C Compatible with PURITY 450, 600, 1200 filter system or filter C500, C1100 Dimensions: 212.2 x 271.5 x 453.5 mm	
OS1944	Tested with MDU PURITY for Purity 450 and 600 STEAM	





Excellence is central to everything we do.  
By anticipating our customers' needs, we strive for  
Excellence with our people, innovations, solutions and services.  
To be the OnE making our customers' work-life easier,  
more profitable – and truly sustainable every day.

Follow us on



[www.electroluxprofessional.com](http://www.electroluxprofessional.com)

## Excellence with the environment in mind

- ▶ All our factories are ISO 14001-certified
- ▶ All our solutions are designed for low consumption of water, energy, detergents and harmful emissions
- ▶ In recent years over 70% of our product features have been updated with the environmental needs of our customers in mind
- ▶ Our technology is RoHS and REACH compliant and over 95% recyclable
- ▶ Our products are 100% quality tested by experts

