



Accessories & Consumables Catalogue 2017

Dishwashing





10,000 professional technicians and over **98,000** spare parts in stock are ready to be delivered around the world in **24-48** hours. We are always near, always there for you.



A global team.
Always there with you.



Your satisfaction is our satisfaction. Anything you need is always available thanks to an extensive Customer Care global network with over **2,000** authorized service partners in more than **149** countries.



Make your work simple and your equipment last longer with original A&C.

Original A&C guarantee the best performance minimizing machine downtime and boosting the highest profitability.



Accessories & Consumables

Dishwashing

Index

Detergents.....	4
Baskets 500x500 for universal use	7
Accessories for baskets 500x500	12
Half baskets 250x500.....	15
Wire baskets 500x500.....	17
Baskets for glasswashers.....	18
Baskets for Pot&Pan washers.....	23
Water taps.....	25
Water taps with shower units	27
Washing groups	32
Water treatment.....	34

Detergents



Professional detergent for dishwashers

- ▶ Ideal for all types of crockery: ceramic, porcelain, glass, crystal and metal
- ▶ It is very functional for removing caffeine and theine deposits from cups and teapots.
- ▶ Its delicate aroma helps minimize the unpleasant odour which can sometimes be found in dishwashers.
- ▶ Highly recommended for restaurants preparing fish and sea food.

Code	Package	Compatible with
OS2092	one pack of 2 cans of 5lt.	glasswasher, undercounter, front loading, hood type, rack type



Professional detergent for dishwashers ECO

- ▶ Ideal for all type of crockery: ceramic, porcelain, glass, crystal and metals
- ▶ It's special "Eco-Formula" free of phosphates, EDTA and NTA makes the product ecologically friendly with a very low environmental impact
- ▶ Very efficient in case of dried food residues on all kind of dishes
- ▶ Strongly recommended for hard water conditions

Code	Package	Compatible with
OS2093	one pack of 2 cans of 5lt.	glasswasher, undercounter, front loading, hood type, rack type



Professional rinse aid for dishwashers

- ▶ Brightener additive for crockery rinsing in the dishwasher
- ▶ Specific formula for hard water and medium hard waters
- ▶ Guarantees sparkling clean and dry crockery
- ▶ Use of vegetable origin surfactants
- ▶ Ideal for ceramics, porcelain, glass and crystal

Code	Package	Compatible with
OS2094	one pack of 2 cans of 5lt.	glasswasher, undercounter, front loading, hood type, rack type



Professional rinse aid for dishwashers PLUS

- ▶ Rinse additive for crockery rinsing in the dishwashers
- ▶ Super concentrated formula recommended for soft water conditions
- ▶ Offers a perfect drying without stains or any water trace, therefore highly recommended for glasses
- ▶ Use of vegetable origin surfactants
- ▶ Ideal for dishes in glass, crystal, ceramics, porcelain

Code	Package	Compatible with
OS2095	one pack of 2 cans of 5lt.	glasswasher, undercounter, front loading, hood type, rack type



Extra LimeAway

- ▶ Liquid acidic delimer to remove the scale from dishwashers and built in steam generators.
- ▶ For professional use only.

Code	Package	Compatible with
OS1196	one pack of 4 cans of 5lt.	glasswasher, undercounter, front loading, hood type, rack type

Detergents



Peristaltic pump for detergent

model PR4 with analogic dosing regulation squeeze tubes made in santoprene used as accessory for the dishwashers without built-in dosing systems

- ▶ easy regulation
- ▶ supplied with fixing bracket, injection connection, suction tube, outlet tube and filter

Code	Compatible with
OS0669	glasswasher, undercounter, front loading, hood type, rack type without built-in dosing system

- ▶ power consumption: 3,5w
- ▶ power supply: 230V, 50Hz
- ▶ pressure: 0,1 bar
- ▶ flow: 0,6 - 4l/h



Fixed speed peristaltic pump for detergent

model PR6 with analogic dosing regulation by conductivity probe, squeeze tubes made in santoprene

- ▶ used as accessory for the dishwashers without built-in dosing systems
- ▶ easy regulation
- ▶ supplied with fixing bracket, injection connection, suction tube, outlet tube filter and conductivity probe

Code	Compatible with
OS0670	glasswasher, undercounter, front loading, hood type, rack type without built-in dosing system

- ▶ power consumption: 3,5w
- ▶ power supply: 230V, 50Hz
- ▶ pressure: 0,1 bar
- ▶ flow: 6l/h



Peristaltic pump for rinse aid

model PR1 with analogic dosing regulation tubes made in sekobil

- ▶ used as accessory for the dishwashers without built-in dosing systems
- ▶ easy regulation
- ▶ supplied with fixing bracket, injection connection with non-return valve, suction tube, outlet tube, filter, pipe connection of "fi" 6-8 mm, for single tank machines

Code	Compatible with
OS0671	glasswasher, undercounter, front loading, hood type, rack type without built-in dosing system

- ▶ power consumption: 3,5w
- ▶ power supply: 230V, 50Hz
- ▶ pressure: 3 bar
- ▶ flow: 0,2 - 1l/h



Hand pump dosing system

wall mounting hand pump for manual detergent dosing

Code
OTTW09



Power granules

Solid detergent for pot washers

Code	Package	Compatible with
OKZL56	one pack of 10kg	pot&pan washer

Baskets 500x500 for universal use

Green basket

for 12 bowls of max. diameter 240mm



Code	WxDxH (mm)	Compatible with
048891	500x500x105	undercounter, front loading, hood type, rack type

Blue basket

with wire insert for 16 flat plates or bowls of max. diameter 240mm



Code	WxDxH (mm)	Compatible with
048960	500x500x105	undercounter, front loading, hood type, rack type

Yellow basket

for 18 flat plates of max. diameter 240mm



Code	WxDxH (mm)	Compatible with
048795	500x500x105	undercounter, front loading, hood type, rack type

Grey basket

universal basket for 18 flat plates or 16 bowls of max. diameter 240mm or 9 main course plates 450x370mm



Code	WxDxH (mm)	Compatible with
068692	500x500x150	undercounter, front loading, hood type, rack type

Blue basket

with wire insert for 12 pizza plates of max. diameter 320mm (for undercounter range max. diameter 300mm; for plates up to 320mm use basket code 049895)



Code	WxDxH (mm)	Compatible with
048961	500x500x105	undercounter, front loading, hood type, rack type

Baskets 500x500 for universal use

Blue basket

for universal use



Code	WxDxH (mm)	Compatible with
048796	500x500x105	undercounter, front loading, hood type, rack type

Blue basket

with wire insert for 20 cups or 24 coffee cups



Code	WxDxH (mm)	Compatible with
048964	500x500x105	undercounter, front loading, hood type, rack type

Brown basket

for cutlery



Code	WxDxH (mm)	Compatible with
048797	500x500x105	undercounter, front loading, hood type, rack type

Blue basket

complete of 16 containers for cutlery



Code	WxDxH (mm)	Compatible with
048965	500x500x155	undercounter, front loading, hood type, rack type

Yellow cutlery containers in plastic

Set of 4 pcs



Code	WxDxH (mm)	Compatible with
0L1813	110x110x150	glasswasher, undercounter, front loading, hood type, rack type

Baskets 500x500 for universal use



Grey cutlery container in plastic

universal basket with 8 compartments

Code	WxDxH (mm)	Compatible with
0S1131	480x230x145	universal



Red basket for trays

with open side suitable for 7 trays of max. dimension 530x370mm

Code	WxDxH (mm)	Compatible with
048890	500x500x105	rack type



Red basket for trays

with open side and stainless steel insert suitable for 5 insulated trays of max. dimension 530x370mm

Code	WxDxH (mm)	Compatible with
048962	500x500x150	rack type



Red basket for trays

for 6 trays of max. dimension 530x370mm

Code	WxDxH (mm)	Compatible with
068701	537,5x504x110	front loading, hood type, rack type



Red basket for trays

for 5 GN 1/1 trays

Code	WxDxH (mm)	Compatible with
048963	538x504x110	undercounter

Baskets 500x500 for universal use

Blue basket

for 16 glasses of max. height 70mm and max. diameter 100mm



Code	WxDxH (mm)	Compatible with
0S0318	500x500x105	undercounter, front loading, hood type, rack type

Blue basket

with tilted bottom for 16 glasses, max. height 100mm and max. diameter 100mm



Code	WxDxH (mm)	Compatible with
048968	500x500x145	undercounter, front loading, hood type, rack type

Blue basket

with tilted bottom for 16 glasses, max. height 150mm and max. diameter 100mm



Code	WxDxH (mm)	Compatible with
048971	500x500x195	glasswasher, undercounter, front loading, hood type, rack type

Blue basket

with tilted bottom for 16 glasses, max. height 200mm and max. diameter 100mm



Code	WxDxH (mm)	Compatible with
048974	500x500x245	undercounter, front loading, hood type, rack type

Blue basket

with tilted bottom for 25 glasses, max. height 100mm and max. diameter 80mm



Code	WxDxH (mm)	Compatible with
048969	500x500x145	undercounter, front loading, hood type, rack type

Baskets 500x500 for universal use

Blue basket

with tilted bottom for 25 glasses,
max. height 150mm and max. diameter 80mm



Code	WxDxH (mm)	Compatible with
048972	500x500x195	undercounter, front loading, hood type, rack type

Blue basket

with tilted bottom for 25 glasses,
max. height 200mm and max. diameter 80mm



Code	WxDxH (mm)	Compatible with
048975	500x500x245	undercounter, front loading, hood type, rack type

Blue basket

with tilted bottom for 36 glasses, max. height
100mm and max. diameter 70mm



Code	WxDxH (mm)	Compatible with
048970	500x500x145	undercounter, front loading, hood type, rack type

Blue basket

with tilted bottom for 36 glasses,
max. height 150mm and max. diameter 70mm



Code	WxDxH (mm)	Compatible with
048973	500x500x195	undercounter, front loading, hood type, rack type

Blue basket

with tilted bottom for 36 glasses,
max. height 200mm and max. diameter 70mm



Code	WxDxH (mm)	Compatible with
048976	500x500x245	undercounter, front loading, hood type, rack type

Baskets 500x500 for universal use

Blue basket

for 49 glasses of max. height 70mm and max. diameter 60mm



Code	WxDxH (mm)	Compatible with
048966	500x500x105	undercounter, front loading, hood type, rack type


Blue basket

for 64 glasses of max. height 70mm and max. diameter 50mm



Code	WxDxH (mm)	Compatible with
048967	500x500x105	undercounter, front loading, hood type, rack type


Accessories for baskets 500x500



Green insert

for 16 glasses of max. diameter 100mm


Code	Compatible with
048892	Blue basket 048796



Green insert

for 16 glasses of max. diameter 100mm with tilting device

Code	Compatible with
048951	Blue basket 048796



Blue insert

for 25 glasses of max. diameter 80mm


Code	Compatible with
048953	Blue basket 048796



Blue insert

for 25 glasses of max. diameter 80mm with tilting device

Code	Compatible with
048952	Blue basket 048796



Yellow insert

for 36 glasses of max. diameter 70mm

Code	Compatible with
048955	Blue basket 048796


Accessories for baskets 500x500



Yellow insert

for 36 glasses of max. diameter 70mm with tilting device


Code	Compatible with
048954	Blue basket 048796



Brown insert

for 49 glasses of max. diameter 60mm

Code	Compatible with
048948	Blue basket 048796



Red insert

for 64 glasses of max. diameter 50mm


Code	Compatible with
048949	Blue basket 048796



Blue frame

to increase of 50mm the height of the blue basket code 048796

Code	WxDxH (mm)	Compatible with
048950	500x500x60	Blue basket 048796




Wire insert

for 16 flat plates or bowls; for blue basket code 048796

Code	Compatible with
048946	Blue basket 048796

Accessories for baskets 500x500



Wire insert

for 12 pizza plates max diam. 320mm;
for blue basket code 048796


Code	Compatible with
048947	Blue basket 048796



Wire insert

for cups to be tilted; for blue basket code 048796

Code	Compatible with
069399	Blue basket 048796



Cover grid

for small and light objects

Code	WxDxH (mm)	Compatible with
050860	458x458x10	Blue basket 048796 and brown basket 048797

Half baskets 250x500

Half basket

for universal use



Code	WxDxH (mm)	Compatible with
OS1161	500x250x80	glasswasher, undercounter, front loading, hood type

Half basket

for 14 glasses of max. diam. 70mm, h 140mm



Code	WxDxH (mm)	Compatible with
OS1163	500x250x90	glasswashers, undercounter, front loading, hood type

Half basket

for 14 glasses of max. diam. 70mm, h 140mm



Code	WxDxH (mm)	Compatible with
OS1164	500x250x125	glasswashers, undercounter, front loading, hood type

Half basket


for 24 small plates



Code	WxDxH (mm)	Compatible with
OS1165	500x250x115	glasswashers, undercounter, front loading, hood type


Green insert

for 14 glasses used to half basket code OS1161



Code	WxDxH (mm)	Compatible with
OS1166	500x250x10	half basket OS1161


Half baskets 250x500



Blue insert

for 14 glasses used to half basket code OS1161

Code	WxDxH (mm)	Compatible with
OS1168	500x250x45	half basket OS1161



Insert


for 24 small plates used to half basket code OS1161

Code	WxDxH (mm)	Compatible with
OS1170	500x250x35	half basket OS1161

Wire baskets 500x500

Wire basket

in plastic coated steel; for 18 plates suitable for fixed jet dishwashers



Code	WxDxH (mm)	Compatible with
0S0057	500x500x93	old undercounter and hood type

Wire basket


in plastic coated steel; for plates and cutlery suitable for fixed jet dishwashers



Code	WxDxH (mm)	Compatible with
0S0058	500x500x100	old undercounter and hood type

Wire basket


for wine glasses of max. height 270mm and max. diameter 104mm



Code	WxDxH (mm)	Compatible with
0S0861	500x500x246	undercounter, hood type

Wire basket


in stainless steel; for 12 pizza plates of max. diameter 320mm



Code	WxDxH (mm)	Compatible with
049895	500x500x105	undercounter, front loading, hood type


Square wire basket

completed of insert for cups and one cutlery basket; for undercounter hood type and front loading machine



Code	WxDxH (mm)	Compatible with
0S2180	500x500x200	undercounter, front loading, hood type

Baskets for glasswashers



Wire basket

for glasses; suitable for model LB/WT/GW 1-2

Code	WxDxH (mm)	Compatible with
049069	395x395x100	glasswasher



Square wire basket

for glasses

Code	WxDxH (mm)	Compatible with
0S2173	395x395x115	glasswasher



Wire basket

for glasses and cups


Code	WxDxH (mm)	Compatible with
049365	395x395x200	glasswasher



Wire basket

with tilted bottom for 16 glasses; suitable for model LB/WT/GW 1-2

Code	WxDxH (mm)	Compatible with
049367	395x395x200	glasswasher



Wire basket

for plates, capacity 16 plates of max. diameter 190mm or 8 plates of max. diameter 240mm; suitable for model LB/WT/GW 2

Code	WxDxH (mm)	Compatible with
049364	395x395x100	glasswasher


Baskets for glasswashers



Wire basket

complete with insert for plates and cutlery container; suitable for model LB/WT/GW 1-2


Code	WxDxH (mm)	Compatible with
049366	395x395x100	glasswasher



Wire round basket

for glasses with square fixing frame


Code	ØxH (mm)	Compatible with
049269	Ø400x140	glasswasher



Wire basket

for glasses, suitable for models LTB 11-12-22 (not compatible with glass washer LB/WT/GW1-2)

Code	WxDxH (mm)	Compatible with
069563	382x382x105	glasswasher
069564	382x382x200	glasswasher



Square basket

Code	WxDxH (mm)	Compatible with
0HA029	350x350x120	glasswasher
0R0067	350x350x180	glasswasher
0R0069	400x400x180	glasswasher

Square basket with tilted bottom


Code	WxDxH (mm)	Compatible with
0R0068	350x350x180	glasswasher



Square basket with tilted bottom

Code	WxDxH (mm)	Compatible with
0S0938	400x400x120	glasswasher
0R0070	400x400x180	glasswasher

Accessories for wire baskets



Insert for saucers

for wire basket

Code	WxDxH (mm)	Compatible with
049071	352x110x100	glasswasher

Insert for flute glasses

for wire basket



Code	WxDxH (mm)	Compatible with
OTTA00	100x400x100	glasswasher

Insert for 7 plates diam. 240 mm


For wire basket



Code	WxDxH (mm)	Compatible with
049369	327x240x100	glasswasher

Inclined insert for cups

For wire basket



Code	WxDxH (mm)	Compatible with
049368	373x265x32	glasswasher


Plastic baskets for glasswashers



Square basket for glasses

in plastic

Code	WxDxH (mm)	Compatible with
0S2174	350x350x150	glasswasher



Square basket for glasses

in plastic

Code	WxDxH (mm)	Compatible with
0S2175	380x380x150	glasswasher



Plastic basket

for glasses and small cups

Code	WxDxH (mm)	Compatible with
0S1130	400x400x150	glasswasher



Plastic basket with protected corners

for glasses and small cups

Code	WxDxH (mm)	Compatible with
0L3731	400x400x130	glasswasher



Square basket for plates

in plastic

Code	WxDxH (mm)	Compatible with
0S2176	400x400x110	glasswasher

Plastic baskets for glasswashers



Round basket for glasses

in plastic

Code	ØxH (mm)	Compatible with
0S2177	Ø350x160	glasswasher
0S2178	Ø380x170	
0S2179	Ø400x180	

Accessories for plastic baskets



Grey container for cutlery

in plastic

Code	WxDxH (mm)	Compatible with
0S2105	113x113x89	glasswasher



Insert for 12 saucers

in plastic

Code	WxDxH (mm)	Compatible with
0S2104	290x290x75	glasswasher



Tilting insert for glasses

in plastic

Code	Compatible with
0S2182	basket 0S1130
0S2215	basket 0L3731

Baskets for Pot&Pan washers



Basket for pot washers

in stainless steel

Code	WxDxH (mm)	Compatible with
0E3564	700x630x590	pot&pan washer



Basket for pot washers

in stainless steel

Code	WxDxH (mm)	Compatible with
0E3563	1300x630x590	pot&pan washer



Basket for pot washers

in stainless steel


Code	WxDxH (mm)	Compatible with
049664	688x716x100	hood type, pot&pan washer



Reinforced basket for pot washers

in stainless steel

Code	WxDxH (mm)	Compatible with
0L3583	688x716x100	pot&pan washer



Basket for pot washers

in stainless steel

Code	WxDxH (mm)	Compatible with
049709	1351x716x100	pot&pan washer

Baskets for Pot&Pan washers

Reinforced basket for pot washers

in stainless steel



Code	WxDxH (mm)	Compatible with
0L3582	1351x716x100	pot&pan washer

Rack for containers and trays



Code	WxDxH (mm)	Compatible with
075690	500x500x110	for all baskets for all pot washers

Wire basket

for trays, pizza plates and small accessories;



Code	WxDxH (mm)	Compatible with
0L2014	535x550x103	front loading

Wire basket

for small accessories




Code	WxDxH (mm)	Compatible with
0L2441	535x550x103	front loading

Water taps




One hole mixer tap
with lever, water supply connection $\text{\O}1/2''$,
base connection $\text{\O}52\text{mm}$,
spout L=320mm H=200mm

Code
OS1244



One hole mixer tap
with lever, water supply connection $\text{\O}1/2''$,
base connection $\text{\O}3/4''$, spout L=225mm H=150mm

Code
OS0863




One hole mixer tap
with lever, water supply connection $\text{\O}1/2''$,
base connection $\text{\O}3/4''$, spout L=275mm H=150mm

Code
OS0864




Two hole mixer tap
with lever, water supply and
base connection $\text{\O}3/4''$,
spout L=270mm H=230mm

Code
OS1457



Two hole wall mounted mixer tap
with lever, water supply connection $\text{\O}1/2''$
spout L=200mm

Code
OS1250




Water taps




One hole mixer tap
with swivel, water supply connection $\varnothing 1/2''$,
base connection $\varnothing 3/4''$,
spout L=300mm H=250mm

Code
0S0862





Two hole mixer tap
with swivel, water supply and
base connection $\varnothing 3/4''$,
spout L=300mm H=250mm

Code
033125



Two hole mixer tap
wall mounted; with swivel,
water supply and wall connection $\varnothing 1/2''$,
spout L=300mm
H=120mm below the level of water connection

Code
0S1472




Water taps



Infrared operated one hole mixer tap

water supply connection $\text{\O}1/2''$,
base connection $\text{\O}35\text{mm}$,
spout L=102mm H=88mm;
power supply 115-230V/50Hz

Code
0S1436




Water taps with shower units



One hole mixer tap

with lever, water supply connection $\text{\O}3/8''$,
base connection $\text{\O}3/4''$,
spout L=175mm H=180mm

Code
0S1990






Two hole mixer tap with shower unit

with lever, water supply and
base connection $\text{\O}3/4''$,
spout of mixer tap L=330mm H=230mm

Code

0S1461




Two hole mixer shower unit

with swivel, water supply and
base connection $\text{\O}3/4''$

Code

0L0643




Water taps with shower units



Two hole mixer tap with shower unit

with swivel, water supply and base connection $\varnothing 3/4"$,
spout of mixer tap L=305mm H=340mm


Code
OS1465



One hole shower unit

with swivel, water supply connection $\varnothing 1/2"$,
base connection $\varnothing 3/4"$

Code
OS1036



Water taps with shower units




One hole shower unit with no return valve

with swivel, water supply connection $\text{\O}1/2''$,
base connection $\text{\O}3/4''$

Code

0S0951




One hole mixer tap with shower unit

with swivel, water supply connection $\text{\O}1/2''$,
base connection $\text{\O}3/4''$
spout of mixer tap L=300mm H=260mm

Code

0S0906




Washing groups



Washing group MAXIREEL 15m with standard shower head

wall mounted; water supply connection Ø1/2"; case in AISI 304, tube in EPDM, automatic reel up


Code	Tube length
OS0878	15 m



Washing group MAXIREEL with NITO 2 shower unit

wall mounted; water supply connection Ø1/2"; case in AISI 304, tube in EPDM, automatic reel up

Code	Tube length
OS1856	15 m
OS1923	20 m



Shower unit NITO 1 for MIDREEL

Code
OS0823



Shower unit NITO 2 for MAXIREEL

Code
OS1132

Water treatment



Filter PURITY 1200 CLEAN

for dishwashing equipments WITH PARTIAL DEMINERALIZATION including filter cartridge

- ▶ Connections: inlet 1" - outlet 3/4"
- ▶ Inward min/max pressure: 2-6 bar
- ▶ Working temperature 4°-60°C
- ▶ Capacity: 13000 lt at 10° KH with by pass at 10%

Code	ØxH (mm)
OS0801	Ø288x550

Code	Description
OS0802	Refil cartridge for PURITY1200 CLEAN



Filter PURITY 1200 CLEAN EXTRA

for dishwashing equipments, WITH TOTAL DEMINERALIZATION including filter cartridge;

- ▶ Connections: inlet 1" - outlet 3/4"
- ▶ Inward min/max pressure: 2-6 bar
- ▶ Working temperature 4°-60°C
- ▶ Capacity: 5000 lt at 10° KH with by-pass at 10%

Code	ØxH (mm)
OS0803	Ø288x550

Code	Description
OS0804	Refil cartridge for PURITY1200 CLEAN EXTRA

Code	Description
OS0945	Flowmeter



Manual water softener 8lt

- ▶ 8 lt/min.
- ▶ Tank for resins in AISI 304 of 5,6 lt
- ▶ Water attachments Ø 3/4"
- ▶ min/max pressure 1-8 bar
- ▶ temperature 8-25°C.
- ▶ Use 1 kg salt to regenerate the resin every 1680lt water of 20°f

Code	ØxH (mm)
OC1903	Ø190x400



Manual water softener 12lt

- ▶ 12 lt/min.
- ▶ AISI 304 tank of 8,4 lt.
- ▶ Water attachments Ø 3/4"
- ▶ min/max pressure 1-8 bar
- ▶ temperature 8-25°C.
- ▶ Use 1,5 Kg Salt to regenerate the resin every 2520lt water of 20°f

Code	ØxH (mm)
OS0330	Ø190x515



Manual water softener 20lt

- ▶ 20 lt/min.
- ▶ Tank for resins in AISI 304 of 14 lt.
- ▶ Water attachments Ø 3/4"
- ▶ min/max pressure 1-8 bar
- ▶ temperature 8-25°C.
- ▶ Use 2,5 Kg Salt to regenerate the resin every 4200lt water of 20°f

Code	ØxH (mm)
OS0329	Ø190x900

Water treatment



Manual water softener 8lt with bypass

- ▶ 8 lt/min.
- ▶ Tank for resins in AISI 304 of 5,6 lt.
- ▶ Water attachments Ø 3/4"
- ▶ min/max pressure 1-8 bar
- ▶ temperature 4-25°C.
- ▶ Use 1 Kg Salt to regenerate the resin every 1680lt water of 20°f

Code	ØxH (mm)
OS1074	Ø190x400



Manual water softener 12lt with bypass

- ▶ 12 lt/min.
- ▶ Tank for resins in AISI 304 of 8,4 lt.
- ▶ Water attachments Ø 3/4"
- ▶ min/max pressure 1-8 bar
- ▶ temperature 4-25°C.
- ▶ Use 1,5 Kg Salt to regenerate the resin every 2520lt water of 20°f

Code	ØxH (mm)
OS1076	Ø190x500



Mechanical filter NK111

(recommended on each manual softener)

Code	Diameter	Water connection
OL1140	5"	3/8"

Code	Description
OS1027	Refill for 5" inch filter code OL1140 and OL1141



Mechanical filter NK112

(recommended on each manual softener)

Code	Diameter	Water connection
OL1141	5"	3/4"

Code	Description
OS1027	Refill for 5" inch filter code OL1140 and OL1141



Cationic resin for manual softeners

Use 0,814 kg of resin to fill 1 liter of the tank

Code	Size
OS0333	pack of 25kg
OS2191	pack of 5kg

Water treatment



Automatic water softener 8lt

- ▶ with ALIA valve
- ▶ maximum water flow rate 1500 lt/h
- ▶ Power supply 230V 50Hz
- ▶ Tank in AISI of 8 lt using 5.6 lt of resin
- ▶ Salt container of 20Kg
- ▶ Water attachments Ø 3/4"
- ▶ min/max pressure 2-8 bar
- ▶ temperature range 4-30°C
- ▶ Use 1 kg salt to regenerate the resin every 1680lt water of 20°F

Code	WxDxH (mm)
OS1946	145x450x440



Automatic water softener 8lt

- ▶ Automatic water softener with Autotrol 255 Logix 740 valve
- ▶ maximum water flow rate 1500 lt/h
- ▶ Power supply 230V 50Hz
- ▶ Tank in AISI of 8 lt using 5.6 lt of resin
- ▶ Salt container of 20Kg
- ▶ Water attachments Ø 3/4"
- ▶ min/max pressure 2-8 bar
- ▶ temperature range 4-30°C
- ▶ Regeneration salt 1 Kg 20°F 1680 lt

Code	WxDxH (mm)
OS1079	245x450x540



Automatic water softener mini

- ▶ Automatic water softener MINI with Autotrol 255 Logix 740 valve
- ▶ maximum water flow rate 1500 lt/h
- ▶ Power supply 230V 50/60Hz
- ▶ Fiberglass tank of 12 lt using 8.5 lt of resin
- ▶ Salt container of 25kg
- ▶ Water attachments Ø 3/4"
- ▶ min/max pressure 2-8 bar
- ▶ temperature range 4-25°C
- ▶ Regeneration salt 1,4 Kg 20°F 2520 lt

Code	WxDxH (mm)
OS1083	320x500x660



Automatic water softener maxi

- ▶ with Autotrol 255 Logix 740 valve
- ▶ maximum water flow rate 1500 lt/h
- ▶ Power supply 230V 50/60Hz
- ▶ Fiberglass tank of 24 lt using 17 lt of resin
- ▶ Salt container of 50Kg
- ▶ Water attachments Ø 3/4"
- ▶ min/max pressure 1-8 bar
- ▶ temperature range 4-25°C.
- ▶ Use 2,7 Kg Salt to regenerate the resin every 5040lt water of 20°F

Code	WxDxH (mm)
OS1089	320x500x1120

Resin sanitizer for water softener OS1079, OS1083, OS1089

Resin disinfection device for valve Autotrol 255 Logix (excepting valve Autotrol 366) with salt end alarm



Code	Compatible with
OS1090	OS1079, OS1083, OS1089

Water treatment



Reverse osmosis-single tank atmospheric

The external reverse osmosis is suited for installations in which high quality rinsing, spot-free drying and low operational costs are required. It has been specifically designed to be used with Undercounter and Hood type machines having atmospheric boiler. Thanks to the Reverse Osmosis technology, all the impurities (salts, particles and some kinds of bacteria) contained in the water are completely removed, eliminating any deposit on the glassware and tableware, thus guaranteeing shiny and brilliant results.

Code	WxDxH (mm)
0S1822	143x483x455



External carbon filter

for reverse osmosis code 0S1822

Code	WxDxH (mm)
0S1821	225x466x460



Electrolux



Green.



Innovative.



Design.

Awarded by
designers.
Chosen by
ambitious
restaurants.



reddot award 2015
winner

green&clean
Hood Type
Dishwasher



Discover the Electrolux Excellence
and share more of our thinking at
www.electrolux.com/professional



Discover the Electrolux Excellence
and share more of our thinking at
www.professional.electrolux.com

Follow us on    

Excellence with the environment in mind

- ▶ All our factories are ISO 14001-certified
- ▶ All our solutions are designed for low consumption of water, energy, detergents and harmful emissions
- ▶ In recent years over 70% of our product features have been updated with the environmental needs of our customers in mind
- ▶ Our technology is ROHS and REACH compliant and over 95% recyclable
- ▶ Our products are 100% quality tested by experts

