



Price List 2022

Food Service Equipment

INDEX

OnE Connected

Connectivity




System Hardware

1


Equipment Hardware

1

System Hardware

Description	Code	USD	
<p>Connectivity hub (router)</p> <p>0.02 electric kW 100-240 V 1N 50-60 Hz WxDxH 7 15/16"x 7 1/16"x 2 3/8" Shipping weight lbs: 2 CuFt: 0.92</p>	<p>922697 COHURO</p>	<p>\$ 3,074</p>	
<p>Connectivity hub (router and sim card)</p> <p>0.02 electric kW 100-240 V 1N 50-60 Hz WxDxH 7 15/16"x 7 1/16"x 2 3/8" Shipping weight lbs: 3 CuFt: 0.98</p>	<p>922705 COHURSIM</p>	<p>\$ 3,403</p>	
<p>Super antenna WiFi and 3G amplifier kit</p> <p>WxDxH 2 "x 2 "x 11 1/32" Shipping weight lbs: 4 CuFt: 0.32</p>	<p>922765 WIFISIGN</p>	<p>\$ 258</p>	

Equipment Hardware

Description	Code	USD	
<p>Wifi board (NIU)</p> <p>WxDxH 1 1/8"x 0 13/16"x 3 " Shipping weight lbs: 2 CuFt: 0.92</p>	<p>922695 WIBO</p>	<p>\$ 117</p>	
<p>Ethernet board (NIU-LAN) for Ovens and green&clean Rack Type Dishwashers</p> <p>WxDxH 1 1/8"x 0 13/16"x 3 " Shipping weight lbs: 2 CuFt: 0.25</p>	<p>922696 ETHBOARD</p>	<p>\$ 258</p>	
<p>Ethernet board (NIU-LAN) for Blast Chillers</p> <p>WxDxH 1 1/8"x 0 13/16"x 3 " Shipping weight lbs: 2 CuFt: 0.25</p>	<p>922392 ETHBOARD_C</p>	<p>\$ 360</p>	

INDEX

Combi Ovens and Blast Chillers

SkyLine PremiumS Boiler Ovens

SkyLine PremiumS Boiler Ovens 61 - Electric	49
SkyLine PremiumS Boiler Ovens 62 - Electric	49
SkyLine PremiumS Boiler Ovens 101 - Electric	50
SkyLine PremiumS Boiler Ovens 102 - Electric	50
SkyLine PremiumS Boiler Ovens 201 - Electric	51
SkyLine PremiumS Boiler Ovens 202 - Electric	51
SkyLine PremiumS Boiler Ovens 61 - Gas	52
SkyLine PremiumS Boiler Ovens 62 - Gas	52
SkyLine PremiumS Boiler Ovens 101 - Gas	53
SkyLine PremiumS Boiler Ovens 102 - Gas	53
SkyLine PremiumS Boiler Ovens 201 - Gas	53
SkyLine PremiumS Boiler Ovens 202 - Gas	54

SkyLine ProS Boilerless Ovens

SkyLine ProS Boilerless Ovens 61- Electric	55
SkyLine ProS Boilerless Ovens 62- Electric	55
SkyLine ProS Boilerless Ovens 101- Electric	56
SkyLine ProS Boilerless Ovens 102- Electric	56
SkyLine ProS Boilerless Ovens 201- Electric	57
SkyLine ProS Boilerless Ovens 202- Electric	57
SkyLine ProS Boilerless Ovens 61 - Gas	58
SkyLine ProS Boilerless Ovens 62 - Gas	58
SkyLine ProS Boilerless Ovens 101 - Gas	59
SkyLine ProS Boilerless Ovens 102 - Gas	59
SkyLine ProS Boilerless Ovens 201 - Gas	59
SkyLine ProS Boilerless Ovens 202 - Gas	60

SkyLine Pro Digital Boilerless Ovens

SkyLine Pro Digital Boilerless Ovens 61- Electric	61
SkyLine Pro Digital Boilerless Ovens 62- Electric	61
SkyLine Pro Digital Boilerless Ovens 101- Electric	61
SkyLine Pro Digital Boilerless Ovens 102- Electric	62
SkyLine Pro Digital Boilerless Ovens 61- gas	62
SkyLine Pro Digital Boilerless Ovens 62- gas	62
SkyLine Pro Digital Boilerless Ovens 101- gas	63
SkyLine Pro Digital Boilerless Ovens 102- gas	63

Accessories for SkyLine Ovens

Cooking Solutions - Half and Full Size Sheet Pans	64
Cooking Solutions - Bakery & Pastry Trays	70
Cooking Solutions - Chicken System	71
Cooking Solutions - Smoker	72
Cooking Solutions - Food Probe	73
Installation Solutions - Bases and Supports	73
Handling Solutions - Half and Full Size Sheet Pans	75
Handling Solutions - Banqueting	79

Handling Solutions - Bakery	82
Handling Solutions - Multipurpose	84
Cleaning Solutions	85
Installation Solutions - Water Treatment	85
Installation Solutions - Ventilation	86
Installation Solutions - Connectivity	87
Installation Solutions - Stacking Kits	87
Installation Solutions - Miscellaneous	91
SkyLine Chills	
SkyLine Chills 61 Blast Chiller - 66 lbs	97
SkyLine Chills 101 Blast Chiller - 110 lbs	97
SkyLine Chills 102 Blast Chiller - 220 lbs	97
SkyLine Chills 201 Blast Chiller - 220lbs	98
SkyLine Chills 202 Blast Chiller - 440lbs	98
Accessories for SkyLine Chills	
Cooking Solutions - Half and Full Size Sheet Pans	99
Cooking Solutions - Bakery & Pastry Trays	101
Chilling Solutions - Food Probes	102
Handling Solutions - Half and Full Size Sheet Pans	103
Handling Solutions - Banqueting	106
Handling Solutions - Bakery	109
Installation Solutions - Remote Units	111
Installation Solutions - Connectivity	111
Installation Solutions - Stacking kits	112
Installation Solutions - Miscellaneous	112
MultiSlim Ovens	
MultiSlim Ovens	113
Accessories for compact convection ovens	
Accessories for compact convection ovens	114
Accessories for crosswise convection ovens	
Oven accessories - pans & grids	116
Oven accessories - installation	117
Oven accessory - other	117
Accessories for blast chiller crosswise	
Pans, grids	118
Installation	118
Accessories for blast chiller and freezer crosswise	
Pans, grids	119
Installation	119

SkyLine PremiumS Boiler Ovens 61 - Electric

Description	Code	USD
<p>SKYLINE PremiumS 6 HALF SHEET PANS (13" X 18") OR 6 HOTEL PANS (12" X 20") TOUCH-ELECTRIC 480V-BOILER</p> <p>11.10 electric kW 480 V 3 60 Hz WxDxH 34 1/8"x 30 1/2"x 31 13/16" Shipping weight lbs: 310 CuFt: 29.64</p> <p>Included Accessory 922062 Single 304 stainless steel grid (12" x 20") 3</p>	<p>219740 ECOE61T310</p>	<p>\$ 26,297</p>
<p>SKYLINE PremiumS 6 HALF SHEET PANS (13" X 18") OR 6 HOTEL PANS (12" X 20") TOUCH-ELECTRIC 208V-BOILER</p> <p>11.10 electric kW 208 V 3 60 Hz WxDxH 34 1/8"x 30 1/2"x 31 13/16" Shipping weight lbs: 310 CuFt: 29.64</p> <p>Included Accessory 922062 Single 304 stainless steel grid (12" x 20") 3</p>	<p>219750 ECOE61T3L0</p>	<p>\$ 26,297</p>



SkyLine PremiumS Boiler Ovens 62 - Electric

Description	Code	USD
<p>SKYLINE PremiumS 6 FULL SHEET PANS (18" X 26") TOUCH-ELECTRIC 480V-BOILER</p> <p>21.40 electric kW 480 V 3 60 Hz WxDxH 42 15/16"x 38 1/4"x 31 13/16" Shipping weight lbs: 430 CuFt: 45.21</p> <p>Included Accessory 922076 Aisi 304 stainless steel grid (18" x 26") 3</p>	<p>219741 ECOE62T310</p>	<p>\$ 36,368</p>
<p>SKYLINE PremiumS 6 FULL SHEET PANS (18" X 26") TOUCH-ELECTRIC 208V-BOILER</p> <p>21.40 electric kW 208 V 3 60 Hz WxDxH 42 15/16"x 38 1/4"x 31 13/16" Shipping weight lbs: 423 CuFt: 45.21</p> <p>Included Accessory 922076 Aisi 304 stainless steel grid (18" x 26") 3</p>	<p>219751 ECOE62T3L0</p>	<p>\$ 36,368</p>



Combi Ovens and Blast Chillers

SkyLine PremiumS Boiler Ovens

SkyLine PremiumS Boiler Ovens 101 - Electric

Description	Code	USD
<p>SKYLINE PremiumS 10 HALF SHEET PANS (13" X 18") OR 10 HOTEL PANS (12" X 20") TOUCH-ELECTRIC 480V-BOILER</p> <p>19 electric kW 480 V 3 60 Hz WxDxH 34 1/8"x 30 1/2"x 41 5/8" Shipping weight lbs: 363 CuFt: 36.87</p> <p>Included Accessory 922062 Single 304 stainless steel grid (12" x 20") 5</p>	<p>219742 ECOE101T310</p>	<p>\$ 33,011</p>
<p>SKYLINE PremiumS 10 HALF SHEET PANS (13" X 18") OR 10 HOTEL PANS (12" X 20") TOUCH-ELECTRIC 208V-BOILER</p> <p>19 electric kW 208 V 3 60 Hz WxDxH 34 1/8"x 30 1/2"x 41 5/8" Shipping weight lbs: 363 CuFt: 36.87</p> <p>Included Accessory 922062 Single 304 stainless steel grid (12" x 20") 5</p>	<p>219752 ECOE101T3L0</p>	<p>\$ 33,011</p>



SkyLine PremiumS Boiler Ovens 102 - Electric

Description	Code	USD
<p>SKYLINE PremiumS 10 FULL SHEET PANS (18" X 26") TOUCH-ELECTRIC 480V-BOILER</p> <p>37.40 electric kW 480 V 3 60 Hz WxDxH 42 15/16"x 38 1/4"x 41 5/8" Shipping weight lbs: 472 CuFt: 55.91</p> <p>Included Accessory 922076 Aisi 304 stainless steel grid (18" x 26") 5</p>	<p>219743 ECOE102T310</p>	<p>\$ 42,676</p>
<p>SKYLINE PremiumS 10 FULL SHEET PANS (18" X 26") TOUCH-ELECTRIC 208V-BOILER</p> <p>37.40 electric kW 208 V 3 60 Hz WxDxH 42 15/16"x 38 1/4"x 41 5/8" Shipping weight lbs: 472 CuFt: 55.91</p> <p>Included Accessory 922076 Aisi 304 stainless steel grid (18" x 26") 5</p>	<p>219753 ECOE102T3L0</p>	<p>\$ 42,676</p>



SkyLine PremiumS Boiler Ovens 201 - Electric

Description	Code	USD
<p>SKYLINE PremiumS 20 HALF SHEET PANS (13" X 18") OR 20 HOTEL PANS (12" X 20") TOUCH-ELECTRIC 480V-BOILER</p> <p>37.70 electric kW 480 V 3 60 Hz WxDxH 35 7/8"x 34 1/32"x 70 5/8" Shipping weight lbs: 794 CuFt: 64.50</p> <p>Included Accessory</p> <p>922062 Single 304 stainless steel grid (12" x 20") 10 922753 20 Tray Rack Trolley, Half Sheet Pans, 2 1/2" (63mm) pitch for 201 ovens and blast chillers 1</p>	<p>219744 ECO E201T310</p>	<p>\$ 56,511</p>
<p>SKYLINE PremiumS 20 HALF SHEET PANS (13" X 18") OR 20 HOTEL PANS (12" X 20") TOUCH-ELECTRIC 208V-BOILER</p> <p>37.70 electric kW 208 V 3 60 Hz WxDxH 35 7/8"x 34 1/32"x 70 5/8" Shipping weight lbs: 794 CuFt: 64.50</p> <p>Included Accessory</p> <p>922062 Single 304 stainless steel grid (12" x 20") 10 922753 20 Tray Rack Trolley, Half Sheet Pans, 2 1/2" (63mm) pitch for 201 ovens and blast chillers 1</p>	<p>219754 ECO E201T3L0</p>	<p>\$ 56,511</p>



SkyLine PremiumS Boiler Ovens 202 - Electric

Description	Code	USD
<p>SKYLINE PremiumS 20 FULL SHEET PANS (18" X 26") TOUCH-ELECTRIC 480V-BOILER</p> <p>65.40 electric kW 480 V 3 60 Hz WxDxH 45 3/4"x 42 "x 70 5/8" Shipping weight lbs: 1047 CuFt: 97.81</p> <p>Included Accessory</p> <p>922076 Aisi 304 stainless steel grid (18" x 26") 10 922757 20 Tray Rack Trolley, Full Sheet Pans, 2 1/2" (63mm) pitch for 202 ovens and blast chillers 1</p>	<p>219745 ECO E202T310</p>	<p>\$ 78,892</p>



Combi Ovens and Blast Chillers

SkyLine PremiumS Boiler Ovens

◀◀ (SkyLine PremiumS Boiler Ovens 202 - Electric)

Description	Code	USD
<p>SKYLINE PremiumS 20 FULL SHEET PANS (18" X 26") TOUCH-ELECTRIC 208V-BOILER</p> <p>65.40 electric kW 208 V 3 60 Hz WxDxH 45 3/4"x 42 "x 70 5/8" Shipping weight lbs: 1047 CuFt: 97.81</p> <p>Included Accessory</p> <p>922076 Aisi 304 stainless steel grid (18" x 26") 10 922757 20 Tray Rack Trolley, Full Sheet Pans, 2 1 1/2" (63mm) pitch for 202 ovens and blast chillers</p>	<p>219755 ECOE202T3LO</p>	<p>\$ 78,892</p>



SkyLine PremiumS Boiler Ovens 61 - Gas

Description	Code	USD
<p>SKYLINE PremiumS 6 HALF SHEET PANS (13" X 18") OR 6 HOTEL PANS (12" X 20") TOUCH-GAS 120V-BOILER</p> <p>1.10 electric kW 120 V 1 60 Hz WxDxH 34 1/8"x 30 1/2"x 31 13/16" Shipping weight lbs: 342 CuFt: 30.12</p> <p>Included Accessory</p> <p>922062 Single 304 stainless steel grid (12" x 20") 3</p>	<p>219780 ECOG61T3OO</p>	<p>\$ 27,817</p>



SkyLine PremiumS Boiler Ovens 62 - Gas

Description	Code	USD
<p>SKYLINE PremiumS 6 FULL SHEET PANS (18" X 26") TOUCH-GAS 120V-BOILER</p> <p>1.50 electric kW 120 V 1 60 Hz WxDxH 42 15/16"x 38 1/4"x 31 13/16" Shipping weight lbs: 452 CuFt: 45.21</p> <p>Included Accessory</p> <p>922076 Aisi 304 stainless steel grid (18" x 26") 3</p>	<p>219781 ECOG62T3OO</p>	<p>\$ 41,404</p>



SkyLine PremiumS Boiler Ovens 101 - Gas

Description	Code	USD
<p>SKYLINE PremiumS 10 HALF SHEET PANS (13" X 18") OR 10 HOTEL PANS (12" X 20") TOUCH-GAS 120V-BOILER</p> <p>1.10 electric kW 120 V 1 60 Hz WxDxH 34 1/8"x 30 1/2"x 41 5/8" Shipping weight lbs: 380 CuFt: 36.87</p> <p>Included Accessory 922062 Single 304 stainless steel grid (12" x 20") 5</p>	<p>219782 ECOG101T300</p>	<p>\$ 37,487</p>



SkyLine PremiumS Boiler Ovens 102 - Gas

Description	Code	USD
<p>SKYLINE PremiumS 10 FULL SHEET PANS (18" X 26") TOUCH-GAS 120V-BOILER</p> <p>1.50 electric kW 120 V 1 60 Hz WxDxH 42 15/16"x 38 1/4"x 41 5/8" Shipping weight lbs: 503 CuFt: 55.91</p> <p>Included Accessory 922076 Aisi 304 stainless steel grid (18" x 26") 5</p>	<p>219783 ECOG102T300</p>	<p>\$ 51,544</p>



SkyLine PremiumS Boiler Ovens 201 - Gas

Description	Code	USD
<p>SKYLINE PremiumS 20 HALF SHEET PANS (13" X 18") OR 20 HOTEL PANS (12" X 20") TOUCH-GAS 120V-BOILER</p> <p>1.80 electric kW 120 V 1 60 Hz WxDxH 35 7/8"x 34 1/32"x 70 5/8" Shipping weight lbs: 794 CuFt: 64.50</p> <p>Included Accessory 922062 Single 304 stainless steel grid (12" x 20") 10 922753 20 Tray Rack Trolley, Half Sheet Pans, 2 1/2" (63mm) pitch for 201 ovens and blast chillers 1</p>	<p>219784 ECOG201T300</p>	<p>\$ 64,344</p>



Combi Ovens and Blast Chillers

SkyLine PremiumS Boiler Ovens

SkyLine PremiumS Boiler Ovens 202 - Gas

Description	Code	USD
<p>SKYLINE PremiumS 20 FULL SHEET PANS (18" X 26")TOUCH-GAS 120V-BOILER</p> <p>2.50 electric kW 120 V 1 60 Hz WxDxH 45 3/4"x 42 "x 70 5/8" Shipping weight lbs: 1047 CuFt: 97.81</p> <p>Included Accessory</p> <p>922076 Aisi 304 stainless steel grid (18" x 26") 10 922757 20 Tray Rack Trolley, Full Sheet Pans, 2 1 1/2" (63mm) pitch for 202 ovens and blast chillers</p>	<p>219785 ECOG202T300</p>	<p>\$ 90,082</p>



SkyLine ProS Boilerless Ovens 61- Electric

Description	Code	USD
<p>SKYLINE ProS OVEN 6 HALF SHEET PANS (13" X 18") OR 6 HOTEL PANS (12" X 20")TOUCH-ELECTRIC 480V -BOILERLESS</p> <p>11.10 electric kW 480 V 3 60 Hz WxDxH 34 1/8"x 30 1/2"x 31 13/16" Shipping weight lbs: 289 CuFt: 29.64</p> <p>Included Accessory 922062 Single 304 stainless steel grid (12" x 20") 3</p>	<p>219640 ECOE61K310</p>	<p>\$ 24,059</p>
<p>SKYLINE ProS OVEN 6 HALF SHEET PANS (13" X 18") OR 6 HOTEL PANS (12" X 20")TOUCH-ELECTRIC 208V -BOILERLESS</p> <p>11.10 electric kW 208 V 3 60 Hz WxDxH 34 1/8"x 30 1/2"x 31 13/16" Shipping weight lbs: 293 CuFt: 30.12</p> <p>Included Accessory 922062 Single 304 stainless steel grid (12" x 20") 3</p>	<p>219650 ECOE61K3L0</p>	<p>\$ 24,059</p>



SkyLine ProS Boilerless Ovens 62- Electric

Description	Code	USD
<p>SKYLINE ProS OVEN 6 FULL SHEET PANS (18" X 26")TOUCH-ELECTRIC 208V - BOILERLESS</p> <p>21.40 electric kW 208 V 3 60 Hz WxDxH 42 15/16"x 38 1/4"x 31 13/16" Shipping weight lbs: 354 CuFt: 44.95</p> <p>Included Accessory 922076 Aisi 304 stainless steel grid (18" x 26") 3</p>	<p>219651 ECOE62K3L0</p>	<p>\$ 34,130</p>
<p>SKYLINE ProS OVEN 6 FULL SHEET PANS (18" X 26")TOUCH-ELECTRIC 480V - BOILERLESS</p> <p>21.40 electric kW 480 V 3 60 Hz WxDxH 42 15/16"x 38 1/4"x 31 13/16" Shipping weight lbs: 354 CuFt: 44.95</p> <p>Included Accessory 922076 Aisi 304 stainless steel grid (18" x 26") 3</p>	<p>219641 ECOE62K310</p>	<p>\$ 34,130</p>



Combi Ovens and Blast Chillers

SkyLine ProS Boilerless Ovens

SkyLine ProS Boilerless Ovens 101- Electric

Description	Code	USD
<p>SKYLINE ProS OVEN 10 HALF SHEET PANS (13" X 18") OR 10 HOTEL PANS (12" X 20")TOUCH-ELECTRIC 480V -BOILERLESS</p> <p>19 electric kW 480 V 3 60 Hz WxDxH 34 1/8"x 30 1/2"x 41 5/8" Shipping weight lbs: 339 CuFt: 36.87</p> <p>Included Accessory 922062 Single 304 stainless steel grid (12" x 20") 5</p>	<p>219642 ECOIE101K310</p>	<p>\$ 30,773</p>
<p>SKYLINE ProS OVEN 10 HALF SHEET PANS (13" X 18") OR 10 HOTEL PANS (12" X 20")TOUCH-ELECTRIC 208V -BOILERLESS</p> <p>19 electric kW 208 V 3 60 Hz WxDxH 34 1/8"x 30 1/2"x 41 5/8" Shipping weight lbs: 339 CuFt: 36.87</p> <p>Included Accessory 922062 Single 304 stainless steel grid (12" x 20") 5</p>	<p>219652 ECOIE101K3L0</p>	<p>\$ 30,773</p>



SkyLine ProS Boilerless Ovens 102- Electric

Description	Code	USD
<p>SKYLINE ProS OVEN 10 FULL SHEET PANS (18" X 26")TOUCH-ELECTRIC 480V - BOILERLESS</p> <p>35.40 electric kW 480 V 3 60 Hz WxDxH 42 15/16"x 38 1/4"x 41 5/8" Shipping weight lbs: 487 CuFt: 56.18</p> <p>Included Accessory 922076 Aisi 304 stainless steel grid (18" x 26") 5</p>	<p>219643 ECOIE102K310</p>	<p>\$ 39,351</p>
<p>SKYLINE ProS OVEN 10 FULL SHEET PANS (18" X 26")TOUCH-ELECTRIC 208V - BOILERLESS</p> <p>35.40 electric kW 208 V 3 60 Hz WxDxH 42 15/16"x 38 1/4"x 41 5/8" Shipping weight lbs: 441 CuFt: 55.91</p> <p>Included Accessory 922076 Aisi 304 stainless steel grid (18" x 26") 5</p>	<p>219653 ECOIE102K3L0</p>	<p>\$ 39,351</p>



SkyLine ProS Boilerless Ovens 201- Electric

Description	Code	USD
<p>SKYLINE ProS OVEN 20 HALF SHEET PANS (13" X 18") OR 20 HOTEL PANS (12" X 20")TOUCH-ELECTRIC 208V -BOILERLESS</p> <p>37.70 electric kW 208 V 3 60 Hz WxDxH 35 7/8"x 34 1/32"x 70 5/8" Shipping weight lbs: 794 CuFt: 64.50</p> <p>Included Accessory</p> <p>922062 Single 304 stainless steel grid (12" x 20") 10 922753 20 Tray Rack Trolley, Half Sheet Pans, 2 ½" (63mm) pitch for 201 ovens and blast chillers 1</p>	<p>219654 ECOE201K3L0</p>	<p>\$ 52,035</p>
<p>SKYLINE ProS OVEN 20 HALF SHEET PANS (13" X 18") OR 20 HOTEL PANS (12" X 20")TOUCH-ELECTRIC 480V -BOILERLESS</p> <p>37.70 electric kW 480 V 3 60 Hz WxDxH 35 7/8"x 34 1/32"x 70 5/8" Shipping weight lbs: 794 CuFt: 64.50</p> <p>Included Accessory</p> <p>922062 Single 304 stainless steel grid (12" x 20") 10 922753 20 Tray Rack Trolley, Half Sheet Pans, 2 ½" (63mm) pitch for 201 ovens and blast chillers 1</p>	<p>219644 ECOE201K3I0</p>	<p>\$ 52,035</p>



SkyLine ProS Boilerless Ovens 202- Electric

Description	Code	USD
<p>SKYLINE ProS OVEN 20 FULL SHEET PANS (18" X 26")TOUCH-ELECTRIC 208V - BOILERLESS</p> <p>65.40 electric kW 208 V 3 60 Hz WxDxH 45 3/4"x 42 "x 70 5/8" Shipping weight lbs: 853 CuFt: 97.94</p> <p>Included Accessory</p> <p>922076 Aisi 304 stainless steel grid (18" x 26") 10 922757 20 Tray Rack Trolley, Full Sheet Pans, 2 ½" (63mm) pitch for 202 ovens and blast chillers 1</p>	<p>219655 ECOE202K3L0</p>	<p>\$ 74,416</p>



Combi Ovens and Blast Chillers

SkyLine ProS Boilerless Ovens

◀◀ (SkyLine ProS Boilerless Ovens 202- Electric)

Description	Code	USD
<p>SKYLINE ProS OVEN 20 FULL SHEET PANS (18" X 26")TOUCH-ELECTRIC 480V - BOILERLESS</p> <p>65.40 electric kW 480 V 3 60 Hz WxDxH 45 3/4"x 42 "x 70 5/8" Shipping weight lbs: 1047 CuFt: 97.81</p> <p>Included Accessory</p> <p>922076 Aisi 304 stainless steel grid (18" x 26") 10 922757 20 Tray Rack Trolley, Full Sheet Pans, 2 1 1/2" (63mm) pitch for 202 ovens and blast chillers</p>	<p>219645 ECOE202K310</p>	<p>\$ 74,416</p>



SkyLine ProS Boilerless Ovens 61 - Gas

Description	Code	USD
<p>SKYLINE ProS OVEN 6 HALF SHEET PANS (13" X 18") OR 6 HOTEL PANS (12" X 20")TOUCH-GAS 120V-BOILERLESS</p> <p>1.10 electric kW 120 V 1 60 Hz WxDxH 34 1/8"x 30 1/2"x 31 13/16" Shipping weight lbs: 328 CuFt: 30.12</p> <p>Included Accessory</p> <p>922062 Single 304 stainless steel grid (12" x 20") 3</p>	<p>219680 ECOG61K300</p>	<p>\$ 25,178</p>



SkyLine ProS Boilerless Ovens 62 - Gas

Description	Code	USD
<p>SKYLINE ProS OVEN 6 FULL SHEET PANS (18" X 26")TOUCH-GAS 120V -BOILERLESS</p> <p>1.50 electric kW 120 V 1 60 Hz WxDxH 42 15/16"x 38 1/4"x 31 13/16" Shipping weight lbs: 387 CuFt: 44.95</p> <p>Included Accessory</p> <p>922076 Aisi 304 stainless steel grid (18" x 26") 3</p>	<p>219681 ECOG62K300</p>	<p>\$ 37,487</p>



SkyLine ProS Boilerless Ovens 101 - Gas

Description	Code	USD
<p>SKYLINE ProS OVEN 10 HALF SHEET PANS (13" X 18") OR 10 HOTEL PANS (12" X 20")TOUCH-GAS 120V-BOILERLESS</p> <p>1.10 electric kW 120 V 1 60 Hz WxDxH 34 1/8"x 30 1/2"x 41 5/8" Shipping weight lbs: 356 CuFt: 36.87</p> <p>Included Accessory 922062 Single 304 stainless steel grid (12" x 20") 5</p>	<p>219682 ECOG101K300</p>	<p>\$ 35,249</p>



SkyLine ProS Boilerless Ovens 102 - Gas

Description	Code	USD
<p>SKYLINE ProS OVEN 10 FULL SHEET PANS (18" X 26")TOUCH-GAS 120V -BOILERLESS</p> <p>1.50 electric kW 120 V 1 60 Hz WxDxH 42 15/16"x 38 1/4"x 41 5/8" Shipping weight lbs: 473 CuFt: 55.91</p> <p>Included Accessory 922076 Aisi 304 stainless steel grid (18" x 26") 5</p>	<p>219683 ECOG102K300</p>	<p>\$ 48,219</p>



SkyLine ProS Boilerless Ovens 201 - Gas

Description	Code	USD
<p>SKYLINE ProS OVEN 20 HALF SHEET PANS (13" X 18") OR 20 HOTEL PANS (12" X 20")TOUCH-GAS 120V-BOILERLESS</p> <p>1.80 electric kW 120 V 1 60 Hz WxDxH 35 7/8"x 34 1/32"x 70 5/8" Shipping weight lbs: 794 CuFt: 64.50</p> <p>Included Accessory 922062 Single 304 stainless steel grid (12" x 20") 10 922753 20 Tray Rack Trolley, Half Sheet Pans, 2 1/2" (63mm) pitch for 201 ovens and blast chillers 1</p>	<p>219684 ECOG201K300</p>	<p>\$ 59,868</p>



Combi Ovens and Blast Chillers

SkyLine ProS Boilerless Ovens

SkyLine ProS Boilerless Ovens 202 - Gas

Description	Code	USD
<p>SKYLINE ProS OVEN 20 FULL SHEET PANS (18" X 26")TOUCH-GAS 120V -BOILERLESS</p> <p>2.50 electric kW 120 V 1 60 Hz WxDxH 45 3/4"x 42 "x 70 5/8" Shipping weight lbs: 959 CuFt: 97.94</p> <p>Included Accessory</p> <p>922076 Aisi 304 stainless steel grid (18" x 26") 10 922757 20 Tray Rack Trolley, Full Sheet Pans, 2 1 1/2" (63mm) pitch for 202 ovens and blast chillers</p>	<p>219685 ECOG202K300</p>	<p>\$ 85,606</p>



SkyLine Pro Digital Boilerless Ovens 61- Electric

Description	Code	USD
<p>SKYLINE Pro DIGITAL OVEN 6 HALF SHEET PANS (13" X 18") OR 6 HOTEL PANS (12" X 20") ELECTRIC 208V -BOILERLESS</p> <p>11.10 electric kW 208 V 3 60 Hz WxDxH 34 1/8"x 30 1/2"x 31 13/16" Shipping weight lbs: 281 CuFt: 29.64</p> <p>Included Accessory 922062 Single 304 stainless steel grid (12" x 20") 3</p>	<p>219930 ECOE61C2L0</p>	<p>\$ 18,464</p>



SkyLine Pro Digital Boilerless Ovens 62- Electric

Description	Code	USD
<p>SKYLINE Pro DIGITAL OVEN 6 FULL SHEET PANS (18" X 26")ELECTRIC 208V - BOILERLESS</p> <p>21.40 electric kW 208 V 3 60 Hz WxDxH 42 15/16"x 38 1/4"x 31 13/16" Shipping weight lbs: 395 CuFt: 45.21</p> <p>Included Accessory 922076 Aisi 304 stainless steel grid (18" x 26") 3</p>	<p>219931 ECOE62C2L0</p>	<p>\$ 27,976</p>



SkyLine Pro Digital Boilerless Ovens 101- Electric

Description	Code	USD
<p>SKYLINE Pro DIGITAL OVEN 10 HALF SHEET PANS (13" X 18") OR 10 HOTEL PANS (12" X 20") ELECTRIC 208V -BOILERLESS</p> <p>19 electric kW 208 V 3 60 Hz WxDxH 34 1/8"x 30 1/2"x 41 5/8" Shipping weight lbs: 351 CuFt: 36.87</p> <p>Included Accessory 922062 Single 304 stainless steel grid (12" x 20") 5</p>	<p>219932 ECOE101C2L0</p>	<p>\$ 26,297</p>



Combi Ovens and Blast Chillers

SkyLine Pro Digital Boilerless Ovens

SkyLine Pro Digital Boilerless Ovens 102- Electric

Description	Code	USD
<p>SKYLINE Pro DIGITAL OVEN 10 FULL SHEET PANS (18" X 26")ELECTRIC 208V - BOILERLESS</p> <p>35.40 electric kW 208 V 3 60 Hz WxDxH 42 15/16"x 38 1/4"x 41 5/8" Shipping weight lbs: 472 CuFt: 56.18</p> <p>Included Accessory 922076 Aisi 304 stainless steel grid (18" x 26") 5</p>	<p>219933 ECOE102C2L0</p>	<p>\$ 33,808</p>



SkyLine Pro Digital Boilerless Ovens 61- gas

Description	Code	USD
<p>SKYLINE Pro DIGITAL OVEN 6 HALF SHEET PANS (13" X 18") OR 6 HOTEL PANS (12" X 20")-GAS 120V -BOILERLESS</p> <p>1.10 electric kW 120 V 1 60 Hz WxDxH 34 1/8"x 30 1/2"x 31 13/16" Shipping weight lbs: 303 CuFt: 29.64</p> <p>Included Accessory 922062 Single 304 stainless steel grid (12" x 20") 3</p>	<p>219960 ECOG61C200</p>	<p>\$ 21,821</p>



SkyLine Pro Digital Boilerless Ovens 62- gas

Description	Code	USD
<p>SKYLINE Pro DIGITAL OVEN 6 FULL SHEET PANS (18" X 26")GAS 120V -BOILERLESS</p> <p>1.50 electric kW 120 V 1 60 Hz WxDxH 42 15/16"x 38 1/4"x 31 13/16" Shipping weight lbs: 406 CuFt: 45.21</p> <p>Included Accessory 922076 Aisi 304 stainless steel grid (18" x 26") 3</p>	<p>219961 ECOG62C200</p>	<p>\$ 33,011</p>



SkyLine Pro Digital Boilerless Ovens 101- gas

Description	Code	USD
<p>SKYLINE Pro DIGITAL OVEN 10 HALF SHEET PANS (13" X 18") OR 10 HOTEL PANS (12" X 20")-GAS 120V -BOILERLESS</p> <p>1.10 electric kW 120 V 1 60 Hz WxDxH 34 1/8"x 30 1/2"x 41 5/8" Shipping weight lbs: 346 CuFt: 36.87</p> <p>Included Accessory 922062 Single 304 stainless steel grid (12" x 20") 5</p>	<p>219962 ECOG101C200</p>	<p>\$ 31,892</p>



SkyLine Pro Digital Boilerless Ovens 102- gas







Description	Code	USD
<p>SKYLINE Pro DIGITAL OVEN 10 FULL SHEET PANS (18" X 26")GAS 120V -BOILERLESS</p> <p>1.50 electric kW 120 V 1 60 Hz WxDxH 42 15/16"x 38 1/4"x 41 5/8" Shipping weight lbs: 461 CuFt: 55.91</p> <p>Included Accessory 922076 Aisi 304 stainless steel grid (18" x 26") 5</p>	<p>219963 ECOG102C200</p>	<p>\$ 39,351</p>



Combi Ovens and Blast Chillers

Accessories for SkyLine Ovens

Cooking Solutions - Half and Full Size Sheet Pans

Description	Code	USD	
<p>Pair of half size oven racks, type 304 stainless steel</p> <p>WxDxH 12 13/16"x 20 7/8"x 0 1/2"</p> <p>Shipping weight lbs: 4 CuFt: 0.19</p>	<p>922017 2GRSS11</p>	<p>\$ 57</p>	
<p>Pair of 304 stainless steel full-size grids (18" x 26")</p> <p>WxDxH 20 7/8"x 25 9/16"x 0 15/16"</p> <p>Shipping weight lbs: 11 CuFt: 0.34</p>	<p>922175 2GRSS21</p>	<p>\$ 95</p>	
<p>Single 304 stainless steel grid (12" x 20")</p> <p>WxDxH 12 13/16"x 20 7/8"x 0 3/8"</p> <p>Shipping weight lbs: 4 CuFt: 0.51</p>	<p>922062 GRSSGN11</p>	<p>\$ 55</p>	
<p>Aisi 304 stainless steel grid (18" x 26")</p> <p>WxDxH 25 9/16"x 20 7/8"x 0 3/8"</p> <p>Shipping weight lbs: 6 CuFt: 0.51</p>	<p>922076 GRSSGN21</p>	<p>\$ 90</p>	
<p>Multipurpose hook</p> <p>WxDxH 2 "x 0 3/16"x 11 13/16"</p> <p>Shipping weight lbs: 2 CuFt: 0.04</p>	<p>922348 MUHO</p>	<p>\$ 163</p>	
<p>Stainless steel 304 grids (GN 1/2) with spikes, fits 4 chickens</p> <p>WxDxH 10 7/16"x 12 13/16"x 5 1/2"</p> <p>Shipping weight lbs: 4 CuFt: 1.22</p>	<p>922086 GR4CH12</p>	<p>\$ 60</p>	



◀◀ (Cooking Solutions - Half and Full Size Sheet Pans)

Description	Code	USD	
Grid for whole chicken 1/1GN (8 per grid - 2.6 lbs each) WxDxH 12 13/16"x 20 7/8"x 6 " Shipping weight lbs: 3 CuFt: 1.22	922266 GR8CH11	\$ 86	
Chicken racks, pair (2) (fits 8 chickens per rack) WxDxH 12 13/16"x 20 7/8"x 6 " Shipping weight lbs: 7 CuFt: 1.22	922036 GRPA8CH	\$ 170	
Grid for whole duck (8 per grid - 1,8kg each), GN 1/1 WxDxH 12 13/16"x 20 7/8"x 10 3/16" Shipping weight lbs: 4 CuFt: 2.48	922362 GR8DU11	\$ 195	
Grease collection tray (4") for 61 and 101 ovens WxDxH 22 13/16"x 13 3/8"x 4 5/16" Shipping weight lbs: 7 CuFt: 0.97	922321 GRCOTRLO11	\$ 755	
Grease collection tray (2 2/5") for 62 and 102 ovens WxDxH 20 7/8"x 29 1/8"x 4 5/16" Shipping weight lbs: 9 CuFt: 1.52	922357 GRCOTRLO21	\$ 1,773	
Pair of frying baskets WxDxH 20 7/8"x 12 13/16"x 1 9/16" Shipping weight lbs: 5 CuFt: 0.66	922239 2FRBAOV	\$ 234	

▶▶

Combi Ovens and Blast Chillers

Accessories for SkyLine Ovens

◀◀ (Cooking Solutions - Half and Full Size Sheet Pans)

Description	Code	USD	
Non-stick U-pan (12" x 10" x 3/4") WxDxH 12 13/16"x 10 7/16"x 0 13/16" Shipping weight lbs: 2 CuFt: 0.06	925009 NOSTUPA1220	\$ 90	
Non-stick U-pan (12" x 10" x 1 1/2") WxDxH 12 13/16"x 10 7/16"x 1 9/16" Shipping weight lbs: 2 CuFt: 0.13	925010 NOSTUPA1240	\$ 99	
Non-stick U-pan (12" x 10" x 2 1/2") WxDxH 12 13/16"x 10 7/16"x 2 3/8" Shipping weight lbs: 2 CuFt: 0.19	925011 NOSTUPA1260	\$ 107	
Non-stick universal pan (12" x 20" x 3/4") WxDxH 20 7/8"x 12 13/16"x 0 13/16" Shipping weight lbs: 3 CuFt: 0.13	925000 NOSTUPA1120	\$ 168	
6 NON-STICK U-PAN (12" X 20" X 3/4") WxDxH 20 7/8"x 13 "x 0 13/16" Shipping weight lbs: 15 CuFt: 0.88	925012 6NOSTUP20	\$ 883	
Non-stick universal pan (12" x 20" x 1 1/2") WxDxH 20 7/8"x 12 13/16"x 1 9/16" Shipping weight lbs: 3 CuFt: 0.26	925001 NOSTUPA1140	\$ 198	

▶▶

◀◀ (Cooking Solutions - Half and Full Size Sheet Pans)

Description	Code	USD	
<p>6 NON-STICK U-PAN (12"X20"X1 1/2")</p> <p>WxDxH 20 7/8"x 12 13/16"x 1 9/16"</p> <p>Shipping weight lbs: 3 CuFt: 0.25</p>	<p>925013 6NOSTUP40</p>	<p>\$ 1,071</p>	
<p>Non-stick universal pan (12" x 20" x 2 1/2")</p> <p>WxDxH 20 7/8"x 12 13/16"x 2 3/8"</p> <p>Shipping weight lbs: 4 CuFt: 0.45</p>	<p>925002 NOSTUPA1160</p>	<p>\$ 208</p>	
<p>6 NON-STICK U-PAN (12"X20"X2 1/2")</p> <p>WxDxH 20 7/8"x 13 "x 2 3/8"</p> <p>Shipping weight lbs: 3 CuFt: 0.40</p>	<p>925014 6NOSTUP60</p>	<p>\$ 1,137</p>	
<p>Frying griddle double sided (ribbed/smooth) 12" x 20"</p> <p>WxDxH 12 13/16"x 20 7/8"x 0 3/16"</p> <p>Shipping weight lbs: 5 CuFt: 0.14</p>	<p>925003 GRDOFA11</p>	<p>\$ 198</p>	
<p>Aluminum combi oven grill (12" x 20")</p> <p>WxDxH 12 13/16"x 20 7/8"x 0 1/2"</p> <p>Shipping weight lbs: 4 CuFt: 0.13</p>	<p>925004 GRALI1</p>	<p>\$ 289</p>	
<p>Mesh grilling grid (12" x 20")</p> <p>WxDxH 12 13/16"x 20 7/8"x 0 3/8"</p> <p>Shipping weight lbs: 7 CuFt: 0.13</p>	<p>922713 GRMEGR</p>	<p>\$ 269</p>	

▶▶

Combi Ovens and Blast Chillers







Accessories for SkyLine Ovens

◀◀ (Cooking Solutions - Half and Full Size Sheet Pans)

Description	Code	USD	
<p>Tray for traditional static cooking, H=100mm (12' x 20")</p> <p>WxDxH 12 13/16"x 20 7/8"x 3 15/16" Shipping weight lbs: 9 CuFt: 0.77</p>	<p>922746 TRSTCO</p>	<p>\$ 494</p>	
<p>Egg fryer for 8 eggs (12" X 20")</p> <p>WxDxH 12 13/16"x 20 7/8"x 0 11/16" Shipping weight lbs: 3 CuFt: 0.19</p>	<p>925005 FRPAN8EPH11</p>	<p>\$ 175</p>	
<p>Flat baking tray with 2 edges (12" x 20")</p> <p>WxDxH 12 13/16"x 20 7/8"x 0 3/8" Shipping weight lbs: 2 CuFt: 0.14</p>	<p>925006 FLBATR2ED11</p>	<p>\$ 92</p>	
<p>Flat dehydration tray, (12" x 20")</p> <p>WxDxH 20 7/8"x 12 13/16"x 0 1/16" Shipping weight lbs: 9 CuFt: 0.20</p>	<p>922652 DETR11FL</p>	<p>\$ 300</p>	
<p>Dehydration tray, (12" x 20"), H=2/3"</p> <p>WxDxH 20 7/8"x 12 13/16"x 0 13/16" Shipping weight lbs: 9 CuFt: 0.20</p>	<p>922651 DETR1120MM</p>	<p>\$ 333</p>	
<p>Baking tray for (4) baguettes (12" x 20")</p> <p>WxDxH 12 13/16"x 20 7/8"x 0 15/16" Shipping weight lbs: 2 CuFt: 0.25</p>	<p>925007 BATR4BA11</p>	<p>\$ 92</p>	

▶▶

◀◀ (Cooking Solutions - Half and Full Size Sheet Pans)

Description	Code	USD	
<p>Kit universal skewer rack & (4) long skewer ovens (TANDOOR)</p> <p>WxDxH 20 7/8"x 12 13/16"x 2 3/16"</p> <p>Shipping weight lbs: 4 CuFt: 0.55</p>	<p>922324 ISKPA4LOSK</p>	<p>\$ 484</p>	
<p>Skewers for ovens, (4) 24" long (TANDOOR)</p> <p>WxDxH 9 7/16"x 0 1/16"x 24 3/16"</p> <p>Shipping weight lbs: 2 CuFt: 0.37</p>	<p>922327 4LOSK</p>	<p>\$ 302</p>	
<p>Kit universal skewer rack & (6) long skewer ovens (TANDOOR)</p> <p>WxDxH 20 7/8"x 12 13/16"x 2 3/16"</p> <p>Shipping weight lbs: 4 CuFt: 0.55</p>	<p>922325 ISKPA6SHSK</p>	<p>\$ 571</p>	
<p>Skewers for ovens, (6) 14" short (TANDOOR)</p> <p>WxDxH 9 7/16"x 0 1/16"x 14 "</p> <p>Shipping weight lbs: 2 CuFt: 0.37</p>	<p>922328 6SHSK</p>	<p>\$ 386</p>	
<p>Universal skewer pan for ovens (TANDOOR)</p> <p>WxDxH 20 7/8"x 12 13/16"x 2 3/16"</p> <p>Shipping weight lbs: 3 CuFt: 0.55</p>	<p>922326 UNSK</p>	<p>\$ 213</p>	
<p>Spit for lamb or suckling pig (up to 26lbs) for 61,101,201</p> <p>WxDxH 6 1/4"x 10 3/8"x 23 5/8"</p> <p>Shipping weight lbs: 4 CuFt: 1.48</p>	<p>922709 SPLAPII2KG</p>	<p>\$ 427</p>	


▶▶

Combi Ovens and Blast Chillers

Accessories for SkyLine Ovens


◀◀ (Cooking Solutions - Half and Full Size Sheet Pans)

Description	Code	USD
<p>Potato baker GN 1/1 for 28 potatoes (12"X20")</p> <p>WxDxH 12 13/16"x 20 7/8"x 3 3/8" Shipping weight lbs: 4 CuFt: 0.76</p>	<p>925008 POBA28PO</p>	<p>\$ 180</p>



Cooking Solutions - Bakery & Pastry Trays

Description	Code	USD
<p>Pastry grid 16" x 24"</p> <p>WxDxH 23 5/8"x 15 3/4"x 0 1/2" Shipping weight lbs: 4 CuFt: 0.19</p>	<p>922264 GRSSPA4X6</p>	<p>\$ 230</p>
<p>Baguette tray, made of perforated aluminum, silicon coated, 16" x 24"</p> <p>WxDxH 15 3/4"x 23 5/8"x 1 1/2" Shipping weight lbs: 7 CuFt: 0.34</p>	<p>922189 PEALSIBATR</p>	<p>\$ 142</p>
<p>Perforated baking tray, made of perforated aluminum, 16" x 24"</p> <p>WxDxH 15 3/4"x 23 5/8"x 0 13/16" Shipping weight lbs: 4 CuFt: 0.17</p>	<p>922190 PEALBATR</p>	<p>\$ 86</p>
<p>Baking tray, made of aluminum 16" x 24"</p> <p>WxDxH 15 3/4"x 23 5/8"x 0 13/16" Shipping weight lbs: 4 CuFt: 0.17</p>	<p>922191 ALBATR4ED4X6</p>	<p>\$ 82</p>
<p>Double-face griddle, one side ribbed and one side smooth, 400x600mm</p> <p>WxDxH 15 3/4"x 23 5/8"x 0 9/16" Shipping weight lbs: 11 CuFt: 0.17</p>	<p>922747 GRDOFA4X6</p>	<p>\$ 326</p>



Water treatment

Cleaning solutions

Providing the proper water treatment will:

- ▶ avoid the risk of altering the taste and appearance of your foods
- ▶ reduce scale build-up therefore de-liming is less frequent, thus resulting in additional savings in operating costs
- ▶ extend the life of your appliance
- ▶ guarantee lower maintenance costs

Electrolux Professional suggest you to check your water quality in order to choose the right water treatment solution:

- ▶ water softener for high concentration of calcium
- ▶ water nanofilter or reverse osmosis filter for high concentration of calcium and chloride

Water requirements

- ▶ Pressure, bar min/max: 14.5 psi.
- ▶ Supply: Drinking quality water
- ▶ Max temperature supply water : 86°F
- ▶ Hardness:
 - Boiler ovens: no water treatment is required when daily cleaning with C25 Rinse & Descale is performed
 - Boilerless ovens: < 5°FH

- ▶ Chlorides and conductivity:

	304 boiler	316 boiler	boilerless
Chloride	<17	<20	<10
Conductivity	>285	>285	>285

- ▶ Minimum required conductivity of 70 µS/cm



Reverse Osmosis System 500 GPD PNC 9R011B

Oven size: 6 1, 6 2, 10 1, 10 2,
Stacked ovens: 20 1, 20 2

For stacked ovens, 20 1 & 20 2, and low temperature water locations use 14 gal water tank **9R011D**



Reverse Osmosis System 500 GPD w/ Booster pump (for 30-50 psi) PNC 9R011C

Oven size: 6 1, 6 2 and 10 1, 10 2
For stacked ovens, 20 1 & 20 2, and low temperature water locations use 14 gal water tank **9R011D**



20 Gal RO Tank for Multiple Ovens Installation. For installations of 3+ combis. PNC 9R011E

Oven size: all steam usage in all models and sizes



Membrane Filter for Reverse Osmosis (1 Each) PNC 9R011H



Sediments Filters for Reverse Osmosis (25 Each) & Catalytic Carbon Filters for Reverse Osmosis (20 Each) PNC 9R011F or 9R011G








44 Gal RO Tank for Multiple Ovens Installation. For installations of 3+ combis. PNC 9R011Y

Oven size: all steam usage in all models and sizes



Reverse Osmosis System 500 GPD + 4 Gal Tank for MultiSlim Ovens. PNC 9R012I

Cooking Solutions - Chicken System

Description	Code	USD	
Reinforced tray rack with wheels, lowest support dedicated to a grease collection tray for 101 oven pitch: 2 1/2" WxDxH 15 3/8"x 20 "x 28 5/8" Shipping weight lbs: 20 CuFt: 5.83	922694 RETR1011	\$ 1,217	
Grease collection kit for 61,62,101,102 cupboard base (trolley with 2 tanks, open/close device and drain) WxDxH 17 9/16"x 20 1/4"x 19 7/16" Shipping weight lbs: 73 CuFt: 6.80	922619 GRCOKCUI121	\$ 3,129	
Grease collection kit for open base (2 tanks, open/close device and drain) WxDxH 16 5/16"x 12 15/16"x 9 1/2" Shipping weight lbs: 40 CuFt: 13.21	922639 GRCOKOP	\$ 807	
Trolley for grease collection kit WxDxH 17 9/16"x 20 1/4"x 13 13/16" Shipping weight lbs: 66 CuFt: 7.28	922752 TRTG	\$ 2,685	
Trolley with 2 tanks for grease collection WxDxH 17 9/16"x 20 1/4"x 19 7/16" Shipping weight lbs: 66 CuFt: 7.28	922638 TR2TG	\$ 2,608	
Grease collection tray (4") for 61 and 101 ovens WxDxH 22 13/16"x 13 3/8"x 4 5/16" Shipping weight lbs: 7 CuFt: 0.97	922321 GRCOTRLO11	\$ 755	




Combi Ovens and Blast Chillers

Accessories for SkyLine Ovens

◀◀ (Cooking Solutions - Chicken System)


Description	Code	USD	
Grease collection tray (2 2/5") for 62 and 102 ovens WxDxH 20 7/8"x 29 1/8"x 4 5/16" Shipping weight lbs: 9 CuFt: 1.52	922357 GRCOTRLO21	\$ 1,773	
Stainless steel 304 grids (GN 1/2) with spikes, fits 4 chickens WxDxH 10 7/16"x 12 13/16"x 5 1/2" Shipping weight lbs: 4 CuFt: 1.22	922086 GR4CH12	\$ 60	
Grid for whole chicken 1/1GN (8 per grid - 2.6 lbs each) WxDxH 12 13/16"x 20 7/8"x 6 " Shipping weight lbs: 3 CuFt: 1.22	922266 GR8CH11	\$ 86	
Chicken racks, pair (2) (fits 8 chickens per rack) WxDxH 12 13/16"x 20 7/8"x 6 " Shipping weight lbs: 7 CuFt: 1.22	922036 GRPA8CH	\$ 170	
Grid for whole duck (8 per grid - 1,8kg each), GN 1/1 WxDxH 12 13/16"x 20 7/8"x 10 3/16" Shipping weight lbs: 4 CuFt: 2.48	922362 GR8DU11	\$ 195	

Cooking Solutions - Smoker

Description	Code	USD	
Smoker for ovens WxDxH 8 11/16"x 8 11/16"x 3 3/8" Shipping weight lbs: 3 CuFt: 0.32	922338 VOSM	\$ 640	

Cooking Solutions - Food Probe

Description	Code	USD
<p>USB Probe for sous-vide cooking (only for Touchline ovens)</p> <p>WxDxH 6 5/16"x 6 11/16"x 3 9/16"</p> <p>Shipping weight lbs: 1 CuFt: 0.14</p>	<p>922281 USBPR</p>	<p>\$ 534</p>
<p>Probe holder for liquids</p> <p>WxDxH 17 1/16"x 1 9/16"x 1 7/16"</p> <p>Shipping weight lbs: 2 CuFt: 0.04</p>	<p>922714 PRHOLI</p>	<p>\$ 164</p>
<p>USB single point probe</p> <p>WxDxH 6 5/16"x 6 11/16"x 3 9/16"</p> <p>Shipping weight lbs: 1 CuFt: 0.14</p>	<p>922390 USBPROBE</p>	<p>\$ 621</p>



Installation Solutions - Bases and Supports







Description	Code	USD
<p>Open base with tray support for 61 & 101 combi oven</p> <p>WxDxH 34 1/16"x 27 3/4"x 30 5/16"</p> <p>Shipping weight lbs: 77 CuFt: 21.45</p>	<p>922612 OPBATRSU61011</p>	<p>\$ 1,262</p>
<p>Open base with tray support for 62 & 102 combi oven</p> <p>WxDxH 42 13/16"x 35 1/2"x 30 5/16"</p> <p>Shipping weight lbs: 150 CuFt: 35.98</p>	<p>922613 OPBATRSU61021</p>	<p>\$ 1,646</p>
<p>Cupboard base with tray support for 61 & 101 combi oven</p> <p>WxDxH 34 1/8"x 30 1/2"x 30 5/16"</p> <p>Shipping weight lbs: 179 CuFt: 25.06</p>	<p>922614 CUBATR61011</p>	<p>\$ 3,608</p>



Combi Ovens and Blast Chillers

Accessories for SkyLine Ovens

◀◀ (Installation Solutions - Bases and Supports)

Description	Code	USD	
<p>Cupboard base with tray support for 62 & 102 combi oven</p> <p>WxDxH 42 15/16"x 38 1/4"x 30 5/16" Shipping weight lbs: 243 CuFt: 38.73</p>	<p>922616 CUBATR61021</p>	<p>\$ 3,928</p>	
<p>Tray support for 61 & 101 oven base</p> <p>WxDxH 1 13/16"x 24 7/16"x 17 5/16" Shipping weight lbs: 7 CuFt: 0.47</p>	<p>922690 TRSU61011</p>	<p>\$ 357</p>	
<p>Tray support for 62 & 102 oven base</p> <p>WxDxH 1 3/4"x 32 3/16"x 17 5/16" Shipping weight lbs: 13 CuFt: 0.58</p>	<p>922692 TRSU61021</p>	<p>\$ 494</p>	
<p>Bakery/pastry runners 400x600mm for 6 & 10 GN 1/1 oven base</p> <p>WxDxH 2 11/16"x 24 7/16"x 17 5/16" Shipping weight lbs: 7 CuFt: 0.83</p>	<p>922702 PARU61011OVBA</p>	<p>\$ 615</p>	
<p>Caster kit for base for 61, 62, 101 and 102 oven bases only</p> <p>WxDxH 3 15/16"x 3 3/8"x 6 1/4" Shipping weight lbs: 9 CuFt: 1.73</p>	<p>922003 WHK6101121</p>	<p>\$ 168</p>	
<p>Wall support for 61 oven</p> <p>WxDxH 34 5/16"x 30 3/4"x 34 3/16" Shipping weight lbs: 75 CuFt: 19.93</p>	<p>922643 WASU611</p>	<p>\$ 2,150</p>	



◀◀ (Installation Solutions - Bases and Supports)

Description	Code	USD
Wall support for 62 oven WxDxH 43 1/8"x 38 1/2"x 34 3/16" Shipping weight lbs: 2 CuFt: 12.33	922644 WASU621	\$ 2,150
Wall support for 101 oven WxDxH 34 5/16"x 30 3/4"x 44 1/16" Shipping weight lbs: 2 CuFt: 12.33	922645 WASU1011	\$ 2,150



Handling Solutions - Half and Full Size Sheet Pans







Description	Code	USD
Slide-in rack with handle for 61 and 101 combi oven WxDxH 16 1/8"x 25 11/16"x 1 5/8" Shipping weight lbs: 11 CuFt: 0.69	922610 SLRAHA61011	\$ 389
Slide-in rack with handle for 62, and 102 combi oven WxDxH 24 7/8"x 32 5/8"x 1 5/8" Shipping weight lbs: 15 CuFt: 0.98	922605 SLRAHA61021	\$ 724
Trolley for slide-in rack for 61 and 101 combi oven and blast chiller freezer WxDxH 19 1/16"x 35 15/16"x 37 3/8" Shipping weight lbs: 95 CuFt: 20.13	922626 TRSLRA61011	\$ 1,337
Trolley for slide-in rack for 62 & 102 ovens and 102 blast chiller. WxDxH 27 "x 40 11/16"x 37 3/8" Shipping weight lbs: 117 CuFt: 32.63	922627 TRSLRA61021	\$ 1,891



Combi Ovens and Blast Chillers







Accessories for SkyLine Ovens

◀◀ (Handling Solutions - Half and Full Size Sheet Pans)

Description	Code	USD	
<p>6 Tray Rack with wheels, Half Sheet Pans, 2 ½" (65mm) pitch for 61 ovens and blast chillers</p> <p>WxDxH 15 5/16"x 20 "x 18 3/16"</p> <p>Shipping weight lbs: 18 CuFt: 5.10</p>	<p>922600 TRRAWH611</p>	<p>\$ 843</p>	
<p>5 Tray Rack with wheels, Half Sheet Pans, 3" (80mm) pitch, for 61 ovens and blast chillers</p> <p>WxDxH 15 5/16"x 20 "x 18 3/16"</p> <p>Shipping weight lbs: 15 CuFt: 5.10</p>	<p>922606 TRRAWH511</p>	<p>\$ 1,021</p>	
<p>6 Tray Rack with wheels, Full Sheet Pans, 2 ½" (65mm) pitch for 62 ovens</p> <p>WxDxH 23 3/8"x 24 3/4"x 18 3/4"</p> <p>Shipping weight lbs: 20 CuFt: 11.89</p>	<p>922700 TRRAWH621</p>	<p>\$ 1,349</p>	
<p>5 Tray Rack with wheels, Full Size Sheet Pans, 3" (80mm) pitch for 62 ovens</p> <p>WxDxH 23 3/8"x 24 3/4"x 18 3/4"</p> <p>Shipping weight lbs: 20 CuFt: 8.90</p>	<p>922611 TRRAWH521</p>	<p>\$ 1,332</p>	
<p>10 Tray Rack with wheels, Half Sheet Pans, 2 ½" (65mm) pitch for 101 ovens and blast chillers</p> <p>WxDxH 15 5/16"x 20 "x 28 1/2"</p> <p>Shipping weight lbs: 21 CuFt: 5.10</p>	<p>922601 TRRAWH1011</p>	<p>\$ 1,086</p>	
<p>8 Tray Rack with wheels, Half Sheet Pans, 3" (80mm) pitch, for 101 ovens and blast chillers</p> <p>WxDxH 15 5/16"x 20 "x 28 1/2"</p> <p>Shipping weight lbs: 21 CuFt: 5.10</p>	<p>922602 TRRAWH811</p>	<p>\$ 1,242</p>	

▶▶

◀◀ (Handling Solutions - Half and Full Size Sheet Pans)







Description	Code	USD	
<p>10 Tray Rack with wheels, Full Sheet Pans, 2 ½" (65mm) pitch for 102 ovens and blast chillers</p> <p>WxDxH 23 3/8"x 24 3/4"x 28 1/2"</p> <p>Shipping weight lbs: 31 CuFt: 9.51</p>	<p>922603 TRRAWH1021</p>	<p>\$ 1,311</p>	
<p>8 Tray Rack with wheels, Full Size Sheet Pans, 3" (80mm) pitch for 102 ovens and blast chillers</p> <p>WxDxH 23 3/8"x 24 3/4"x 28 1/2"</p> <p>Shipping weight lbs: 29 CuFt: 9.51</p>	<p>922604 TRRAWH821</p>	<p>\$ 1,294</p>	
<p>20 Tray Rack Trolley, Half Sheet Pans, 2 ½" (63mm) pitch for 201 ovens and blast chillers</p> <p>WxDxH 21 7/16"x 31 1/8"x 66 15/16"</p> <p>Shipping weight lbs: 123 CuFt: 33.48</p>	<p>922753 TRRA201163C</p>	<p>\$ 3,547</p>	
<p>16 Tray Rack Trolley, Half Sheet Pans, 3" (80mm) pitch for 201 ovens and blast chillers</p> <p>WxDxH 21 7/16"x 31 1/8"x 66 15/16"</p> <p>Shipping weight lbs: 119 CuFt: 33.48</p>	<p>922754 TRRA161180C</p>	<p>\$ 4,434</p>	
<p>Trolley with tray rack, 201 combi oven, h=80mm (3 1/6")</p> <p>WxDxH 21 7/16"x 31 1/8"x 66 15/16"</p> <p>Shipping weight lbs: 126 CuFt: 33.62</p>	<p>922683 TRRA161184</p>	<p>\$ 4,434</p>	
<p>20 Tray Rack Trolley, Full Sheet Pans, 2 ½" (63mm) pitch for 202 ovens and blast chillers</p> <p>WxDxH 28 3/16"x 36 7/16"x 66 15/16"</p> <p>Shipping weight lbs: 170 CuFt: 52.24</p>	<p>922757 TRRA202163C</p>	<p>\$ 4,712</p>	

▶▶

Combi Ovens and Blast Chillers

Accessories for SkyLine Ovens

◀◀ (Handling Solutions - Half and Full Size Sheet Pans)

Description	Code	USD	
<p>16 Tray Rack Trolley, Full Sheet Pans, 3" (80mm) pitch for 202 ovens and blast chillers</p> <p>WxDxH 28 3/16"x 36 7/16"x 66 15/16"</p> <p>Shipping weight lbs: 165 CuFt: 52.24</p>	<p>922758 TRRA162180C</p>	<p>\$ 4,712</p>	
<p>Trolley with tray rack, 202 combi oven, h=85mm (3 1/3")</p> <p>WxDxH 28 3/16"x 36 7/16"x 66 15/16"</p> <p>Shipping weight lbs: 141 CuFt: 52.13</p>	<p>922686 TRRA162184</p>	<p>\$ 4,712</p>	
<p>Fixed tray rack, 61 combi oven, h= h=85mm (3 1/3")</p> <p>WxDxH 2 3/4"x 20 9/16"x 19 3/4"</p> <p>Shipping weight lbs: 2 CuFt: 0.85</p>	<p>922740 FITRRA511</p>	<p>\$ 753</p>	
<p>Fixed tray rack, 62 combi oven, h= h=85mm (3 1/3")</p> <p>WxDxH 2 3/4"x 25 7/8"x 19 3/4"</p> <p>Shipping weight lbs: 18 CuFt: 6.18</p>	<p>922681 FITRRA521</p>	<p>\$ 878</p>	
<p>Fixed tray rack, 101 combi oven, h= h=85mm (3 1/3")</p> <p>WxDxH 2 3/4"x 20 9/16"x 29 9/16"</p> <p>Shipping weight lbs: 2 CuFt: 1.24</p>	<p>922741 FITRRA811</p>	<p>\$ 1,075</p>	
<p>Fixed tray rack, 102 combi oven, h= h=85mm (3 1/3")</p> <p>WxDxH 2 3/4"x 25 7/8"x 29 9/16"</p> <p>Shipping weight lbs: 2 CuFt: 1.47</p>	<p>922742 FITRRA821</p>	<p>\$ 1,236</p>	

▶▶

◀◀ (Handling Solutions - Half and Full Size Sheet Pans)

Description	Code	USD
Kit compatibility for aos/easyline trolley (produced till 2019) with SkyLine/Magistar 20 GN 1/1 combi oven WxDxH 3 1/2"x 25 7/8"x 1 5/8" Shipping weight lbs: 8 CuFt: 0.30	922769 ADTRRACK11	\$ 209
Kit compatibility for aos/easyline trolley (produced till 2019) with SkyLine/Magistar 20 GN 2/1 combi oven WxDxH 2 5/8"x 31 7/16"x 2 1/16" Shipping weight lbs: 8 CuFt: 0.30	922770 ADTRRACK21	\$ 214
Kit compatibility for aos/easyline 20 GN oven with SkyLine/Magistar trolleys WxDxH 2 15/16"x 1 7/8"x 0 11/16" Shipping weight lbs: 1 CuFt: 0.25	922771 ADTRRACKTR	\$ 61

Handling Solutions - Banqueting







Description	Code	USD
Slide-in rack with handle for 61 and 101 combi oven WxDxH 16 1/8"x 25 11/16"x 1 5/8" Shipping weight lbs: 11 CuFt: 0.69	922610 SLRAHA61011	\$ 389
Slide-in rack with handle for 62, and 102 combi oven WxDxH 24 7/8"x 32 5/8"x 1 5/8" Shipping weight lbs: 15 CuFt: 0.98	922605 SLRAHA61021	\$ 724
Trolley for slide-in rack for 61 and 101 combi oven and blast chiller freezer WxDxH 19 1/16"x 35 15/16"x 37 3/8" Shipping weight lbs: 95 CuFt: 20.13	922626 TRSLRA61011	\$ 1,337



Combi Ovens and Blast Chillers

Accessories for SkyLine Ovens

◀◀ (Handling Solutions - Banqueting)

Description	Code	USD	
<p>Trolley for slide-in rack for 62 & 102 ovens and 102 blast chiller.</p> <p>WxDxH 27 "x 40 11/16"x 37 3/8" Shipping weight lbs: 117 CuFt: 32.63</p>	<p>922627 TRSLRA61021</p>	<p>\$ 1,891</p>	
<p>Banquet rack with wheels holding 30 plates for 101 oven and blast chiller freezer, 65mm pitch (2 1/2")</p> <p>WxDxH 15 3/8"x 25 9/16"x 27 15/16" Shipping weight lbs: 40 CuFt: 7.42</p>	<p>922648 BARAW30PL1011</p>	<p>\$ 1,804</p>	
<p>Banquet rack with wheels 23 plates for 101 oven and blast chiller freezer, 85mm pitch</p> <p>WxDxH 15 3/8"x 25 9/16"x 27 15/16" Shipping weight lbs: 33 CuFt: 7.42</p>	<p>922649 BARAW23PL1011</p>	<p>\$ 1,699</p>	
<p>Banquet rack with wheels holding 51 plates for 102 oven and blast chiller freezer, 75mm pitch (3" 1/3")</p> <p>WxDxH 23 7/16"x 30 11/16"x 27 5/8" Shipping weight lbs: 53 CuFt: 12.71</p>	<p>922650 BARAW51PL1021</p>	<p>\$ 3,646</p>	
<p>201 Banquet trolley for oven and blast chiller for 54 plates holding, 3" (74mm) pitch</p> <p>WxDxH 19 15/16"x 33 7/16"x 67 1/2" Shipping weight lbs: 123 CuFt: 33.48</p>	<p>922756 TRBA54PL2011C</p>	<p>\$ 4,434</p>	
<p>201 Banquet trolley for combi and blast chiller for 45 plates holding, 3.5" (90mm) pitch</p> <p>WxDxH 19 15/16"x 33 7/16"x 67 1/2" Shipping weight lbs: 123 CuFt: 33.48</p>	<p>922763 TRBA45PL2011C</p>	<p>\$ 4,294</p>	

▶▶

◀◀ (Handling Solutions - Banqueting)

Description	Code	USD	
<p>201 Banquet trolley for combi and blast chiller for 116 plates holding, 2.5" 66mm pitch</p> <p>WxDxH 27 9/16"x 38 13/16"x 67 3/8" Shipping weight lbs: 214 CuFt: 52.24</p>	<p>922764 TRBA116PL2021C</p>	<p>\$ 5,651</p>	
<p>202 Banquet trolley for oven and blast chiller for 92 plates holding , 3.3" (85mm) pitch</p> <p>WxDxH 27 9/16"x 38 13/16"x 67 3/8" Shipping weight lbs: 214 CuFt: 52.24</p>	<p>922760 TRBA92PL2021C</p>	<p>\$ 5,651</p>	
<p>Thermal blanket for 101 oven (trolley not included)</p> <p>WxDxH 15 3/8"x 26 "x 28 3/8" Shipping weight lbs: 9 CuFt: 0.83</p>	<p>922364 THCO1011</p>	<p>\$ 1,250</p>	
<p>Thermal blanket for 102 oven (trolley not included)</p> <p>WxDxH 30 15/16"x 24 5/8"x 28 3/8" Shipping weight lbs: 18 CuFt: 1.51</p>	<p>922366 THCO1021</p>	<p>\$ 1,430</p>	
<p>Thermal blanket for 201 oven (trolley not included)</p> <p>WxDxH 15 3/16"x 26 "x 61 7/16" Shipping weight lbs: 15 CuFt: 0.61</p>	<p>922365 THCO2011</p>	<p>\$ 1,638</p>	
<p>Thermal blanket for 202 oven (trolley not included)</p> <p>WxDxH 24 5/8"x 30 15/16"x 61 1/32" Shipping weight lbs: 22 CuFt: 2.27</p>	<p>922367 THCO2021</p>	<p>\$ 1,668</p>	

▶▶

Ventilation

Installation solutions



Riser for 6 GN 1/1 on base with hood

Oven size	61
PNC	922632
Dimension WxDxH	32 2/3"x 26 1/3" x 15 1/3"

- ▶ Ideal for raising 6 GN 1/1 oven when placed under dedicated hood (enables more comfortable operation, as it adds over 25 cm in height)



Flue condenser

Oven size	61	62	101	102	201	202
PNC	922678					
Note	all gas models					
Dimension WxDxH	16"x12"x10"					

- ▶ Ideal for gathering gas and fumes coming out of the oven and exhausting them through a flue




Extension for condensation tube

Oven size	61	62	101	102	201	202
PNC	922776					
Note	all models					
Extension Height	14 1/2 in					

- ▶ Ideal to convey steam and vapor from the exhaust tube

Ventilation

Installation solutions



Self Contained Recirculating Hoods

Oven size	Compact	61 & 101	62 & 102	201
PNC	9R0123	9R011T	9R011U	9R0124
Dimensions				



Self Contained Recirculating Hoods for stacked ovens

Oven size	61 on 61	61 on 101	62 on 62	62 on 102
PNC	9R011T		9R011U	
Dimension				

Combi Ovens and Blast Chillers

Accessories for SkyLine Ovens

◀◀ (Handling Solutions - Banqueting)

Description	Code	USD
Kit compatibility for aos/easyline trolley (produced till 2019) with SkyLine/Magistar 20 GN 1/1 combi oven WxDxH 3 1/2"x 25 7/8"x 1 5/8" Shipping weight lbs: 8 CuFt: 0.30	922769 ADTRRACK11	\$ 209
Kit compatibility for aos/easyline trolley (produced till 2019) with SkyLine/Magistar 20 GN 2/1 combi oven WxDxH 2 5/8"x 31 7/16"x 2 1/16" Shipping weight lbs: 8 CuFt: 0.30	922770 ADTRRACK21	\$ 214
Kit compatibility for aos/easyline 20 GN oven with SkyLine/Magistar trolleys WxDxH 2 15/16"x 1 7/8"x 0 11/16" Shipping weight lbs: 1 CuFt: 0.25	922771 ADTRRACKTR	\$ 61

Handling Solutions - Bakery

Description	Code	USD
Slide-in rack with handle for 61 and 101 combi oven WxDxH 16 1/8"x 25 11/16"x 1 5/8" Shipping weight lbs: 11 CuFt: 0.69	922610 SLRAHA61011	\$ 389
Slide-in rack with handle for 62, and 102 combi oven WxDxH 24 7/8"x 32 5/8"x 1 5/8" Shipping weight lbs: 15 CuFt: 0.98	922605 SLRAHA61021	\$ 724
Trolley for slide-in rack for 61 and 101 combi oven and blast chiller freezer WxDxH 19 1/16"x 35 15/16"x 37 3/8" Shipping weight lbs: 95 CuFt: 20.13	922626 TRSLRA61011	\$ 1,337



◀◀ (Handling Solutions - Bakery)

Description	Code	USD
Trolley for slide-in rack for 62 & 102 ovens and 102 blast chiller. WxDxH 27 "x 40 11/16"x 37 3/8" Shipping weight lbs: 117 CuFt: 32.63	922627 TRSLRA61021	\$ 1,891
Bakery/pastry tray rack with wheels 400x600mm for 6 GN 1/1 oven and blast chiller freezer, 80mm pitch (5 runners) WxDxH 16 7/8"x 23 15/16"x 18 9/16" Shipping weight lbs: 21 CuFt: 6.92	922607 5BAPARAWH611	\$ 951
Bakery/pastry tray rack with wheels holding 400x600mm grids for 10 GN 1/1 oven and blast chiller freezer, 80mm pitch (8 runners) WxDxH 16 7/8"x 23 15/16"x 28 5/16" Shipping weight lbs: 29 CuFt: 10.38	922608 8BAPARAWH1011	\$ 1,116
Bakery/pastry tray rack with wheels 400x600mm for 10 GN 2/1 oven and blast chiller freezer, 80mm pitch (8 runners) WxDxH 16 7/8"x 23 15/16"x 28 5/16" Shipping weight lbs: 30 CuFt: 14.30	922609 8BAPARAWH1021	\$ 1,137
Bakery/pastry trolley with rack holding 600x400mm grids for 20 GN 1/1 oven and blast chiller freezer, 80mm pitch (16 runners) WxDxH 21 7/16"x 33 1/8"x 66 3/4" Shipping weight lbs: 119 CuFt: 33.48	922761 TRPA2011C	\$ 4,577
Bakery/pastry rack kit for 6 GN 1/1 oven with 5 racks 400x600mm and 80mm pitch WxDxH 3 15/16"x 23 15/16"x 19 3/4" Shipping weight lbs: 13 CuFt: 1.15	922655 5BAPARA611	\$ 702



▶▶

Combi Ovens and Blast Chillers

Accessories for SkyLine Ovens


◀◀ (Handling Solutions - Bakery)

Description	Code	USD
<p>Bakery/pastry rack kit for 10 GN 1/1 oven with 8 racks 400x600mm and 80mm pitch</p> <p>WxDxH 3 1/8"x 23 15/16"x 29 9/16" Shipping weight lbs: 15 CuFt: 1.39</p>	<p>922656 8BAPARA1011</p>	<p>\$ 1,016</p>
<p>Kit compatibility for aos/easyline trolley (produced till 2019) with SkyLine/Magistar 20 GN 1/1 combi oven</p> <p>WxDxH 3 1/2"x 25 7/8"x 1 5/8" Shipping weight lbs: 8 CuFt: 0.30</p>	<p>922769 ADTRRACK11</p>	<p>\$ 209</p>
<p>Kit compatibility for aos/easyline trolley (produced till 2019) with SkyLine/Magistar 20 GN 2/1 combi oven</p> <p>WxDxH 2 5/8"x 31 7/16"x 2 1/16" Shipping weight lbs: 8 CuFt: 0.30</p>	<p>922770 ADTRRACK21</p>	<p>\$ 214</p>
<p>Kit compatibility for aos/easyline 20 GN oven with SkyLine/Magistar trolleys</p> <p>WxDxH 2 15/16"x 1 7/8"x 0 11/16" Shipping weight lbs: 1 CuFt: 0.25</p>	<p>922771 ADTRRACKTR</p>	<p>\$ 61</p>







Handling Solutions - Multipurpose


Description	Code	USD
<p>Fixed tray rack for 6 GN 1/1 and 400x600mm grids</p> <p>WxDxH 5 5/16"x 23 15/16"x 19 3/4" Shipping weight lbs: 20 CuFt: 1.71</p>	<p>922684 FITRRA6114X6</p>	<p>\$ 760</p>
<p>Fixed tray rack for 10 GN 1/1 and 400x600mm grids</p> <p>WxDxH 5 5/16"x 23 15/16"x 29 5/8" Shipping weight lbs: 31 CuFt: 2.53</p>	<p>922685 FITRRA10114X6</p>	<p>\$ 912</p>



Cleaning Solutions

Description	Code	USD	
<p>External connection kit for detergent and rinse aid</p> <p>WxDxH 8 13/16"x 10 1/8"x 3 7/8"</p> <p>Shipping weight lbs: 9 CuFt: 0.92</p>	<p>922618 EXCOKDERI</p>	<p>\$ 1,066</p>	
<p>HOLDER FOR DETERGENT TANK - WALL MOUNTED</p> <p>WxDxH 6 5/16"x 6 "x 6 3/8"</p> <p>Shipping weight lbs: 3 CuFt: 0.58</p>	<p>922386 HODEWA</p>	<p>\$ 77</p>	
<p>Detergent tank holder for open base</p> <p>WxDxH 6 5/8"x 7 1/2"x 18 1/32"</p> <p>Shipping weight lbs: 4 CuFt: 0.60</p>	<p>922699 HODEOP</p>	<p>\$ 99</p>	
<p>External side spray unit</p> <p>WxDxH 8 11/16"x 8 11/16"x 8 11/16"</p> <p>Shipping weight lbs: 4 CuFt: 0.38</p>	<p>922171 EXSISPUN</p>	<p>\$ 284</p>	

Installation Solutions - Water Treatment

Description	Code	USD	
<p>20 gal RO Tank for Multiple Ovens Installation</p> <p>WxDxH 16 1/32"x 16 1/32"x 32 1/64"</p> <p>Shipping weight lbs: 33 CuFt: 3.57</p>	<p>9R011E 9R011E</p>	<p>\$ 409</p>	
<p>14 gal RO Tank for Stacked Units and 201/202 Ovens</p> <p>WxDxH 16 1/32"x 16 1/32"x 26 "</p> <p>Shipping weight lbs: 24 CuFt: 3.57</p>	<p>9R011D 9R011D</p>	<p>\$ 249</p>	



Combi Ovens and Blast Chillers

Accessories for SkyLine Ovens

◀◀ (Installation Solutions - Water Treatment)

Description	Code	USD
Reverse Osmosis Water System WxDxH 26 "x 7 1/64"x 25 " Shipping weight lbs: 58 CuFt: 6.13	9R011B 9R011B	\$ 3,358
Reverse Osmosis System 500 GPD Impactwater w/ Booster pump WxDxH 26 "x 25 "x 5 1/16" Shipping weight lbs: -1 CuFt: -1	9R011C 9R011C	\$ 3,918



Installation Solutions - Ventilation

Description	Code	USD
Riser on feet for 2 6 GN 1/1 ovens or a 6 GN 1/1 oven on base WxDxH 32 5/8"x 26 5/16"x 15 3/8" Shipping weight lbs: 21 CuFt: 8.19	922632 RIFEST611	\$ 1,093
Flue condenser for gas oven WxDxH 16 "x 12 1/64"x 10 1/16" Shipping weight lbs: 13 CuFt: 1.09	922678 FLCOGASOV	\$ 540
Chimney adaptor WxDxH 3 5/8"x 3 5/8"x 4 3/4" Shipping weight lbs: 2 CuFt: 0.20	922706 CHIMADAPCKM	\$ 190
Extension for condensation tube, 37cm WxDxH 2 3/8"x 10 5/8"x 14 3/4" Shipping weight lbs: 3 CuFt: 0.25	922776 EXTCOND	\$ 388




Installation Solutions - Connectivity

Description	Code	USD
<p>Wifi board (NIU)</p> <p>WxDxH 1 1/8"x 0 13/16"x 3 "</p> <p>Shipping weight lbs: 2 CuFt: 0.92</p>	<p>922695 WIBO</p>	<p>\$ 117</p>
<p>Connectivity hub (router)</p> <p>0.02 electric kW 100-240 V 1N 50-60 Hz</p> <p>WxDxH 7 15/16"x 7 1/16"x 2 3/8"</p> <p>Shipping weight lbs: 2 CuFt: 0.92</p>	<p>922697 COHURO</p>	<p>\$ 3,074</p>
<p>Connectivity hub (router and sim card)</p> <p>0.02 electric kW 100-240 V 1N 50-60 Hz</p> <p>WxDxH 7 15/16"x 7 1/16"x 2 3/8"</p> <p>Shipping weight lbs: 3 CuFt: 0.98</p>	<p>922705 COHUROSIM</p>	<p>\$ 3,403</p>
<p>Ethernet board (NIU-LAN) for Ovens and green&clean Rack Type Dishwashers</p> <p>WxDxH 1 1/8"x 0 13/16"x 3 "</p> <p>Shipping weight lbs: 2 CuFt: 0.25</p>	<p>922696 ETHBOARD</p>	<p>\$ 258</p>



Installation Solutions - Stacking Kits







Description	Code	USD
<p>Stacking kit for gas 61 oven placed on gas 61 oven</p> <p>WxDxH 34 1/8"x 35 1/4"x 5 15/16"</p> <p>Shipping weight lbs: 104 CuFt: 19.56</p>	<p>922622 STK611611</p>	<p>\$ 3,612</p>
<p>Stacking kit for gas 61 combi oven placed on gas 101 combi oven</p> <p>WxDxH 34 1/8"x 35 1/4"x 5 15/16"</p> <p>Shipping weight lbs: 104 CuFt: 19.56</p>	<p>922623 STK6111011</p>	<p>\$ 3,612</p>



Combi Ovens and Blast Chillers






Accessories for SkyLine Ovens

◀◀ (Installation Solutions - Stacking Kits)

Description	Code	USD	
Stacking kit for electric 61/61 combi ovens or electric 61/101 combi ovens WxDxH 34 1/8"x 35 1/4"x 4 3/4" Shipping weight lbs: 110 CuFt: 19.56	922620 STK61161011	\$ 3,102	
Stacking kit for gas 62/62 combi ovens WxDxH 42 15/16"x 43 "x 5 15/16" Shipping weight lbs: 126 CuFt: 24.33	922624 STK621621	\$ 4,172	
Stacking kit for gas 62 combi oven placed on 102 gas combi oven WxDxH 42 15/16"x 43 "x 5 15/16" Shipping weight lbs: 126 CuFt: 24.33	922625 STK6211021	\$ 4,172	
Stacking kit for electric 62 combi oven placed on 62 electric combi oven or 102 combi oven WxDxH 42 15/16"x 43 "x 4 3/4" Shipping weight lbs: 123 CuFt: 24.79	922621 STK62161021	\$ 3,659	
Stacking kit for gas 6 GN 1/1 oven placed on 7kg and 15kg crosswise blast chiller freezer WxDxH 34 5/16"x 30 1/2"x 40 15/16" Shipping weight lbs: 51 CuFt: 26.69	922657 STK611715KG	\$ 3,387	
Riser on feet for 2 6 GN 1/1 ovens or a 6 GN 1/1 oven on base WxDxH 32 5/8"x 26 5/16"x 15 3/8" Shipping weight lbs: 21 CuFt: 8.19	922632 RIFEST611	\$ 1,093	

▶▶

◀◀ (Installation Solutions - Stacking Kits)

Description	Code	USD	
Riser on wheels for 2 stacked 61 combi ovens, height=250mm (9 6/7in) WxDxH 32 7/8"x 26 9/16"x 15 3/8" Shipping weight lbs: 27 CuFt: 8.19	922635 RIWEST611	\$ 1,053	
Riser on feet for 2 stacked 61 combi ovens WxDxH 41 7/16"x 34 1/16"x 15 3/8" Shipping weight lbs: 29 CuFt: 12.85	922633 RIFEST621	\$ 1,087	
Riser on wheels for 2 stacked 62 combi ovens, height=250mm (9 6/7in) WxDxH 41 5/8"x 34 5/16"x 15 3/8" Shipping weight lbs: 35 CuFt: 12.85	922634 RIWEST621	\$ 1,305	
Wheels for stacked ovens WxDxH 3 11/16"x 4 1/16"x 5 15/16" Shipping weight lbs: 15 CuFt: 0.17	922704 WHSTOV	\$ 851	
4 wheels for blast chiller 61 tower execution with 61 combi oven WxDxH 0 1/16"x 0 1/16"x 0 1/16" Shipping weight lbs: 7 CuFt: 1.04	880578 4WHBCFTO	\$ 480	
Trolley for mobile rack for 2 stacked 61 combi ovens on riser WxDxH 19 1/16"x 47 3/8"x 54 1/2" Shipping weight lbs: 106 CuFt: 28.16	922628 TRMORA611S	\$ 2,312	



Combi Ovens and Blast Chillers

Accessories for SkyLine Ovens

◀◀ (Installation Solutions - Stacking Kits)

Description	Code	USD
Trolley for mobile rack for 2 stacked 62 combi ovens on riser WxDxH 27 "x 45 "x 54 1/2" Shipping weight lbs: 139 CuFt: 43.01	922629 TRMORA62IS	\$ 2,956
Trolley for mobile rack for 61 on 61 or 101 combi ovens WxDxH 19 1/16"x 40 1/4"x 45 1/16" Shipping weight lbs: 110 CuFt: 23.31	922630 TRMORA61011	\$ 2,312
Trolley for mobile rack for 62 on 62 or 102 combi ovens WxDxH 27 "x 45 "x 45 1/16" Shipping weight lbs: 139 CuFt: 35.59	922631 TRMORA61021	\$ 2,956
Compatibility kit for installation on previous base 61,101 WxDxH 35 1/4"x 30 1/4"x 1 9/16" Shipping weight lbs: 49 CuFt: 18.45	930217 COKGN11	\$ 1,290
Compatibility kit for installation on previous base 62,102 WxDxH 47 3/8"x 36 1/8"x 1 9/16" Shipping weight lbs: 60 CuFt: 22.95	930218 COKGN21	\$ 1,397
Compatibility kit for installation of 61 Skyline electric combi oven on previous generation 61 electric combi oven WxDxH 35 1/4"x 30 1/4"x 6 11/16" Shipping weight lbs: 88 CuFt: 19.56	922679 COK611	\$ 1,401





◀◀ (Installation Solutions - Stacking Kits)

Description	Code	USD
Stacking kit for 61 combi oven on 61 blast chiller freezer - height=100mm (4") WxDxH 35 1/4"x 30 1/8"x 3 15/16" Shipping weight lbs: 18 CuFt: 0.54	880565 STK611N	\$ 1,355
Stacking kit for 61 previous oven generation on 61 Skyline blast chiller freezer - height=100mm (4") WxDxH 35 1/4"x 30 1/8"x 3 15/16" Shipping weight lbs: 18 CuFt: 0.54	880586 OVSUPP610	\$ 1,064



Installation Solutions - Miscellaneous






Description	Code	USD
Plastic drain kit for 201 & 202 combi oven, d=50mm (2") WxDxH 12 5/8"x 41 5/16"x 3 1/8" Shipping weight lbs: 7 CuFt: 0.95	922739 PLDRK20	\$ 164
Double-click closing catch for oven door WxDxH 0 9/16"x 2 1/16"x 0 9/16" Shipping weight lbs: 2 CuFt: 0.01	922265 DOSTDOOPK	\$ 113
Heat shield for 61 combi oven WxDxH 2 3/4"x 30 1/2"x 27 7/8" Shipping weight lbs: 60 CuFt: 7.19	922662 HESH611	\$ 592
Heat shield for 62 combi oven WxDxH 2 3/4"x 38 1/4"x 27 7/8" Shipping weight lbs: 64 CuFt: 8.31	922665 HESH621	\$ 796



Combi Ovens and Blast Chillers






Accessories for SkyLine Ovens

◀◀ (Installation Solutions - Miscellaneous)

Description	Code	USD	
Heat shield for 101 combi oven WxDxH 2 3/4"x 30 1/2"x 37 3/4" Shipping weight lbs: 79 CuFt: 10.21	922663 HESH1011	\$ 646	
Heat shield for 102 combi oven WxDxH 2 3/4"x 38 1/4"x 37 3/4" Shipping weight lbs: 75 CuFt: 9.25	922664 HESH1021	\$ 668	
Heat shield for 201 combi oven WxDxH 2 3/4"x 27 7/8"x 63 1/8" Shipping weight lbs: 30 CuFt: 3.19	922659 HESH2011	\$ 970	
Heat shield for 202 combi oven WxDxH 2 3/4"x 36 "x 63 1/8" Shipping weight lbs: 37 CuFt: 3.79	922658 HESH2021	\$ 970	
Heat shield for stacked ovens 61 on 61 combi ovens WxDxH 2 3/4"x 30 1/2"x 60 1/2" Shipping weight lbs: 117 CuFt: 14.07	922660 HESHSTOV611	\$ 948	
Heat shield for stacked ovens 62 on 62 combi ovens WxDxH 2 3/4"x 38 1/4"x 60 1/2" Shipping weight lbs: 121 CuFt: 16.99	922666 HESHSTOV621	\$ 1,332	

▶▶

◀◀ (Installation Solutions - Miscellaneous)

Description	Code	USD	
Heat shield for stacked ovens 61 on 101 combi ovens WxDxH 2 3/4"x 30 1/2"x 70 5/16" Shipping weight lbs: 101 CuFt: 13.10	922661 HESHSTOV61011	\$ 1,003	
Heat shield for stacked ovens 62 on 102 combi ovens WxDxH 2 3/4"x 38 1/4"x 70 5/16" Shipping weight lbs: 143 CuFt: 18.84	922667 HESHSTOV61021	\$ 1,450	
Levelling entry ramp for 201 combi oven WxDxH 25 13/16"x 36 5/8"x 2 3/8" Shipping weight lbs: 93 CuFt: 19.48	922715 LEENRA2011	\$ 2,195	
Levelling entry ramp for 202 combi oven WxDxH 35 7/8"x 44 5/8"x 2 3/8" Shipping weight lbs: 117 CuFt: 20.34	922716 LEENRA2021	\$ 2,799	
Holder for trolley handle (when trolley is in the oven) for 201 and 202 combi ovens WxDxH 1 5/16"x 7 7/8"x 2 3/8" Shipping weight lbs: 1 CuFt: 0.02	922743 TRHOHA20GN	\$ 82	
4 adjustable feet with black cover for 61,62 & 101,102 combi ovens, 150-200mm (5 9/10in -7 9/1in) WxDxH 3 3/4"x 3 3/4"x 3 15/16" Shipping weight lbs: 3 CuFt: 0.20	922693 4ADFE610	\$ 117	

▶▶

Combi Ovens and Blast Chillers

Accessories for SkyLine Ovens

◀◀ (Installation Solutions - Miscellaneous)

Description	Code	USD
<p>4 adjustable feet for 61,62 & 101,102 combi ovens, 100-115mm (5 9/10in -7 9/1in)</p> <p>WxDxH 2 15/16"x 2 15/16"x 3 15/16"</p> <p>Shipping weight lbs: 4 CuFt: 0.26</p>	<p>922688 KITFEETADJCKM</p>	<p>\$ 109</p>
<p>4 high adjustable feet for 61,62 & 101,102 combi ovens, 230-290mm (9in - 11 2/5in)</p> <p>WxDxH 2 15/16"x 2 15/16"x 9 3/16"</p> <p>Shipping weight lbs: 4 CuFt: 0.16</p>	<p>922745 4HIADFE610</p>	<p>\$ 164</p>
<p>4 FLANGED FEET FOR 61,62,101,102 OVENS - 2" 100-130MM</p> <p>WxDxH 1 1/32"x 9 1/4"x 3 15/16"</p> <p>Shipping weight lbs: 8 CuFt: 0.54</p>	<p>922351 4FLFE610</p>	<p>\$ 196</p>
<p>4 flanged feet for 201 and 202 combi ovens , 2", 100-130mm (4"-5")</p> <p>WxDxH 4 5/8"x 4 5/8"x 5 "</p> <p>Shipping weight lbs: 3 CuFt: 0.72</p>	<p>922707 4FLFE20</p>	<p>\$ 329</p>
<p>Adjustable wheels for 201 and 202 combi ovens</p> <p>WxDxH 2 "x 5 15/16"x 7 3/8"</p> <p>Shipping weight lbs: 9 CuFt: 0.72</p>	<p>922701 ADWH20</p>	<p>\$ 2,017</p>
<p>Kit to convert from natural gas to LPG</p> <p>WxDxH 9 13/16"x 13 3/4"x 2 3/8"</p> <p>Shipping weight lbs: 2 CuFt: 0.08</p>	<p>922670 GASTOLPG</p>	<p>\$ 388</p>



◀◀ (Installation Solutions - Miscellaneous)

Description	Code	USD
Kit to convert from LPG to natural gas WxDxH 9 13/16"x 13 3/4"x 2 3/8" Shipping weight lbs: 2	922671 LPGTOGAS	\$ 362
Chimney adaptor WxDxH 3 5/8"x 3 5/8"x 4 3/4" Shipping weight lbs: 2 CuFt: 0.20	922706 CHIMADAPCKM	\$ 190
Kit to fix oven to the wall WxDxH 1 1/8"x 3 5/16"x 7 1/8" Shipping weight lbs: 2 CuFt: 0.06	922687 KIFIOVWA	\$ 164
Stainless steel drain kit for all oven sizes (61, 62, 101,102, 201,202)- dia=50mm (2") WxDxH 12 5/8"x 41 5/16"x 3 1/8" Shipping weight lbs: 18 CuFt: 0.95	922636 SSDR610	\$ 796
Plastic drain kit for all oven sizes (61, 62, 101,102,201, 202), dia=50mm (2") WxDxH 12 5/8"x 41 5/16"x 3 1/8" Shipping weight lbs: 6 CuFt: 1.78	922637 PLDRK610	\$ 164
Stainless steel drain kit for 201 & 202 oven, d=50mm (2") WxDxH 12 5/8"x 41 5/16"x 3 1/8" Shipping weight lbs: 14 CuFt: 0.95	922738 SSDRK20	\$ 765



Combi Ovens and Blast Chillers

Accessories for SkyLine Ovens

◀◀ (Installation Solutions - Miscellaneous)

Description	Code	USD
<p>Water inlet pressure reducer</p> <p>WxDxH 1 13/16"x 3 3/4"x 2 13/16"</p> <p>Shipping weight lbs: 1 CuFt: 0.14</p>	<p>922773 PRESRED</p>	<p>\$ 190</p>
<p>Kit for installation of electric power peak management system for 6 & 10 GN Oven</p> <p>WxDxH 6 9/16"x 4 7/8"x 2 1/16"</p> <p>Shipping weight lbs: 2 CuFt: 0.92</p>	<p>922774 KITINPEAK</p>	<p>\$ 266</p>
<p>Kit for installation of electric power peak management system for 20 GN Oven</p> <p>WxDxH 4 5/8"x 3 1/4"x 4 1/32"</p> <p>Shipping weight lbs: 2 CuFt: 0.92</p>	<p>922778 KITINPEAK20</p>	<p>\$ 266</p>

SkyLine Chills 61 Blast Chiller - 66 lbs

Description	Code	USD									
<p>SKYLINE Chills 66 LBS 6 HALF SHEET PANS (12" X 20") REACH-IN</p> <p>3.20 electric kW 208 V 3 60 Hz WxDxH 35 5/16"x 36 7/8"x 42 1/2" Shipping weight lbs: 423 CuFt: 44.80</p> <p>Included Accessory</p> <table border="0"> <tr> <td>880581</td> <td>Worktop for 61 blast chiller freezer</td> <td>1</td> </tr> <tr> <td>880582</td> <td>3-sensor probe for blast chiller freezer</td> <td>1</td> </tr> <tr> <td>922062</td> <td>Single 304 stainless steel grid (12" x 20")</td> <td>3</td> </tr> </table>	880581	Worktop for 61 blast chiller freezer	1	880582	3-sensor probe for blast chiller freezer	1	922062	Single 304 stainless steel grid (12" x 20")	3	<p>727731 EBFA61TQ</p>	<p>\$ 27,997</p>
880581	Worktop for 61 blast chiller freezer	1									
880582	3-sensor probe for blast chiller freezer	1									
922062	Single 304 stainless steel grid (12" x 20")	3									



SkyLine Chills 101 Blast Chiller - 110 lbs

Description	Code	USD						
<p>SKYLINE Chills 110 LBS 10 HALF SHEET PANS (12" X 20") REACH-IN</p> <p>4.70 electric kW 208 V 3 60 Hz WxDxH 35 1/4"x 37 "x 68 1/8" Shipping weight lbs: 556 CuFt: 71.29</p> <p>Included Accessory</p> <table border="0"> <tr> <td>880582</td> <td>3-sensor probe for blast chiller freezer</td> <td>1</td> </tr> <tr> <td>922062</td> <td>Single 304 stainless steel grid (12" x 20")</td> <td>5</td> </tr> </table>	880582	3-sensor probe for blast chiller freezer	1	922062	Single 304 stainless steel grid (12" x 20")	5	<p>727738 EBFA11Q</p>	<p>\$ 45,226</p>
880582	3-sensor probe for blast chiller freezer	1						
922062	Single 304 stainless steel grid (12" x 20")	5						



SkyLine Chills 102 Blast Chiller - 220 lbs

Description	Code	USD						
<p>SKYLINE Chills 220 LBS 10 FULL SHEET PANS (18" X 26") REACH-IN</p> <p>6.40 electric kW 208 V 3 60 Hz WxDxH 49 3/16"x 42 15/16"x 68 7/8" Shipping weight lbs: 778 CuFt: 106.66</p> <p>Included Accessory</p> <table border="0"> <tr> <td>880582</td> <td>3-sensor probe for blast chiller freezer</td> <td>1</td> </tr> <tr> <td>922076</td> <td>Aisi 304 stainless steel grid (18" x 26")</td> <td>5</td> </tr> </table>	880582	3-sensor probe for blast chiller freezer	1	922076	Aisi 304 stainless steel grid (18" x 26")	5	<p>727742 EBFA12Q</p>	<p>\$ 58,147</p>
880582	3-sensor probe for blast chiller freezer	1						
922076	Aisi 304 stainless steel grid (18" x 26")	5						



Combi Ovens and Blast Chillers

SkyLine Chills

SkyLine Chills 201 Blast Chiller - 220lbs

Description	Code	USD
<p>SKYLINE Chills REMOTE 220 LBS 20 HALF SHEET PANS (12" X 20") ROLL-IN</p> <p>4.80 electric kW 208 V 3 60 Hz WxDxH 40 15/16"x 33 7/16"x 70 9/16" Shipping weight lbs: 511 CuFt: 79.10</p> <p>Included Accessory 880582 3-sensor probe for blast chiller freezer 1</p>	<p>727744 EBFA21RQ</p>	<p>\$ 75,376</p>









SkyLine Chills 202 Blast Chiller - 440lbs

Description	Code	USD
<p>SKYLINE Chills REMOTE PASSTHROUGH 440 LBS 20 FULL SHEET PANS (18" X 26") ROLL-IN</p> <p>6.70 electric kW 208 V 3 60 Hz WxDxH 55 1/8"x 54 15/16"x 89 3/16" Shipping weight lbs: 1032 CuFt: 169.75</p> <p>Included Accessory 880582 3-sensor probe for blast chiller freezer 1</p>	<p>727759 EBFA22RPQ</p>	<p>\$ 90,452</p>
<p>SKYLINE Chills REMOTE 440 LBS 20 FULL SHEET PANS (18" X 26") ROLL-IN</p> <p>6.70 electric kW 208 V 3 60 Hz WxDxH 55 1/8"x 49 13/16"x 89 3/16" Shipping weight lbs: 1016 CuFt: 178.51</p> <p>Included Accessory 880582 3-sensor probe for blast chiller freezer 1</p>	<p>727760 EBFA22RN</p>	<p>\$ 81,837</p>
<p>SKYLINE Chills REMOTE W/ INSULATED FLOOR AND RAMP 440 LBS 20 FULL SHEET PANS (18" X 26") ROLL-IN</p> <p>6.70 electric kW 208 V 3 60 Hz WxDxH 55 1/8"x 49 13/16"x 89 3/16" Shipping weight lbs: 1032 CuFt: 178.51</p> <p>Included Accessory 880582 3-sensor probe for blast chiller freezer 1</p>	<p>727758 EBFA22RQ</p>	<p>\$ 86,145</p>



Cooking Solutions - Half and Full Size Sheet Pans

Description	Code	USD	
<p>Pair of half size oven racks, type 304 stainless steel</p> <p>WxDxH 12 13/16"x 20 7/8"x 0 1/2"</p> <p>Shipping weight lbs: 4 CuFt: 0.19</p>	<p>922017 2GRSS11</p>	<p>\$ 57</p>	
<p>Pair of 304 stainless steel full-size grids (18" x 26")</p> <p>WxDxH 20 7/8"x 25 9/16"x 0 15/16"</p> <p>Shipping weight lbs: 11 CuFt: 0.34</p>	<p>922175 2GRSS21</p>	<p>\$ 95</p>	
<p>Single 304 stainless steel grid (12" x 20")</p> <p>WxDxH 12 13/16"x 20 7/8"x 0 3/8"</p> <p>Shipping weight lbs: 4 CuFt: 0.51</p>	<p>922062 GRSSGN11</p>	<p>\$ 55</p>	
<p>Aisi 304 stainless steel grid (18" x 26")</p> <p>WxDxH 25 9/16"x 20 7/8"x 0 3/8"</p> <p>Shipping weight lbs: 6 CuFt: 0.51</p>	<p>922076 GRSSGN21</p>	<p>\$ 90</p>	
<p>Pair of frying baskets</p> <p>WxDxH 20 7/8"x 12 13/16"x 1 9/16"</p> <p>Shipping weight lbs: 5 CuFt: 0.66</p>	<p>922239 2FRBAOV</p>	<p>\$ 234</p>	
<p>Non-stick U-pan (12" x 10" x 3/4")</p> <p>WxDxH 12 13/16"x 10 7/16"x 0 13/16"</p> <p>Shipping weight lbs: 2 CuFt: 0.06</p>	<p>925009 NOSTUPA1220</p>	<p>\$ 90</p>	



Combi Ovens and Blast Chillers



Accessories for SkyLine ChillS

◀◀ (Cooking Solutions - Half and Full Size Sheet Pans)



Description	Code	USD	
Non-stick U-pan (12" x 10" x 1 1/2") WxDxH 12 13/16"x 10 7/16"x 1 9/16" Shipping weight lbs: 2 CuFt: 0.13	925010 NOSTUPA1240	\$ 99	
Non-stick U-pan (12" x 10" x 2 1/2") WxDxH 12 13/16"x 10 7/16"x 2 3/8" Shipping weight lbs: 2 CuFt: 0.19	925011 NOSTUPA1260	\$ 107	
Non-stick universal pan (12" x 20" x 3/4") WxDxH 20 7/8"x 12 13/16"x 0 13/16" Shipping weight lbs: 3 CuFt: 0.13	925000 NOSTUPA1120	\$ 168	
6 NON-STICK U-PAN (12" X 20" X 3/4") WxDxH 20 7/8"x 13 "x 0 13/16" Shipping weight lbs: 15 CuFt: 0.88	925012 6NOSTUP20	\$ 883	
Non-stick universal pan (12" x 20" x 1 1/2") WxDxH 20 7/8"x 12 13/16"x 1 9/16" Shipping weight lbs: 3 CuFt: 0.26	925001 NOSTUPA1140	\$ 198	
6 NON-STICK U-PAN (12"X20"X1 1/2") WxDxH 20 7/8"x 12 13/16"x 1 9/16" Shipping weight lbs: 3 CuFt: 0.25	925013 6NOSTUP40	\$ 1,071	

▶▶

◀◀ (Cooking Solutions - Half and Full Size Sheet Pans)

Description	Code	USD	
<p>Non-stick universal pan (12" x 20" x 2 1/2")</p> <p>WxDxH 20 7/8"x 12 13/16"x 2 3/8"</p> <p>Shipping weight lbs: 4 CuFt: 0.45</p>	<p>925002 NOSTUPA1160</p>	<p>\$ 208</p>	
<p>6 NON-STICK U-PAN (12"X20"X2 1/2")</p> <p>WxDxH 20 7/8"x 13 "x 2 3/8"</p> <p>Shipping weight lbs: 3 CuFt: 0.40</p>	<p>925014 6NOSTUP60</p>	<p>\$ 1,137</p>	
<p>Frying griddle double sided (ribbed/smooth) 12" x 20"</p> <p>WxDxH 12 13/16"x 20 7/8"x 0 3/16"</p> <p>Shipping weight lbs: 5 CuFt: 0.14</p>	<p>925003 GRDOFA11</p>	<p>\$ 198</p>	
<p>Rilsan® coated grid (12"x20")</p> <p>WxDxH 12 13/16"x 20 7/8"x 0 1/16"</p> <p>Shipping weight lbs: 4 CuFt: 0.26</p>	<p>881061 GRR111</p>	<p>\$ 51</p>	

Cooking Solutions - Bakery & Pastry Trays

Description	Code	USD	
<p>Pastry grid 16" x 24"</p> <p>WxDxH 23 5/8"x 15 3/4"x 0 1/2"</p> <p>Shipping weight lbs: 4 CuFt: 0.19</p>	<p>922264 GRSSPA4X6</p>	<p>\$ 230</p>	
<p>Baguette tray, made of perforated aluminum, silicon coated, 16" x 24"</p> <p>WxDxH 15 3/4"x 23 5/8"x 1 1/2"</p> <p>Shipping weight lbs: 7 CuFt: 0.34</p>	<p>922189 PEALSIBATR</p>	<p>\$ 142</p>	



Connectivity

Installation solutions



Wifi board (NIU)

Oven size	61	62	101	102	201	202
PNC	922695					



Ethernet board (NIU)

Appliance size	61	62	101	102	201	202
PNC	922696 (Oven) - 922392 (Blast Chiller)					



Connectivity hub (router)

Oven size	61	62	101	102	201	202
PNC	922697					



Connectivity hub (router and SIM card)

Oven size	61	62	101	102	201	202
PNC	922705					

Seamless communication

A world of digital seamless connected solutions that simplify your work and help your business develop.

Examples of setup for WIFI solutions.
All configurations are possible with cable (ethernet) connection as well.

SkyDuo



Internet connection not required

OnE Connected



Cable connection to local router



Cellular connection with SIM

SkyDuo + OnE Connected



Cable connection to local router



Cellular connection with SIM



Stress-free efficiency and productivity with SkyDuo. Anticipating your needs with the self-intuitive connection between SkyLine Premium^S Ovens and SkyLine Chill^S and viceversa. The appliances guide you through the Cook&Chill process.



Gives real time access to your appliance from any smart device. Use it to share recipes and monitor information, such as status, statistics and consumption.

OnE Connected and SkyDuo setup

Internet connection	Appliances connection to HUB	What to order	Quantity	Description	Kits
Cable connection from HUB to local router <small>(connection is not required when using SkyDuo* only)</small>	Wifi	922697	1 per site	Connectivity HUB	CC0G0V <small>(includes 1x922697 + 2x922695)</small>
		922695	1 per appliance	WIFI board (NIU)	
	Cable (ethernet)	922697	1 per site	Connectivity HUB	CC0G0X <small>(includes 1x922697 + 1x922696 + 1x922392)</small>
		922696 (ovens) 922392 (blast chillers)	1 per appliance	Ethernet board (NIU)	
Cellular connection directly from HUB with SIM	Wifi	922705	1 per site	Connectivity HUB (including SIM)	CC0G0W <small>(includes 1x922705 + 2x922695)</small>
		922695	1 per appliance	WIFI board (NIU)	
	Cable (ethernet)	922705	1 per site	Connectivity HUB (including SIM)	CC0G0Y <small>(includes 1x922705 + 1x922696 + 1x922392)</small>
		922696 (ovens) 922392 (blast chillers)	1 per appliance	Ethernet board (NIU)	

* Only SkyLine Premium^S and SkyLine Chill^S. SkyDuo does not requires internet connection when is used without One Connected services.

** The use of OnE connected services requires a license agreement provided by Electrolux Professional. You can find details of the services including availability and cost at <https://www.electroluxprofessional.com/about-us/one-connected/>

One hub allows to connect up to 10 ovens + 10 blast chillers within the same WiFi area.



All components will be installed and commissioned during the installation of the appliances by Electrolux Professional Authorized Service Partners.

Combi Ovens and Blast Chillers

Accessories for SkyLine ChillS

◀◀ (Cooking Solutions - Bakery & Pastry Trays)

Description	Code	USD
Perforated baking tray, made of perforated aluminum, 16" x 24" WxDxH 15 3/4"x 23 5/8"x 0 13/16" Shipping weight lbs: 4 CuFt: 0.17	922190 PEALBATR	\$ 86
Baking tray, made of aluminum 16" x 24" WxDxH 15 3/4"x 23 5/8"x 0 13/16" Shipping weight lbs: 4 CuFt: 0.17	922191 ALBATR4ED4X6	\$ 82
Double-face griddle, one side ribbed and one side smooth, 400x600mm WxDxH 15 3/4"x 23 5/8"x 0 9/16" Shipping weight lbs: 11 CuFt: 0.17	922747 GRDOFA4X6	\$ 326
Bakery/pastry grid for blast chiller, lengthwise (600x400mm) WxDxH 15 3/4"x 23 5/8"x 0 13/16" Shipping weight lbs: 4 CuFt: 0.37	880294 GRPA6X4BC	\$ 383




Chilling Solutions - Food Probes

Description	Code	USD
Kit of 3 single sensor probes for blast chiller/freezers WxDxH 0 13/16"x 1 3/16"x 0 1/2" Shipping weight lbs: 2 CuFt: 0.04	880567 SISEPR3BCF	\$ 771
3-sensor probe for blast chiller freezer WxDxH 0 13/16"x 1 3/16"x 0 1/2" Shipping weight lbs: 2 CuFt: 0.04	880582 SEPR3BCF	\$ 445



◀◀ (Chilling Solutions - Food Probes)

Description	Code	USD
6-sensor probe for blast chiller freezer WxDxH 0 13/16"x 1 3/16"x 0 1/2" Shipping weight lbs: 2 CuFt: 0.04	880566 SEPR6BCF	\$ 608
Probe holder for liquids WxDxH 17 1/16"x 1 9/16"x 1 7/16" Shipping weight lbs: 2 CuFt: 0.04	922714 PRHOLI	\$ 164



Handling Solutions - Half and Full Size Sheet Pans

Description	Code	USD
Trolley for slide-in rack for 61 and 101 combi oven and blast chiller freezer WxDxH 19 1/16"x 35 15/16"x 37 3/8" Shipping weight lbs: 95 CuFt: 20.13	922626 TRSLRA61011	\$ 1,337
Trolley for slide-in rack for 62 & 102 ovens and 102 blast chiller. WxDxH 27 "x 40 11/16"x 37 3/8" Shipping weight lbs: 117 CuFt: 32.63	922627 TRSLRA61021	\$ 1,891
6 Tray Rack with wheels, Half Sheet Pans, 2 1/2" (65mm) pitch for 61 ovens and blast chillers WxDxH 15 5/16"x 20 "x 18 3/16" Shipping weight lbs: 18 CuFt: 5.10	922600 TRRAWH611	\$ 843
5 Tray Rack with wheels, Half Sheet Pans, 3" (80mm) pitch, for 61 ovens and blast chillers WxDxH 15 5/16"x 20 "x 18 3/16" Shipping weight lbs: 15 CuFt: 5.10	922606 TRRAWH511	\$ 1,021









▶▶

Combi Ovens and Blast Chillers

Accessories for SkyLine Chills

◀◀ (Handling Solutions - Half and Full Size Sheet Pans)

Description	Code	USD	
<p>10 Tray Rack with wheels, Half Sheet Pans, 2 ½" (65mm) pitch for 101 ovens and blast chillers</p> <p>WxDxH 15 5/16"x 20 "x 28 1/2"</p> <p>Shipping weight lbs: 21 CuFt: 5.10</p>	<p>922601 TRRAWH1011</p>	<p>\$ 1,086</p>	
<p>8 Tray Rack with wheels, Half Sheet Pans, 3" (80mm) pitch, for 101 ovens and blast chillers</p> <p>WxDxH 15 5/16"x 20 "x 28 1/2"</p> <p>Shipping weight lbs: 21 CuFt: 5.10</p>	<p>922602 TRRAWH811</p>	<p>\$ 1,242</p>	
<p>10 Tray Rack with wheels, Full Sheet Pans, 2 ½" (65mm) pitch for 102 ovens and blast chillers</p> <p>WxDxH 23 3/8"x 24 3/4"x 28 1/2"</p> <p>Shipping weight lbs: 31 CuFt: 9.51</p>	<p>922603 TRRAWH1021</p>	<p>\$ 1,311</p>	
<p>8 Tray Rack with wheels, Full Size Sheet Pans, 3" (80mm) pitch for 102 ovens and blast chillers</p> <p>WxDxH 23 3/8"x 24 3/4"x 28 1/2"</p> <p>Shipping weight lbs: 29 CuFt: 9.51</p>	<p>922604 TRRAWH821</p>	<p>\$ 1,294</p>	
<p>20 Tray Rack Trolley, Half Sheet Pans, 2 ½" (63mm) pitch for 201 ovens and blast chillers</p> <p>WxDxH 21 7/16"x 31 1/8"x 66 15/16"</p> <p>Shipping weight lbs: 123 CuFt: 33.48</p>	<p>922753 TRRA201163C</p>	<p>\$ 3,547</p>	
<p>16 Tray Rack Trolley, Half Sheet Pans, 3" (80mm) pitch for 201 ovens and blast chillers</p> <p>WxDxH 21 7/16"x 31 1/8"x 66 15/16"</p> <p>Shipping weight lbs: 119 CuFt: 33.48</p>	<p>922754 TRRA161180C</p>	<p>\$ 4,434</p>	

▶▶

◀◀ (Handling Solutions - Half and Full Size Sheet Pans)

Description	Code	USD
<p>Trolley with tray rack, 201 combi oven, h=80mm (3 1/6")</p> <p>WxDxH 21 7/16"x 31 1/8"x 66 15/16" Shipping weight lbs: 126 CuFt: 33.62</p>	<p>922683 TRRA161184</p>	<p>\$ 4,434</p>
<p>20 Tray Rack Trolley, Full Sheet Pans, 2 1/2" (63mm) pitch for 202 ovens and blast chillers</p> <p>WxDxH 28 3/16"x 36 7/16"x 66 15/16" Shipping weight lbs: 170 CuFt: 52.24</p>	<p>922757 TRRA202163C</p>	<p>\$ 4,712</p>
<p>16 Tray Rack Trolley, Full Sheet Pans, 3" (80mm) pitch for 202 ovens and blast chillers</p> <p>WxDxH 28 3/16"x 36 7/16"x 66 15/16" Shipping weight lbs: 165 CuFt: 52.24</p>	<p>922758 TRRA162180C</p>	<p>\$ 4,712</p>
<p>Trolley with tray rack, 202 combi oven, h=85mm (3 1/3")</p> <p>WxDxH 28 3/16"x 36 7/16"x 66 15/16" Shipping weight lbs: 141 CuFt: 52.13</p>	<p>922686 TRRA162184</p>	<p>\$ 4,712</p>
<p>5 stainless steel runners for 61 and 101 blast chiller freezer</p> <p>WxDxH 21 15/16"x 0 13/16"x 1 1/8" Shipping weight lbs: 13 CuFt: 0.37</p>	<p>880587 5SSRU61011BCF</p>	<p>\$ 282</p>
<p>5 stainless steel runners for 102 blast chiller freezer</p> <p>WxDxH 27 1/4"x 0 13/16"x 1 1/8" Shipping weight lbs: 15 CuFt: 0.40</p>	<p>880588 5SSRU1021BCF</p>	<p>\$ 252</p>



Combi Ovens and Blast Chillers

Accessories for SkyLine Chills

◀◀ (Handling Solutions - Half and Full Size Sheet Pans)

Description	Code	USD
Slide-in rack support for 101 blast chiller freezer WxDxH 15 11/16"x 30 7/8"x 3 5/8" Shipping weight lbs: 13 CuFt: 1.56	880564 SLRASU1011BCF	\$ 760
Slide-in rack support for 102 blast chiller freezer WxDxH 25 1/16"x 35 9/16"x 3 3/8" Shipping weight lbs: 26 CuFt: 2.42	880563 SLRASU1021BCF	\$ 978
Kit compatibility for aos/easyline trolley (produced till 2019) with SkyLine/Magistar 20 GN 1/1 combi oven WxDxH 3 1/2"x 25 7/8"x 1 5/8" Shipping weight lbs: 8 CuFt: 0.30	922769 ADTRRACK11	\$ 209
Kit compatibility for aos/easyline trolley (produced till 2019) with SkyLine/Magistar 20 GN 2/1 combi oven WxDxH 2 5/8"x 31 7/16"x 2 1/16" Shipping weight lbs: 8 CuFt: 0.30	922770 ADTRRACK21	\$ 214
Kit compatibility for aos/easyline 20 GN oven with SkyLine/Magistar trolleys WxDxH 2 15/16"x 1 7/8"x 0 11/16" Shipping weight lbs: 1 CuFt: 0.25	922771 ADTRRACKTR	\$ 61









Handling Solutions - Banqueting

Description	Code	USD
Trolley for slide-in rack for 61 and 101 combi oven and blast chiller freezer WxDxH 19 1/16"x 35 15/16"x 37 3/8" Shipping weight lbs: 95 CuFt: 20.13	922626 TRSLRA61011	\$ 1,337



◀◀ (Handling Solutions - Banqueting)

Description	Code	USD	
<p>Trolley for slide-in rack for 62 & 102 ovens and 102 blast chiller.</p> <p>WxDxH 27 "x 40 11/16"x 37 3/8" Shipping weight lbs: 117 CuFt: 32.63</p>	<p>922627 TRSLRA61021</p>	<p>\$ 1,891</p>	
<p>Banquet rack with wheels holding 30 plates for 101 oven and blast chiller freezer, 65mm pitch (2 1/2")</p> <p>WxDxH 15 3/8"x 25 9/16"x 27 15/16" Shipping weight lbs: 40 CuFt: 7.42</p>	<p>922648 BARAW30PL1011</p>	<p>\$ 1,804</p>	
<p>Banquet rack with wheels 23 plates for 101 oven and blast chiller freezer, 85mm pitch</p> <p>WxDxH 15 3/8"x 25 9/16"x 27 15/16" Shipping weight lbs: 33 CuFt: 7.42</p>	<p>922649 BARAW23PL1011</p>	<p>\$ 1,699</p>	
<p>Banquet rack with wheels holding 51 plates for 102 oven and blast chiller freezer, 75mm pitch (3" 1/3")</p> <p>WxDxH 23 7/16"x 30 11/16"x 27 5/8" Shipping weight lbs: 53 CuFt: 12.71</p>	<p>922650 BARAW51PL1021</p>	<p>\$ 3,646</p>	
<p>201 Banquet trolley for oven and blast chiller for 54 plates holding, 3" (74mm) pitch</p> <p>WxDxH 19 15/16"x 33 7/16"x 67 1/2" Shipping weight lbs: 123 CuFt: 33.48</p>	<p>922756 TRBA54PL2011C</p>	<p>\$ 4,434</p>	
<p>201 Banquet trolley for combi and blast chiller for 45 plates holding, 3.5" (90mm) pitch</p> <p>WxDxH 19 15/16"x 33 7/16"x 67 1/2" Shipping weight lbs: 123 CuFt: 33.48</p>	<p>922763 TRBA45PL2011C</p>	<p>\$ 4,294</p>	

▶▶

Combi Ovens and Blast Chillers

Accessories for SkyLine Chills

◀◀ (Handling Solutions - Banqueting)

Description	Code	USD
<p>201 Banquet trolley for combi and blast chiller for 116 plates holding, 2.5" 66mm pitch</p> <p>WxDxH 27 9/16"x 38 13/16"x 67 3/8" Shipping weight lbs: 214 CuFt: 52.24</p>	<p>922764 TRBA116PL2021C</p>	<p>\$ 5,651</p>
<p>202 Banquet trolley for oven and blast chiller for 92 plates holding , 3.3" (85mm) pitch</p> <p>WxDxH 27 9/16"x 38 13/16"x 67 3/8" Shipping weight lbs: 214 CuFt: 52.24</p>	<p>922760 TRBA92PL2021C</p>	<p>\$ 5,651</p>
<p>Slide-in rack support for 102 blast chiller freezer</p> <p>WxDxH 25 1/16"x 35 9/16"x 3 3/8" Shipping weight lbs: 26 CuFt: 2.42</p>	<p>880563 SLRASU1021BCF</p>	<p>\$ 978</p>
<p>Slide-in rack support for 101 blast chiller freezer</p> <p>WxDxH 15 11/16"x 30 7/8"x 3 5/8" Shipping weight lbs: 13 CuFt: 1.56</p>	<p>880564 SLRASU1011BCF</p>	<p>\$ 760</p>
<p>Kit compatibility for aos/easyline trolley (produced till 2019) with SkyLine/Magistar 20 GN 1/1 combi oven</p> <p>WxDxH 3 1/2"x 25 7/8"x 1 5/8" Shipping weight lbs: 8 CuFt: 0.30</p>	<p>922769 ADTRRACK11</p>	<p>\$ 209</p>
<p>Kit compatibility for aos/easyline trolley (produced till 2019) with SkyLine/Magistar 20 GN 2/1 combi oven</p> <p>WxDxH 2 5/8"x 31 7/16"x 2 1/16" Shipping weight lbs: 8 CuFt: 0.30</p>	<p>922770 ADTRRACK21</p>	<p>\$ 214</p>



◀◀ (Handling Solutions - Banqueting)

Description	Code	USD
Kit compatibility for aos/easyline 20 GN oven with SkyLine/Magistar trolleys WxDxH 2 15/16"x 1 7/8"x 0 11/16" Shipping weight lbs: 1 CuFt: 0.25	922771 ADTRRACKTR	\$ 61

Handling Solutions - Bakery

Description	Code	USD
Trolley for slide-in rack for 61 and 101 combi oven and blast chiller freezer WxDxH 19 1/16"x 35 15/16"x 37 3/8" Shipping weight lbs: 95 CuFt: 20.13	922626 TRSLRA61011	\$ 1,337
Trolley for slide-in rack for 62 & 102 ovens and 102 blast chiller. WxDxH 27 "x 40 11/16"x 37 3/8" Shipping weight lbs: 117 CuFt: 32.63	922627 TRSLRA61021	\$ 1,891
Bakery/pastry tray rack with wheels 400x600mm for 6 GN 1/1 oven and blast chiller freezer, 80mm pitch (5 runners) WxDxH 16 7/8"x 23 15/16"x 18 9/16" Shipping weight lbs: 21 CuFt: 6.92	922607 5BAPARAWH611	\$ 951
Bakery/pastry tray rack with wheels holding 400x600mm grids for 10 GN 1/1 oven and blast chiller freezer, 80mm pitch (8 runners) WxDxH 16 7/8"x 23 15/16"x 28 5/16" Shipping weight lbs: 29 CuFt: 10.38	922608 8BAPARAWH1011	\$ 1,116
Bakery/pastry tray rack with wheels 400x600mm for 10 GN 2/1 oven and blast chiller freezer, 80mm pitch (8 runners) WxDxH 16 7/8"x 23 15/16"x 28 5/16" Shipping weight lbs: 30 CuFt: 14.30	922609 8BAPARAWH1021	\$ 1,137



▶▶

Combi Ovens and Blast Chillers

Accessories for SkyLine ChillS

◀◀ (Handling Solutions - Bakery)

Description	Code	USD
Bakery/pastry trolley with rack holding 600x400mm grids for 20 GN 1/1 oven and blast chiller freezer, 80mm pitch (16 runners) WxDxH 21 7/16"x 33 1/8"x 66 3/4" Shipping weight lbs: 119 CuFt: 33.48	922761 TRPA2011C	\$ 4,577
Slide-in rack support for 101 blast chiller freezer WxDxH 15 11/16"x 30 7/8"x 3 5/8" Shipping weight lbs: 13 CuFt: 1.56	880564 SLRASU101BCF	\$ 760
Slide-in rack support for 102 blast chiller freezer WxDxH 25 1/16"x 35 9/16"x 3 3/8" Shipping weight lbs: 26 CuFt: 2.42	880563 SLRASU102BCF	\$ 978
Kit compatibility for aos/easyline trolley (produced till 2019) with SkyLine/Magistar 20 GN 1/1 combi oven WxDxH 3 1/2"x 25 7/8"x 1 5/8" Shipping weight lbs: 8 CuFt: 0.30	922769 ADTRRACK11	\$ 209
Kit compatibility for aos/easyline trolley (produced till 2019) with SkyLine/Magistar 20 GN 2/1 combi oven WxDxH 2 5/8"x 31 7/16"x 2 1/16" Shipping weight lbs: 8 CuFt: 0.30	922770 ADTRRACK21	\$ 214
Kit compatibility for aos/easyline 20 GN oven with SkyLine/Magistar trolleys WxDxH 2 15/16"x 1 7/8"x 0 11/16" Shipping weight lbs: 1 CuFt: 0.25	922771 ADTRRACKTR	\$ 61




Installation Solutions - Remote Units

Description	Code	USD
Keeprite remote condensing unit for 201 blast chiller (only for one unit) 12.50 electric kW 208-230 V 3 60 Hz WxDxH 65 1/8"x 35 15/16"x 41 7/8" Shipping weight lbs: 791 CuFt: 57.36	9R011L KESB050L8-HT3D	\$ 31,344
Keeprite remote condensing unit for 202 blast chiller (only for one unit) 14.10 electric kW 208-230 V 3 60 Hz WxDxH 75 15/16"x 45 3/4"x 45 9/16" Shipping weight lbs: 1087 CuFt: 93.02	9R011M KESB080L8-HT3D	\$ 35,822



Installation Solutions - Connectivity

Description	Code	USD
Wifi board (NIU) WxDxH 1 1/8"x 0 13/16"x 3 " Shipping weight lbs: 2 CuFt: 0.92	922695 WIBO	\$ 117
Connectivity hub (router) 0.02 electric kW 100-240 V 1N 50-60 Hz WxDxH 7 15/16"x 7 1/16"x 2 3/8" Shipping weight lbs: 2 CuFt: 0.92	922697 COHURO	\$ 3,074
Connectivity hub (router and sim card) 0.02 electric kW 100-240 V 1N 50-60 Hz WxDxH 7 15/16"x 7 1/16"x 2 3/8" Shipping weight lbs: 3 CuFt: 0.98	922705 COHURSIM	\$ 3,403
Ethernet board (NIU-LAN) for Blast Chillers WxDxH 1 1/8"x 0 13/16"x 3 " Shipping weight lbs: 2 CuFt: 0.25	922392 ETHBOARD_C	\$ 360



Combi Ovens and Blast Chillers

Accessories for SkyLine Chills

Installation Solutions - Stacking kits

Description	Code	USD
Stacking kit for 61 combi oven on 61 blast chiller freezer - height=100mm (4") WxDxH 35 1/4"x 30 1/8"x 3 15/16" Shipping weight lbs: 18 CuFt: 0.54	880565 STK611N	\$ 1,355
Stacking kit for 61 previous oven generation on 61 Skyline blast chiller freezer - height=100mm (4") WxDxH 35 1/4"x 30 1/8"x 3 15/16" Shipping weight lbs: 18 CuFt: 0.54	880586 OVSUPP610	\$ 1,064



Installation Solutions - Miscellaneous

Description	Code	USD
4 wheels for blast chiller freezer WxDxH 8 11/16"x 8 11/16"x 5 11/16" Shipping weight lbs: 9 CuFt: 0.53	880576 4WHBCF	\$ 347
4 wheels for blast chiller 61 tower execution with 61 combi oven WxDxH 0 1/16"x 0 1/16"x 0 1/16" Shipping weight lbs: 7 CuFt: 1.04	880578 4WHBCFTO	\$ 480
Flanged feet for blast chiller freezer WxDxH 5 1/2"x 3 3/8"x 5 15/16" Shipping weight lbs: 19 CuFt: 0.55	880589 FLFBCF	\$ 204
Worktop for 61 blast chiller freezer WxDxH 35 5/16"x 33 1/4"x 1 9/16" Shipping weight lbs: 18 CuFt: 3.02	880581 WO611BCF	\$ 517



MultiSlim Ovens

Description	Code	USD
<p>MultiSlim electric compact combi oven, 6 HALF SHEET pans, boilerless with 11 humidity level settings, and automatic cleaning</p> <p>6.90 electric kW 208 V 3 60 Hz WxDxH 20 7/16"x 31 5/8"x 30 5/16" Shipping weight lbs: 289 CuFt: 24.08</p>	<p>260650 ECT061WL</p>	<p>\$ 16,500</p>



Combi Ovens and Blast Chillers

Accessories for compact convection ovens

Accessories for compact convection ovens

Description	Code	USD
<p>Base support for stacked compact ovens</p> <p>WxDxH 18 1/2"x 24 7/16"x 12 5/8"</p> <p>Shipping weight lbs: 18 CuFt: 3.71</p>	<p>922368 BASESTK</p>	<p>\$ 1,000</p>
<p>Open base for compact 6x1/1GN oven</p> <p>WxDxH 18 1/2"x 24 7/16"x 31 1/2"</p> <p>Shipping weight lbs: 22 CuFt: 9.56</p>	<p>922369 STBL6</p>	<p>\$ 1,450</p>
<p>Tray support for compact 6x1/1GN oven - open base</p> <p>WxDxH 2 9/16"x 5 1/16"x 28 15/16"</p> <p>Shipping weight lbs: 11 CuFt: 0.24</p>	<p>922370 TRAYSUPPL</p>	<p>\$ 750</p>
<p>Stacking kit for compact 6x1/1GN oven</p> <p>WxDxH 30 11/16"x 23 5/8"x 2 3/16"</p> <p>Shipping weight lbs: 18 CuFt: 3.85</p>	<p>922371 STACKKITL</p>	<p>\$ 1,500</p>
<p>External spray unit for compact 6x1/1GN oven</p> <p>WxDxH 8 11/16"x 8 11/16"x 8 11/16"</p> <p>Shipping weight lbs: 4 CuFt: 0.49</p>	<p>922372 EXSPRAYL</p>	<p>\$ 275</p>
<p>1-sensor core probe for compact 6x1/1GN oven</p> <p>WxDxH 9 13/16"x 1 9/16"x 1 9/16"</p> <p>Shipping weight lbs: 2 CuFt: 0.02</p>	<p>922373 ISENSORL</p>	<p>\$ 400</p>



Accessories for compact convection ovens

◀◀ (Accessories for compact convection ovens)

Description	Code	USD
<p>Right-hinged door for compact 6x1/1GN oven</p> <p>WxDxH 20 7/8"x 20 7/16"x 1 9/16"</p> <p>Shipping weight lbs: 13 CuFt: 0.82</p>	<p>922374 RHINGELE</p>	<p>\$ 500</p>
<p>Double-step door for opening compact 6x1/1GN oven</p> <p>WxDxH 3 15/16"x 3 15/16"x 3 15/16"</p> <p>Shipping weight lbs: 1 CuFt: 0.12</p>	<p>922377 DSTEPDOORL</p>	<p>\$ 150</p>
<p>Kit to front air filter for compact 6x1/1GN oven</p> <p>WxDxH 15 3/4"x 13 3/4"x 13 3/4"</p> <p>Shipping weight lbs: 11 CuFt: 2.24</p>	<p>922379 KITFILTER</p>	<p>\$ 350</p>
<p>4 high adjustable feet for compact 6x1/1GN oven</p> <p>WxDxH 16 1/8"x 7 1/2"x 5 1/2"</p> <p>Shipping weight lbs: 1 CuFt: 0.44</p>	<p>922395 4HFEETCOM</p>	<p>\$ 100</p>



Combi Ovens and Blast Chillers

Accessories for crosswise convection ovens

Oven accessories - pans & grids


Description	Code	USD	
<p>Grid for whole chicken 1/1GN (8 per grid - 2.6 lbs each)</p> <p>WxDxH 12 13/16"x 20 7/8"x 6 "</p> <p>Shipping weight lbs: 3 CuFt: 1.22</p>	<p>922266 GR8CH11</p>	<p>\$ 86</p>	
<p>Chicken racks, pair (2) (fits 8 chickens per rack)</p> <p>WxDxH 12 13/16"x 20 7/8"x 6 "</p> <p>Shipping weight lbs: 7 CuFt: 1.22</p>	<p>922036 GRPA8CH</p>	<p>\$ 170</p>	
<p>Pair of frying baskets</p> <p>WxDxH 20 7/8"x 12 13/16"x 1 9/16"</p> <p>Shipping weight lbs: 5 CuFt: 0.66</p>	<p>922239 2FRBAOV</p>	<p>\$ 234</p>	
<p>Pair of 304 stainless steel full-size grids (18" x 26")</p> <p>WxDxH 20 7/8"x 25 9/16"x 0 15/16"</p> <p>Shipping weight lbs: 11 CuFt: 0.34</p>	<p>922175 2GRSS21</p>	<p>\$ 95</p>	
<p>Kit universal skewer rack & (6) long skewer ovens (TANDOOR)</p> <p>WxDxH 20 7/8"x 12 13/16"x 2 3/16"</p> <p>Shipping weight lbs: 4 CuFt: 0.55</p>	<p>922325 1SKPA6SHSK</p>	<p>\$ 571</p>	
<p>Grid for whole duck (8 per grid - 1,8kg each), GN 1/1</p> <p>WxDxH 12 13/16"x 20 7/8"x 10 3/16"</p> <p>Shipping weight lbs: 4 CuFt: 2.48</p>	<p>922362 GR8DU11</p>	<p>\$ 195</p>	



Accessories for crosswise convection ovens

◀◀ (Oven accessories - pans & grids)

Description	Code	USD
Universal skewer pan for ovens (TANDOOR) WxDxH 20 7/8"x 12 13/16"x 2 3/16" Shipping weight lbs: 3 CuFt: 0.55	922326 UNSK	\$ 213



Oven accessories - installation

Description	Code	USD
External side spray unit WxDxH 8 11/16"x 8 11/16"x 8 11/16" Shipping weight lbs: 4 CuFt: 0.38	922171 EXSISPUN	\$ 284



Oven accessory - other

Description	Code	USD
Smoker for ovens WxDxH 8 11/16"x 8 11/16"x 3 3/8" Shipping weight lbs: 3 CuFt: 0.32	922338 VOSM	\$ 640




Combi Ovens and Blast Chillers

Accessories for blast chiller crosswise

Pans, grids

Description	Code	USD
<p>Rilsan® coated grid (12"x20")</p> <p>WxDxH 12 13/16"x 20 7/8"x 0 1/16"</p> <p>Shipping weight lbs: 4 CuFt: 0.26</p>	<p>881061</p> <p>GRR111</p>	<p>\$ 51</p>



Installation

Description	Code	USD
<p>Stacking kit for gas 6 GN 1/1 oven placed on 7kg and 15kg crosswise blast chiller freezer</p> <p>WxDxH 34 5/16"x 30 1/2"x 40 15/16"</p> <p>Shipping weight lbs: 51 CuFt: 26.69</p>	<p>922657</p> <p>STK611715KG</p>	<p>\$ 3,387</p>



Accessories for blast chiller and freezer crosswise

Pans, grids

Description	Code	USD
Rilsan® coated grid (12"x20") WxDxH 12 13/16"x 20 7/8"x 0 1/16" Shipping weight lbs: 4 CuFt: 0.26	881061 GRR111	\$ 51



Installation

Description	Code	USD
Stacking kit for gas 6 GN 1/1 oven placed on 7kg and 15kg crosswise blast chiller freezer WxDxH 34 5/16"x 30 1/2"x 40 15/16" Shipping weight lbs: 51 CuFt: 26.69	922657 STK611715KG	\$ 3,387



Combi Ovens and Blast Chillers

Rethermalizer

Rethermalizer

Description	Code	USD
Electric Freestanding Rethermalizer, 1 Well - 16 gallons (60 lt) - 208 V / 3 / 60Hz / 25A 9 electric kW 208 V 3 60 Hz WxDxH 14 3/4"x 35 13/16"x 33 7/16" Shipping weight lbs: 181 CuFt: 19.74	391351 E9PCEDRMC3	\$ 14,262

