



Price List 2022

Food Service Equipment

INDEX

Food Preparation

Combination Vegetable Slicers and Food Processors

TrinityPro Combi Slicer/Cutter	123
Accessories for TrinityPro Combi Slicer/Cutter	123
TRK45	130
Accessories for TRK45	131
TRK55	132
Accessories for TRK55	132
TRK70	134
Accessories for TRK70	134
Cutting discs for TRK 45/55/70	135

Vegetable Slicers and Manual Slicers

TrinityPro Vegetable Slicer	145
Accessories for TrinityPro Vegetable Slicer	145
TRS - 1 speed	150
Accessories for TRS	150
Accessories for TR210	150
Cutting discs for TRS	151
TR260	160
Accessories for TR260	160
Dicing grids for TR260	162
Cutting discs for cabbage for TR260	163
Cutting discs for TR260	164
Accessories for RC14	168
Tomato Slicer CT6	168
Accessories for Tomato Slicer CT6	169

Food Processors

TrinityPro Cutter 2.7 QT	170
Accessories for TrinityPro Cutter 2.7 QT	170
TrinityPro Cutter 3.8 QT	172
Accessories for TrinityPro Cutter 3.8 QT	173
K45 - 4.7 quart capacity	175
Accessories for K45	175
K55 - 5.8 quart capacity	177
Accessories for K55	177
K70 - 7.4 quart capacity	178
Accessories for K70	179
K120S - 12.2 quart capacity	180
Accessories for K120S	180
Accessories for K180S	181

Immersion Blenders

Bermixer 350 W	183
Accessories for Bermixer PRO 350 W	183
Bermixer 450 W	184
Accessories for Bermixer PRO 450 W	185

Accessories for Bermixer PRO 550 W	186
Bermixer 650 W	187
Accessories for Bermixer PRO 650 W	187
Bermixer 750 W	189
Accessories for Bermixer PRO 750 W	189

Accessories for H HUB models

Slicing discs for CX21D	191
-------------------------	-----

Vegetable Washers and Spin Dryers

VP2	198
Accessories for VP2	198

Combination Vegetable Slicers and Food Processors

TrinityPro Combi Slicer/Cutter

Description	Code	USD
<p>Combined Vegetable Slicer and Cutter Mixer 2.7 qt, with transparent copolyester bowl, 1800 rpm, 2 discs included (grater 2mm, slicer 4mm), 750W, USA plug</p> <p>0.75 electric kW 115 V 1N 60 Hz WxDxH 13 11/16"x 12 15/16"x 20 3/4" Shipping weight lbs: 41 CuFt: 3.87</p> <p>Included Accessory</p> <p>650117 1 650198 1 650226 1 650229 1 650230 1 650232 1 650237 1</p>	<p>602156 COM26PUS</p>	<p>\$ 1,874</p>
<p>Combined Vegetable Slicer and Cutter Mixer 3.8 qt, with stainless steel bowl, 1800 rpm, 2 discs included (5/64" grater, 5/32" slicer), USA plug</p> <p>1 electric kW 115 V 1N 60 Hz WxDxH 13 11/16"x 13 1/8"x 20 3/4" Shipping weight lbs: 49 CuFt: 4.57</p> <p>Included Accessory</p> <p>650118 1 650198 1 650232 1 650233 1 650235 1 650236 1 650237 1</p>	<p>602161 COM36US</p>	<p>\$ 2,911</p>



Accessories for TrinityPro Combi Slicer/Cutter







Description	Code	USD
<p>Ejector for Vegetable Slicer</p> <p>WxDxH 7 3/8"x 7 3/8"x 1 7/16" Shipping weight lbs: 2</p>	<p>650232 EJEVS</p>	<p>\$ 64</p>



Food Preparation

Combination Vegetable Slicers and Food Processors

◀◀ (Accessories for TrinityPro Combi Slicer/Cutter)

Description	Code	USD	
<p>Kit including 3 discs (slicer 2mm, slicer 5mm, grater 3mm)</p> <p>WxDxH 6 7/8"x 6 7/8"x 2 "</p> <p>Shipping weight lbs: 2</p> <p>Included Accessory</p> <p>650199 1</p> <p>650214 1</p> <p>650216 1</p>	<p>650196 SET3</p>	<p>\$ 418</p>	
<p>Kit including 6 discs (slicer 2mm, slicer 5mm, grater 3mm, grater 7mm, slicer 10mm, grid 10x10mm)</p> <p>WxDxH 6 7/8"x 6 7/8"x 2 "</p> <p>Shipping weight lbs: -1 CuFt: -1</p> <p>Included Accessory</p> <p>650199 1</p> <p>650207 1</p> <p>650214 1</p> <p>650216 1</p> <p>650221 1</p> <p>650223 1</p>	<p>650197 SET6</p>	<p>\$ 1,102</p>	
<p>Stainless steel grating disc 2 mm (dia. 175mm)</p> <p>WxDxH 6 7/8"x 6 7/8"x 2 "</p> <p>CuFt: 0.05</p>	<p>650198 J172</p>	<p>\$ 143</p>	
<p>Stainless steel grating disc 3 mm (dia. 175mm)</p> <p>WxDxH 6 7/8"x 6 7/8"x 2 "</p> <p>CuFt: 0.05</p>	<p>650199 J173</p>	<p>\$ 143</p>	
<p>Stainless steel grating disc 4 mm (dia. 175mm)</p> <p>WxDxH 6 7/8"x 6 7/8"x 2 "</p> <p>CuFt: 0.05</p>	<p>650205 J174</p>	<p>\$ 143</p>	
<p>Stainless steel grating disc 7 mm (dia. 175mm)</p> <p>WxDxH 6 7/8"x 6 7/8"x 2 "</p> <p>CuFt: 0.05</p>	<p>650207 J177</p>	<p>\$ 143</p>	



Food Preparation

Combination Vegetable Slicers and Food Processors

◀◀ (Accessories for TrinityPro Combi Slicer/Cutter)

Description	Code	USD	
<p>Parmesan Disc</p> <p>WxDxH 6 7/8"x 6 7/8"x 2 "</p> <p>CuFt: 0.05</p>	<p>650208</p> <p>J17P</p>	<p>\$ 167</p>	
<p>Stainless steel shredding disc 2 mm (dia. 175mm)</p> <p>WxDxH 6 7/8"x 6 7/8"x 1 9/16"</p> <p>Shipping weight lbs: 1 CuFt: 0.04</p>	<p>650209</p> <p>AS172</p>	<p>\$ 167</p>	
<p>Stainless steel shredding disc 4 mm (dia. 175mm)</p> <p>WxDxH 6 7/8"x 6 7/8"x 1 9/16"</p> <p>Shipping weight lbs: 1 CuFt: 0.04</p>	<p>650210</p> <p>AS174</p>	<p>\$ 167</p>	
<p>Stainless steel shredding disc 8 mm for French fries (dia. 175mm)</p> <p>WxDxH 6 7/8"x 6 7/8"x 1 9/16"</p> <p>Shipping weight lbs: 1 CuFt: 0.04</p>	<p>650211</p> <p>AS178</p>	<p>\$ 167</p>	
<p>Stainless steel slicing disc 1 mm (dia. 175mm)</p> <p>WxDxH 6 7/8"x 6 7/8"x 1 3/16"</p> <p>Shipping weight lbs: 1 CuFt: 0.03</p>	<p>650213</p> <p>C17X1</p>	<p>\$ 143</p>	
<p>Stainless steel slicing disc 2 mm (dia. 175mm)</p> <p>WxDxH 6 7/8"x 6 7/8"x 1 3/16"</p> <p>Shipping weight lbs: 1 CuFt: 0.03</p>	<p>650214</p> <p>C17X2</p>	<p>\$ 143</p>	

▶▶

Food Preparation

Combination Vegetable Slicers and Food Processors

◀◀ (Accessories for TrinityPro Combi Slicer/Cutter)

Description	Code	USD	
Stainless steel slicing disc 3 mm (dia. 175mm) WxDxH 6 7/8"x 6 7/8"x 1 3/16" Shipping weight lbs: 1 CuFt: 0.03	650215 C17X3	\$ 143	
Stainless steel slicing disc 4 mm (dia. 175mm) WxDxH 6 7/8"x 6 7/8"x 1 3/16" Shipping weight lbs: 1 CuFt: 0.03	650237 C17X4	\$ 143	
Stainless steel slicing disc 5 mm (dia. 175mm) WxDxH 6 7/8"x 6 7/8"x 1 3/16" Shipping weight lbs: 1 CuFt: 0.03	650216 C17X5	\$ 143	
Stainless steel slicing disc 6 mm (dia. 175mm) WxDxH 6 7/8"x 6 7/8"x 1 3/16" Shipping weight lbs: 1 CuFt: 0.03	650217 C17X6	\$ 143	
Stainless steel wavy slicing disc 3 mm (dia. 175mm) WxDxH 6 7/8"x 6 7/8"x 1 3/16" Shipping weight lbs: 1 CuFt: 0.03	650218 C17XW3	\$ 143	
Stainless steel wavy slicing disc 5 mm (dia. 175mm) WxDxH 6 7/8"x 6 7/8"x 1 3/16" Shipping weight lbs: 1 CuFt: 0.03	650219 C17XW5	\$ 143	

▶▶

Food Preparation

Combination Vegetable Slicers and Food Processors

◀◀ (Accessories for TrinityPro Combi Slicer/Cutter)







Description	Code	USD	
Aluminum slicing disc 8 mm (dia. 175mm) WxDxH 6 7/8"x 6 7/8"x 1 7/16" Shipping weight lbs: 1 CuFt: 0.04	650220 C178	\$ 328	
Aluminum slicing disc 10 mm (dia. 175mm) WxDxH 6 7/8"x 6 7/8"x 1 7/16" Shipping weight lbs: 1 CuFt: 0.04	650221 C1710	\$ 328	
Dicing grid 8x8 (dia 175mm) WxDxH 7 9/16"x 8 11/16"x 1 " Shipping weight lbs: 2	650222 MT08	\$ 297	
Dicing grid 10x10 (dia 175mm) WxDxH 7 9/16"x 8 11/16"x 1 " Shipping weight lbs: 2	650223 MT10	\$ 297	
Dicing kit 8mm (aluminum slicer 8mm, grid 8x8mm) (dia. 175mm) WxDxH 8 3/8"x 9 7/16"x 2 3/8" Shipping weight lbs: -1 CuFt: -1 Included Accessory 650220 1 650222 1	650224 DC8	\$ 595	
Dicing kit 10mm (aluminum slicer 10mm, grid 10x10 mm) (dia. 175mm) WxDxH 8 3/8"x 9 7/16"x 2 3/8" Shipping weight lbs: -1 CuFt: -1 Included Accessory 650221 1 650223 1	650225 DC10	\$ 595	

▶▶

Food Preparation

Combination Vegetable Slicers and Food Processors

◀◀ (Accessories for TrinityPro Combi Slicer/Cutter)

Description	Code	USD	
<p>Cleaning tool for TRS, TRK & TR210 3/16"-5/16"-3/8 " (5-8-10 mm) dicing grids</p> <p>WxDxH 5 11/16"x 5 11/16"x 1 " CuFt: 0.08</p>	<p>650110 GRID</p>	<p>\$ 85</p>	
<p>Storage Case for one MultiGreen/MightyGreen/TRS/TRK disc</p> <p>WxDxH 1 3/4"x 9 1/16"x 8 1/4" Shipping weight lbs: 2 CuFt: 0.12</p>	<p>653050 SBPL</p>	<p>\$ 38</p>	
<p>Microtoothed blade rotor for 2.6lt Cutter Mixer</p> <p>WxDxH 6 5/16"x 6 5/16"x 3 9/16" Shipping weight lbs: 1 CuFt: 0.07</p>	<p>650226 ROTMT26</p>	<p>\$ 238</p>	
<p>Smooth blade rotor for 2.6lt Cutter Mixer</p> <p>WxDxH 6 5/16"x 6 5/16"x 3 9/16" Shipping weight lbs: 1 CuFt: 0.07</p>	<p>650227 ROTS26</p>	<p>\$ 238</p>	
<p>Stainless steel bowl for 2,6lt Cutter Mixer</p> <p>WxDxH 7 7/8"x 10 5/8"x 6 1/2" Shipping weight lbs: 2</p>	<p>650228 BOL26</p>	<p>\$ 595</p>	
<p>Transparent copolyester bowl for 2,6lt Cutter Mixer</p> <p>WxDxH 7 7/8"x 10 5/8"x 6 1/2" Shipping weight lbs: 2</p>	<p>650229 BOLP26</p>	<p>\$ 297</p>	

▶▶

Food Preparation

Combination Vegetable Slicers and Food Processors

◀◀ (Accessories for TrinityPro Combi Slicer/Cutter)

Description	Code	USD	
Scraper for 2.6lt Cutter Mixer bowl WxDxH 6 11/16"x 6 11/16"x 4 1/2" Shipping weight lbs: 2	650230 SCR26	\$ 71	
Transparent lid for 2,6lt Cutter Mixer bowl WxDxH 8 1/16"x 8 1/16"x 2 3/4" Shipping weight lbs: -1 CuFt: -1	650117 LID26	\$ 101	
Stainless steel bowl for 2,6lt Cutter Mixer, microtoothed rotor, lid with scraper WxDxH 7 7/8"x 10 5/8"x 9 7/16" Shipping weight lbs: 2 Included Accessory 650117 1 650226 1 650228 1 650230 1	650231 RED26	\$ 1,012	
Microtoothed blade rotor for 3.6lt Cutter Mixer WxDxH 6 7/8"x 6 7/8"x 4 5/16" Shipping weight lbs: 1 CuFt: 0.07	650233 ROTMT36	\$ 238	
Smooth blade rotor for 3.6lt Cutter Mixer WxDxH 6 7/8"x 6 7/8"x 4 5/16" Shipping weight lbs: 1 CuFt: 0.07	650234 ROT36	\$ 238	
Stainless steel bowl for 3.6lt Cutter Mixer WxDxH 8 11/16"x 11 7/16"x 7 1/4" Shipping weight lbs: 2	650235 BOL36	\$ 745	

▶▶

Food Preparation

Combination Vegetable Slicers and Food Processors

◀◀ (Accessories for TrinityPro Combi Slicer/Cutter)

Description	Code	USD
Scraper for 3.6lt Cutter Mixer bowl WxDxH 7 1/4"x 7 1/4"x 5 3/8" Shipping weight lbs: 2	650236 SCR36	\$ 73
Transparent lid for 3,6lt Cutter Mixer bowl WxDxH 8 11/16"x 8 11/16"x 2 13/16" Shipping weight lbs: -1 CuFt: -1	650118 LID36	\$ 101
Stainless steel bowl for 3,6lt Cutter Mixer, microtoothed rotor, lid with scraper WxDxH 8 11/16"x 11 13/16"x 10 1/4" Shipping weight lbs: -1 CuFt: -1 Included Accessory 650118 1 650233 1 650235 1 650236 1	650145 RED36	\$ 1,162

TRK45

Description	Code	USD
Vegetable Cutter/Mixer, variable speed (300-3700 RPM). Supplied with 4.7 qt stainless steel cutterbowl, BPA-free lid, bowl scraper, microtooth blade rotor and stainless steel hopper and lever, removable cutting chamber and ejector plate. 1-1/3 HP 1 electric kW 110-120 V 1N 60 Hz WxDxH 9 15/16"x 19 1/16"x 19 7/8" Shipping weight lbs: 73 CuFt: 5.73 Included Accessory 650099 Lid & bowl scraper, 4.7 quart, for cutter/mixer 1 653580 Microtooth blade rotor for 4.7 quart cutter/mixer 1 653589 Bowl, 4.7 quart, for cutter/mixer, stainless steel 1 653772 TRS & TRK ejector plate 1	600493 TRK45YU	\$ 5,227



Accessories for TRK45

Description	Code	USD	
Smooth blade rotor for 4.7 quart cutter/mixer WxDxH 7 11/16"x 7 11/16"x 6 1/16" Shipping weight lbs: 2 CuFt: 0.26	653579 SBRK45	\$ 353	
Smooth blade rotor for 4.7 quart cutter/mixer for emulsions WxDxH 7 11/16"x 7 11/16"x 6 1/16" Shipping weight lbs: 2 CuFt: 0.26	653614 SBRE45	\$ 353	
Microtooth blade rotor for 4.7 quart cutter/mixer WxDxH 7 11/16"x 7 11/16"x 6 1/16" Shipping weight lbs: 2 CuFt: 0.26	653580 MBRK45	\$ 353	
Microtooth blade rotor for 4.7 quart cutter/mixer for emulsions WxDxH 7 11/16"x 7 11/16"x 6 1/16" Shipping weight lbs: 2 CuFt: 0.26	650039 MBRE45	\$ 353	
TRS & TRK ejector plate WxDxH 7 9/16"x 7 9/16"x 1 1/4" CuFt: 0.04	653772 EJTRS	\$ 84	
Bowl, 4.7 quart, for cutter/mixer, stainless steel WxDxH 9 1/4"x 11 1/32"x 6 5/16" Shipping weight lbs: 3 CuFt: 0.58	653589 BXK45	\$ 660	



Food Preparation

Combination Vegetable Slicers and Food Processors

◀◀ (Accessories for TRK45)

Description	Code	USD
<p>Lid & bowl scraper, 4.7 quart, for cutter/mixer</p> <p>WxDxH 10 1/4"x 14 9/16"x 3 1/8" Shipping weight lbs: 3 CuFt: 0.80</p>	<p>650099 LBSK245</p>	<p>\$ 520</p>



TRK55

Description	Code	USD												
<p>Vegetable Cutter/Mixer, angled front, continuous feed design, variable speed (300-3700 RPM), large 3/4 moon hopper, includes 5.8 qt. stainless steel bowl, lid, bowl scraper, microtooth blade rotor, handle pusher, standard ejector, stainless steel feeding</p> <p>1.30 electric kW 110-120 V 1N 60 Hz WxDxH 9 15/16"x 19 1/16"x 19 7/8" Shipping weight lbs: 71 CuFt: 5.73</p> <p>Included Accessory</p> <table border="0"> <tr> <td>650102</td> <td>Lid & bowl scraper, 5.8 quart, for cutter/mixer</td> <td>1</td> </tr> <tr> <td>653582</td> <td>Microtooth blade rotor for 5.8 quart cutter/mixer</td> <td>1</td> </tr> <tr> <td>653590</td> <td>Bowl, 5.8 quart, for cutter/mixer, stainless steel</td> <td>1</td> </tr> <tr> <td>653772</td> <td>TRS & TRK ejector plate</td> <td>1</td> </tr> </table>	650102	Lid & bowl scraper, 5.8 quart, for cutter/mixer	1	653582	Microtooth blade rotor for 5.8 quart cutter/mixer	1	653590	Bowl, 5.8 quart, for cutter/mixer, stainless steel	1	653772	TRS & TRK ejector plate	1	<p>600494 TRK55YU</p>	<p>\$ 5,496</p>
650102	Lid & bowl scraper, 5.8 quart, for cutter/mixer	1												
653582	Microtooth blade rotor for 5.8 quart cutter/mixer	1												
653590	Bowl, 5.8 quart, for cutter/mixer, stainless steel	1												
653772	TRS & TRK ejector plate	1												



Accessories for TRK55

Description	Code	USD
<p>Smooth blade rotor for 5.8 quart cutter/mixer</p> <p>WxDxH 8 7/16"x 8 7/16"x 6 1/16" Shipping weight lbs: 2 CuFt: 0.26</p>	<p>653581 SBRK55</p>	<p>\$ 353</p>








▶▶

Food Preparation

Combination Vegetable Slicers and Food Processors

◀◀ (Accessories for TRK55)

Description	Code	USD	
Smooth blade rotor for 5.8 quart cutter/mixer for emulsions WxDxH 8 7/16"x 8 7/16"x 6 1/16" Shipping weight lbs: 2 CuFt: 0.28	653665 SBRE55	\$ 353	
Microtooth blade rotor for 5.8 quart cutter/mixer WxDxH 8 7/16"x 8 7/16"x 6 1/16" Shipping weight lbs: 2 CuFt: 0.26	653582 MBRK55	\$ 353	
Microtooth blade rotor for 5.8 quart cutter/mixer for emulsions WxDxH 8 7/16"x 8 7/16"x 6 1/16" Shipping weight lbs: 2 CuFt: 0.26	650040 MBRE55	\$ 353	
TRS & TRK ejector plate WxDxH 7 9/16"x 7 9/16"x 1 1/4" CuFt: 0.04	653772 EJTRS	\$ 84	
Bowl, 5.8 quart, for cutter/mixer, stainless steel WxDxH 9 1/4"x 11 1/32"x 6 5/16" Shipping weight lbs: 4 CuFt: 0.69	653590 BXK55	\$ 660	
Lid & bowl scraper, 5.8 quart, for cutter/mixer WxDxH 9 13/16"x 11 5/8"x 10 1/4" Shipping weight lbs: 6 CuFt: 0.69	650102 LBSK255	\$ 520	

Food Preparation

Combination Vegetable Slicers and Food Processors

TRK70

Description	Code	USD
<p>Vegetable Cutter/Mixer, angled front, continuous feed design, variable speed (300-3700 RPM), large single feed hopper, includes 7.4 qt stainless steel bowl.</p> <p>1.50 electric kW 110-120 V 1N 60 Hz WxDxH 9 15/16"x 19 1/16"x 19 7/8" Shipping weight lbs: 71 CuFt: 5.73</p> <p>Included Accessory</p> <p>650104 Lid & bowl scraper, 7.4 quart, for cutter/mixer 1</p> <p>653584 Microtooth blade rotor for 7.4 quart cutter/mixer 1</p> <p>653593 Bowl, 7.4 quart, for cutter/mixer, stainless steel 1</p> <p>653772 TRS & TRK ejector plate 1</p>	<p>600495 TRK70YU</p>	<p>\$ 5,846</p>





Accessories for TRK70

Description	Code	USD
<p>Smooth blade rotor for 7.4 quart cutter/mixer</p> <p>WxDxH 8 7/16"x 8 7/16"x 7 5/8" Shipping weight lbs: 2 CuFt: 0.26</p>	<p>653583 SBRK70</p>	<p>\$ 353</p>
<p>Smooth blade rotor for 7.4 quart cutter/mixer for emulsions</p> <p>WxDxH 8 7/16"x 8 7/16"x 7 5/8" Shipping weight lbs: 2 CuFt: 0.26</p>	<p>653712 SBRE70</p>	<p>\$ 353</p>
<p>Microtooth blade rotor for 7.4 quart cutter/mixer</p> <p>WxDxH 8 7/16"x 8 7/16"x 7 5/8" Shipping weight lbs: 2 CuFt: 0.26</p>	<p>653584 MBRK70</p>	<p>\$ 353</p>
<p>Microtooth blade rotor for 7.4 quart cutter/mixer for emulsions</p> <p>WxDxH 8 7/16"x 8 7/16"x 7 5/8" Shipping weight lbs: 2 CuFt: 0.26</p>	<p>650041 MBRE70</p>	<p>\$ 353</p>




Combination Vegetable Slicers and Food Processors

◀◀ (Accessories for TRK70)

Description	Code	USD	
<p>TRS & TRK ejector plate</p> <p>WxDxH 7 9/16"x 7 9/16"x 1 1/4"</p> <p>CuFt: 0.04</p>	<p>653772</p> <p>EJTRS</p>	<p>\$ 84</p>	
<p>Bowl, 7.4 quart, for cutter/mixer, stainless steel</p> <p>WxDxH 9 1/4"x 9 1/4"x 7 7/8"</p> <p>Shipping weight lbs: 4 CuFt: 0.69</p>	<p>653593</p> <p>BXK70</p>	<p>\$ 660</p>	
<p>Lid & bowl scraper, 7.4 quart, for cutter/mixer</p> <p>WxDxH 12 3/16"x 12 3/16"x 12 3/16"</p> <p>Shipping weight lbs: 3 CuFt: 0.89</p>	<p>650104</p> <p>LBSK270</p>	<p>\$ 520</p>	

Cutting discs for TRK 45/55/70



Description	Code	USD	
<p>Bistrot Pack, Stainless Steel Disc Set containing one each of: C2S 5/64" (2mm) slicing disc, C5S 3/16" (5mm) slicing disc, J2X 5/64" (2mm) grating disc</p> <p>WxDxH 8 1/16"x 8 1/16"x 1 3/8"</p> <p>Shipping weight lbs: 7 CuFt: 0.64</p> <p>Included Accessory</p> <p>650083 Slicing Disc 5/64" (2mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT)) 1</p> <p>650086 Slicing Disc 3/16" (5mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT)) 1</p> <p>653773 Grating Disc 5/64" (2mm) 1</p>	<p>650092</p> <p>SCEQXX</p>	<p>\$ 1,009</p>	

▶▶

Food Preparation

Combination Vegetable Slicers and Food Processors





◀◀ (Cutting discs for TRK 45/55/70)

Description	Code	USD	
<p>Set of 4 Stainless Steel Discs containing one each of: C2S 5/64" (2mm) slicing disc, C5S 3/16" (5mm) slicing disc, J2X 5/64" (2mm) grating disc and J7X 9/32" (7mm) grating disc</p> <p>WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 8 CuFt: 0.67</p> <p>Included Accessory</p> <p>650083 Slicing Disc 5/64" (2mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT)) 1</p> <p>650086 Slicing Disc 3/16" (5mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT)) 1</p> <p>653773 Grating Disc 5/64" (2mm) 1</p> <p>653776 Grating Disc 9/32" (7mm) 1</p>	<p>650178 SD4CJX</p>	<p>\$ 1,339</p>	
<p>Gastronomy Pack, Stainless Steel Disc Set containing one each of: C2S 5/64" (2mm) slicing disc, C5S 3/16" (5mm) slicing disc, J2X 5/64" (2mm) grating disc, AS4X 5/32"x5/32" (4x4mm) shredding disc, C10PS 3/8" (10mm) presser/slicer, MT10T 3/8"x3/8" (10x10mm) dicing grid</p> <p>WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 13 CuFt: 1.12</p> <p>Included Accessory</p> <p>650077 Julienne Disc 5/32" (4mm) 1</p> <p>650083 Slicing Disc 5/64" (2mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT)) 1</p> <p>650086 Slicing Disc 3/16" (5mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT)) 1</p> <p>650160 Slicing Disc 3/8" (10mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT)) 1</p> <p>653568 Dicing Grid 3/8" x 3/8" (10 x 10mm) (can be combined with Slicing Discs [C] and Wavy Slicing Discs (CW)) 1</p> <p>653773 Grating Disc 5/64" (2mm) 1</p>	<p>650093 SCREQXX</p>	<p>\$ 2,102</p>	

▶▶

Combination Vegetable Slicers and Food Processors

◀◀ (Cutting discs for TRK 45/55/70)







Description	Code	USD	
<p>Set of 7 Stainless Steel Discs containing one each of: C2S 5/64" (2mm) slicing disc, C5S 3/16" (5mm) slicing disc, J2X 5/64" (2mm), J7X 9/32" (7mm) grating disc, AS4X 5/32"x5/32" (4x4mm) shredding disc, C10PSB 3/8" (10mm) presser/slicer, MT10T 3/8"x3/8 (10x10mm) dicing grid</p> <p>WxDxH 8 1/16"x 8 1/16"x 1 3/8"</p> <p>Shipping weight lbs: 13 CuFt: 1.12</p> <p>Included Accessory</p> <p>650077 Julienne Disc 5/32" (4mm) 1</p> <p>650083 Slicing Disc 5/64" (2mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT)) 1</p> <p>650086 Slicing Disc 3/16" (5mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT)) 1</p> <p>650164 Wavy Slicing Disc 3/8" (10mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT)) 1</p> <p>653568 Dicing Grid 3/8" x 3/8" (10 x 10mm) (can be combined with Slicing Discs [C] and Wavy Slicing Discs (CW)) 1</p> <p>653773 Grating Disc 5/64" (2mm) 1</p> <p>653776 Grating Disc 9/32" (7mm) 1</p>	<p>650179 SD7CJASMTX</p>	<p>\$ 2,419</p>	
<p>Grating Disc 5/64" (2mm)</p> <p>WxDxH 7 7/8"x 7 7/8"x 1 9/16"</p> <p>Shipping weight lbs: 1 CuFt: 0.12</p>	<p>653773 J2X</p>	<p>\$ 355</p>	
<p>Grating Disc 1/8" (3mm)</p> <p>WxDxH 7 7/8"x 7 7/8"x 1 9/16"</p> <p>Shipping weight lbs: 2 CuFt: 0.12</p>	<p>653774 J3X</p>	<p>\$ 355</p>	
<p>Grating Disc 5/32" (4mm)</p> <p>WxDxH 7 7/8"x 7 7/8"x 1 9/16"</p> <p>Shipping weight lbs: 1 CuFt: 0.12</p>	<p>653775 J4X</p>	<p>\$ 355</p>	

▶▶

Food Preparation

Combination Vegetable Slicers and Food Processors

◀◀ (Cutting discs for TRK 45/55/70)







Description	Code	USD	
Grating Disc 9/32" (7mm) WxDxH 7 7/8"x 7 7/8"x 1 9/16" Shipping weight lbs: 2 CuFt: 0.12	653776 J7X	\$ 355	
Grating Disc 11/32" (9mm) WxDxH 7 7/8"x 7 7/8"x 1 9/16" Shipping weight lbs: 1 CuFt: 0.08	653777 J9X	\$ 355	
Grating Disc for breadcrumbs/potatoes WxDxH 7 7/8"x 7 7/8"x 1 9/16" Shipping weight lbs: 1 CuFt: 0.12	653778 KX	\$ 355	
Grating Disc for parmesan/chocolate WxDxH 7 7/8"x 7 7/8"x 1 3/16" Shipping weight lbs: 2 CuFt: 0.12	653779 PX	\$ 355	
Julienne Disc 5/64" (2mm) WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 2 CuFt: 0.12	650166 AS2XX	\$ 439	
Julienne Disc 5/64" x 5/16" (2 x 8mm) WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 2 CuFt: 0.12	650158 AS2X8X	\$ 439	

▶▶

Food Preparation

Combination Vegetable Slicers and Food Processors

◀◀ (Cutting discs for TRK 45/55/70)







Description	Code	USD	
Julienne Disc 5/64" x 3/8" (2 x 10mm) WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 2 CuFt: 0.12	650159 AS2X10X	\$ 439	
Julienne Disc 1/8" (3mm) WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 2 CuFt: 0.12	650167 AS3XX	\$ 439	
Julienne Disc 5/32" (4mm) WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 2 CuFt: 0.12	650077 AS4XX	\$ 439	
Julienne Disc 1/4" (6mm) WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 2 CuFt: 0.12	650078 AS6XX	\$ 439	
Julienne Disc 5/16" (8mm) WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 2 CuFt: 0.12	650079 AS8XX	\$ 439	
Julienne Disc 3/8" (10mm) WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 2 CuFt: 0.12	650080 AS10XX	\$ 439	

▶▶

Food Preparation

Combination Vegetable Slicers and Food Processors







◀◀ (Cutting discs for TRK 45/55/70)

Description	Code	USD	
<p>Slicing Disc 0.6mm (can be combined with Dicing Grids (MT) and Grids for Chips (FT))</p> <p>WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 2 CuFt: 0.12</p>	<p>650081 C06SX</p>	<p>\$ 355</p>	
<p>Slicing Disc 1/32" (1mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT))</p> <p>WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 2 CuFt: 0.12</p>	<p>650082 C1SX</p>	<p>\$ 355</p>	
<p>Slicing Disc 5/64" (2mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT))</p> <p>WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 2 CuFt: 0.12</p>	<p>650083 C2SX</p>	<p>\$ 355</p>	
<p>Slicing Disc 1/8" (3mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT))</p> <p>WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 2 CuFt: 0.12</p>	<p>650084 C3SX</p>	<p>\$ 355</p>	
<p>Slicing Disc 5/32" (4mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT))</p> <p>WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 2 CuFt: 0.12</p>	<p>650085 C4SX</p>	<p>\$ 355</p>	
<p>Slicing Disc 3/16" (5mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT))</p> <p>WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 2 CuFt: 0.12</p>	<p>650086 C5SX</p>	<p>\$ 355</p>	



Combination Vegetable Slicers and Food Processors

◀◀ (Cutting discs for TRK 45/55/70)

Description	Code	USD	
Slicing Disc 1/4" (6mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT)) WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 2 CuFt: 0.12	650087 C6SX	\$ 355	
Slicing Disc 5/16" (8mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT)) WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 2 CuFt: 0.12	650088 C8SX	\$ 355	
Slicing Disc 3/8" (10mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT)) WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 2 CuFt: 0.12	650160 C10SX	\$ 355	
Slicing Disc 15/32" (12mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT)) WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 2 CuFt: 0.12	650161 C12SX	\$ 355	
Slicing Disc 33/64" (13mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT)) WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 2 CuFt: 0.12	650165 C13SX	\$ 355	
Wavy Slicing Disc 5/64" (2mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT)) WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 2 CuFt: 0.12	650089 C2WX	\$ 355	

▶▶

Food Preparation

Combination Vegetable Slicers and Food Processors

◀◀ (Cutting discs for TRK 45/55/70)







Description	Code	USD	
<p>Wavy Slicing Disc 1/8" (3mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT))</p> <p>WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 2 CuFt: 0.12</p>	<p>650090 C3WX</p>	<p>\$ 355</p>	
<p>Wavy Slicing Disc 1/4" (6mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT))</p> <p>WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 2 CuFt: 0.12</p>	<p>650091 C6WX</p>	<p>\$ 355</p>	
<p>Wavy Slicing Disc 5/16" (8mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT))</p> <p>WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 2 CuFt: 0.12</p>	<p>650162 C8WX</p>	<p>\$ 355</p>	
<p>Wavy Slicing Disc 3/8" (10mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT))</p> <p>WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 2 CuFt: 0.12</p>	<p>650164 C10WX</p>	<p>\$ 355</p>	
<p>Specialty aluminum slicing disc for tomato and onions 8 mm</p> <p>WxDxH 8 1/16"x 8 1/16"x 1 5/16" Shipping weight lbs: 2 CuFt: 0.08</p>	<p>650116 C8</p>	<p>\$ 355</p>	
<p>Specialty aluminum slicing disc for tomato and onions 8 mm 10 mm</p> <p>WxDxH 8 1/16"x 8 1/16"x 1 5/16" Shipping weight lbs: 2 CuFt: 0.08</p>	<p>650115 C10</p>	<p>\$ 355</p>	

▶▶

Food Preparation

Combination Vegetable Slicers and Food Processors

◀◀ (Cutting discs for TRK 45/55/70)

Description	Code	USD	
Dicing Grid 3/16" x 3/16" (5 x 5mm) (can be combined with Slicing Discs [C] and Wavy Slicing Discs (CW)) WxDxH 8 1/4"x 9 "x 0 7/8" Shipping weight lbs: 2 CuFt: 0.12	653566 MT05T	\$ 355	
Dicing Grid 5/16" x 5/16" (8 x 8mm) (can be combined with Slicing Discs [C] and Wavy Slicing Discs (CW)) WxDxH 8 1/4"x 9 "x 0 7/8" Shipping weight lbs: 1 CuFt: 0.12	653567 MT08T	\$ 355	
Dicing Grid 3/8" x 3/8" (10 x 10mm) (can be combined with Slicing Discs [C] and Wavy Slicing Discs (CW)) WxDxH 8 1/4"x 9 "x 0 7/8" Shipping weight lbs: 1 CuFt: 0.12	653568 MT10T	\$ 355	
Dicing Grid 15/32" x 15/32" (12 x 12mm) (can be combined with Slicing Discs [C] and Wavy Slicing Discs (CW)) WxDxH 8 1/4"x 9 "x 0 7/8" Shipping weight lbs: 2 CuFt: 0.12	653569 MT12T	\$ 355	
Dicing Grid 25/32" x 25/32" (20 x 20mm) (can be combined with Slicing Discs [C] and Wavy Slicing Discs (CW)) WxDxH 8 1/4"x 9 "x 0 7/8" Shipping weight lbs: 2 CuFt: 0.12	653570 MT20T	\$ 355	
Grid for Chips 1/4" (6mm) (can be combined with Slicing Discs [C] and Wavy Slicing Discs (CW)) WxDxH 8 1/4"x 9 "x 0 7/8" Shipping weight lbs: 2 CuFt: 0.12	653571 FT06	\$ 355	

▶▶

Food Preparation

Combination Vegetable Slicers and Food Processors

◀◀ (Cutting discs for TRK 45/55/70)

Description	Code	USD	
<p>Grid for Chips 5/16" (8mm) (can be combined with Slicing Discs [C] and Wavy Slicing Discs (CW))</p> <p>WxDxH 8 1/4"x 9 "x 0 7/8"</p> <p>Shipping weight lbs: 1 CuFt: 0.12</p>	<p>653572 FT08</p>	<p>\$ 355</p>	
<p>Grid for Chips 3/8" (10mm) (can be combined with Slicing Discs [C] and Wavy Slicing Discs (CW))</p> <p>WxDxH 8 1/4"x 9 "x 0 7/8"</p> <p>Shipping weight lbs: 2 CuFt: 0.12</p>	<p>653573 FT10</p>	<p>\$ 355</p>	
<p>Storage Case for one MultiGreen/MightyGreen/TRS/TRK disc</p> <p>WxDxH 1 3/4"x 9 1/16"x 8 1/4"</p> <p>Shipping weight lbs: 2 CuFt: 0.12</p>	<p>653050 SBPL</p>	<p>\$ 38</p>	
<p>Cleaning tool for TRS, TRK & TR210 3/16"-5/16"-3/8 " (5-8-10 mm) dicing grids</p> <p>WxDxH 5 11/16"x 5 11/16"x 1 "</p> <p>CuFt: 0.08</p>	<p>650110 GRID</p>	<p>\$ 85</p>	


TrinityPro Vegetable Slicer

Description	Code	USD
Vegetable Slicer with 2 discs included (slicer 5/32", grater 5/64"), 1800 rpm, USA plug 1 electric kW 115 V 1N 60 Hz WxDxH 13 11/16"x 12 3/8"x 20 3/4" Shipping weight lbs: 43 CuFt: 3.72 Included Accessory 650198 1 650232 1 650237 1	602149 VGSUS	\$ 2,573



Accessories for TrinityPro Vegetable Slicer

Description	Code	USD
Kit including 3 discs (slicer 2mm, slicer 5mm, grater 3mm) WxDxH 6 7/8"x 6 7/8"x 2 " Shipping weight lbs: 2 Included Accessory 650199 1 650214 1 650216 1	650196 SET3	\$ 418
Kit including 6 discs (slicer 2mm, slicer 5mm, grater 3mm, grater 7mm, slicer 10mm, grid 10x10mm) WxDxH 6 7/8"x 6 7/8"x 2 " Shipping weight lbs: -1 CuFt: -1 Included Accessory 650199 1 650207 1 650214 1 650216 1 650221 1 650223 1	650197 SET6	\$ 1,102
Stainless steel grating disc 2 mm (dia. 175mm) WxDxH 6 7/8"x 6 7/8"x 2 " CuFt: 0.05	650198 J172	\$ 143



Food Preparation

Vegetable Slicers and Manual Slicers

◀◀ (Accessories for TrinityPro Vegetable Slicer)

Description	Code	USD	
Stainless steel grating disc 3 mm (dia. 175mm) WxDxH 6 7/8"x 6 7/8"x 2 " CuFt: 0.05	650199 J173	\$ 143	
Stainless steel grating disc 4 mm (dia. 175mm) WxDxH 6 7/8"x 6 7/8"x 2 " CuFt: 0.05	650205 J174	\$ 143	
Stainless steel grating disc 7 mm (dia. 175mm) WxDxH 6 7/8"x 6 7/8"x 2 " CuFt: 0.05	650207 J177	\$ 143	
Parmesan Disc WxDxH 6 7/8"x 6 7/8"x 2 " CuFt: 0.05	650208 J17P	\$ 167	
Stainless steel shredding disc 2 mm (dia. 175mm) WxDxH 6 7/8"x 6 7/8"x 1 9/16" Shipping weight lbs: 1 CuFt: 0.04	650209 AS172	\$ 167	
Stainless steel shredding disc 4 mm (dia. 175mm) WxDxH 6 7/8"x 6 7/8"x 1 9/16" Shipping weight lbs: 1 CuFt: 0.04	650210 AS174	\$ 167	



◀◀ (Accessories for TrinityPro Vegetable Slicer)

Description	Code	USD	
Stainless steel shredding disc 8 mm for French fries (dia. 175mm) WxDxH 6 7/8"x 6 7/8"x 1 9/16" Shipping weight lbs: 1 CuFt: 0.04	650211 AS178	\$ 167	
Stainless steel slicing disc 1 mm (dia. 175mm) WxDxH 6 7/8"x 6 7/8"x 1 3/16" Shipping weight lbs: 1 CuFt: 0.03	650213 C17X1	\$ 143	
Stainless steel slicing disc 2 mm (dia. 175mm) WxDxH 6 7/8"x 6 7/8"x 1 3/16" Shipping weight lbs: 1 CuFt: 0.03	650214 C17X2	\$ 143	
Stainless steel slicing disc 3 mm (dia. 175mm) WxDxH 6 7/8"x 6 7/8"x 1 3/16" Shipping weight lbs: 1 CuFt: 0.03	650215 C17X3	\$ 143	
Stainless steel slicing disc 4 mm (dia. 175mm) WxDxH 6 7/8"x 6 7/8"x 1 3/16" Shipping weight lbs: 1 CuFt: 0.03	650237 C17X4	\$ 143	
Stainless steel slicing disc 5 mm (dia. 175mm) WxDxH 6 7/8"x 6 7/8"x 1 3/16" Shipping weight lbs: 1 CuFt: 0.03	650216 C17X5	\$ 143	

▶▶

Food Preparation




Vegetable Slicers and Manual Slicers

◀◀ (Accessories for TrinityPro Vegetable Slicer)

Description	Code	USD	
Stainless steel slicing disc 6 mm (dia. 175mm) WxDxH 6 7/8"x 6 7/8"x 1 3/16" Shipping weight lbs: 1 CuFt: 0.03	650217 C17X6	\$ 143	
Stainless steel wavy slicing disc 3 mm (dia. 175mm) WxDxH 6 7/8"x 6 7/8"x 1 3/16" Shipping weight lbs: 1 CuFt: 0.03	650218 C17XW3	\$ 143	
Stainless steel wavy slicing disc 5 mm (dia. 175mm) WxDxH 6 7/8"x 6 7/8"x 1 3/16" Shipping weight lbs: 1 CuFt: 0.03	650219 C17XW5	\$ 143	
Aluminum slicing disc 8 mm (dia. 175mm) WxDxH 6 7/8"x 6 7/8"x 1 7/16" Shipping weight lbs: 1 CuFt: 0.04	650220 C178	\$ 328	
Aluminum slicing disc 10 mm (dia. 175mm) WxDxH 6 7/8"x 6 7/8"x 1 7/16" Shipping weight lbs: 1 CuFt: 0.04	650221 C1710	\$ 328	
Dicing grid 8x8 (dia 175mm) WxDxH 7 9/16"x 8 11/16"x 1 " Shipping weight lbs: 2	650222 MT08	\$ 297	

▶▶

◀◀ (Accessories for TrinityPro Vegetable Slicer)

Description	Code	USD	
<p>Dicing grid 10x10 (dia 175mm)</p> <p>WxDxH 7 9/16"x 8 11/16"x 1 "</p> <p>Shipping weight lbs: 2</p>	<p>650223</p> <p>MT10</p>	<p>\$ 297</p>	
<p>Dicing kit 8mm (aluminum slicer 8mm, grid 8x8mm) (dia. 175mm)</p> <p>WxDxH 8 3/8"x 9 7/16"x 2 3/8"</p> <p>Shipping weight lbs: -1 CuFt: -1</p> <p>Included Accessory</p> <p>650220 1</p> <p>650222 1</p>	<p>650224</p> <p>DC8</p>	<p>\$ 595</p>	
<p>Dicing kit 10mm (aluminum slicer 10mm, grid 10x10 mm) (dia. 175mm)</p> <p>WxDxH 8 3/8"x 9 7/16"x 2 3/8"</p> <p>Shipping weight lbs: -1 CuFt: -1</p> <p>Included Accessory</p> <p>650221 1</p> <p>650223 1</p>	<p>650225</p> <p>DC10</p>	<p>\$ 595</p>	
<p>Ejector for Vegetable Slicer</p> <p>WxDxH 7 3/8"x 7 3/8"x 1 7/16"</p> <p>Shipping weight lbs: 2</p>	<p>650232</p> <p>EJEVS</p>	<p>\$ 64</p>	
<p>Cleaning tool for TRS, TRK & TR210 3/16"-5/16"-3/8 " (5-8-10 mm) dicing grids</p> <p>WxDxH 5 11/16"x 5 11/16"x 1 "</p> <p>CuFt: 0.08</p>	<p>650110</p> <p>GRID</p>	<p>\$ 85</p>	
<p>Storage Case for one MultiGreen/MightyGreen/TRS/TRK disc</p> <p>WxDxH 1 3/4"x 9 1/16"x 8 1/4"</p> <p>Shipping weight lbs: 2 CuFt: 0.12</p>	<p>653050</p> <p>SBPL</p>	<p>\$ 38</p>	

Food Preparation

Vegetable Slicers and Manual Slicers

TRS - 1 speed

Description	Code	USD
<p>TRS Vegetable Cutter, heavy duty, single speed (400 RPM), designed for high volume dicing requirements, stainless steel hopper and lever, rear handle, removable cutting chamber and ejector plate. Metal motor housing. 370W, 1/2 HP, discs NOT included</p> <p>0.37 electric kW 100-120 V 1N 60 Hz WxDxH 9 15/16"x 19 11/16"x 20 1/4" Shipping weight lbs: 55 CuFt: 4.47</p> <p>Included Accessory 653772 TRS & TRK ejector plate 1</p>	<p>600474 TRS22YU</p>	<p>\$ 3,845</p>
<p>Vegetable Slicer - 1 Speed - 750W - 100 - 120V/1p-h/60Hz</p> <p>0.75 electric kW 100-120 V 1N 60 Hz WxDxH 9 15/16"x 19 11/16"x 20 1/4" Shipping weight lbs: 60 CuFt: 4.47</p> <p>Included Accessory 653772 TRS & TRK ejector plate 1</p>	<p>600476 TRS24YU</p>	<p>\$ 4,366</p>



Accessories for TRS

Description	Code	USD
<p>TRS & TRK ejector plate</p> <p>WxDxH 7 9/16"x 7 9/16"x 1 1/4" CuFt: 0.04</p>	<p>653772 EJTRS</p>	<p>\$ 84</p>





Accessories for TR210

Description	Code	USD
<p>TRS & TRK ejector plate</p> <p>WxDxH 7 9/16"x 7 9/16"x 1 1/4" CuFt: 0.04</p>	<p>653772 EJTRS</p>	<p>\$ 84</p>



Cutting discs for TRS



Description	Code	USD	
<p>Bistrot Pack, Stainless Steel Disc Set containing one each of: C2S 5/64" (2mm) slicing disc, C5S 3/16" (5mm) slicing disc, J2X 5/64" (2mm) grating disc</p> <p>WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 7 CuFt: 0.64</p> <p>Included Accessory</p> <p>650083 Slicing Disc 5/64" (2mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT)) 1</p> <p>650086 Slicing Disc 3/16" (5mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT)) 1</p> <p>653773 Grating Disc 5/64" (2mm) 1</p>	<p>650092 SCEQXX</p>	<p>\$ 1,009</p>	
<p>Set of 4 Stainless Steel Discs containing one each of: C2S 5/64" (2mm) slicing disc, C5S 3/16" (5mm) slicing disc, J2X 5/64" (2mm) grating disc and J7X 9/32" (7mm) grating disc</p> <p>WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 8 CuFt: 0.67</p> <p>Included Accessory</p> <p>650083 Slicing Disc 5/64" (2mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT)) 1</p> <p>650086 Slicing Disc 3/16" (5mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT)) 1</p> <p>653773 Grating Disc 5/64" (2mm) 1</p> <p>653776 Grating Disc 9/32" (7mm) 1</p>	<p>650178 SD4CJX</p>	<p>\$ 1,339</p>	



Food Preparation







Vegetable Slicers and Manual Slicers

◀◀ (Cutting discs for TRS)

Description	Code	USD	
<p>Gastronomy Pack, Stainless Steel Disc Set containing one each of: C2S 5/64" (2mm) slicing disc, C5S 3/16" (5mm) slicing disc, J2X 5/64" (2mm) grating disc, AS4X 5/32"x5/32" (4x4mm) shredding disc, C10PS 3/8" (10mm) presser/slicer, MT10T 3/8"x3/8" (10x10mm) dicing grid</p> <p>WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 13 CuFt: 1.12</p> <p>Included Accessory</p> <p>650077 Julienne Disc 5/32" (4mm) 1 650083 Slicing Disc 5/64" (2mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT)) 1 650086 Slicing Disc 3/16" (5mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT)) 1 650160 Slicing Disc 3/8" (10mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT)) 1 653568 Dicing Grid 3/8" x 3/8" (10 x 10mm) (can be combined with Slicing Discs [C] and Wavy Slicing Discs (CW)) 1 653773 Grating Disc 5/64" (2mm) 1</p>	<p>650093 SCREQXX</p>	<p>\$ 2,102</p>	
<p>Set of 7 Stainless Steel Discs containing one each of: C2S 5/64" (2mm) slicing disc, C5S 3/16" (5mm) slicing disc, J2X 5/64" (2mm), J7X 9/32" (7mm) grating disc, AS4X 5/32"x5/32" (4x4mm) shredding disc, C10PSB 3/8" (10mm) presser/slicer, MT10T 3/8"x3/8" (10x10mm) dicing grid</p> <p>WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 13 CuFt: 1.12</p> <p>Included Accessory</p> <p>650077 Julienne Disc 5/32" (4mm) 1 650083 Slicing Disc 5/64" (2mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT)) 1 650086 Slicing Disc 3/16" (5mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT)) 1 650164 Wavy Slicing Disc 3/8" (10mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT)) 1 653568 Dicing Grid 3/8" x 3/8" (10 x 10mm) (can be combined with Slicing Discs [C] and Wavy Slicing Discs (CW)) 1 653773 Grating Disc 5/64" (2mm) 1 653776 Grating Disc 9/32" (7mm) 1</p>	<p>650179 SD7CJASMTX</p>	<p>\$ 2,419</p>	

▶▶

◀◀ (Cutting discs for TRS)







Description	Code	USD	
Grating Disc 5/64" (2mm) WxDxH 7 7/8"x 7 7/8"x 1 9/16" Shipping weight lbs: 1 CuFt: 0.12	653773 J2X	\$ 355	
Grating Disc 1/8" (3mm) WxDxH 7 7/8"x 7 7/8"x 1 9/16" Shipping weight lbs: 2 CuFt: 0.12	653774 J3X	\$ 355	
Grating Disc 5/32" (4mm) WxDxH 7 7/8"x 7 7/8"x 1 9/16" Shipping weight lbs: 1 CuFt: 0.12	653775 J4X	\$ 355	
Grating Disc 9/32" (7mm) WxDxH 7 7/8"x 7 7/8"x 1 9/16" Shipping weight lbs: 2 CuFt: 0.12	653776 J7X	\$ 355	
Grating Disc 11/32" (9mm) WxDxH 7 7/8"x 7 7/8"x 1 9/16" Shipping weight lbs: 1 CuFt: 0.08	653777 J9X	\$ 355	
Grating Disc for breadcrumbs/potatoes WxDxH 7 7/8"x 7 7/8"x 1 9/16" Shipping weight lbs: 1 CuFt: 0.12	653778 KX	\$ 355	

▶▶

Food Preparation







Vegetable Slicers and Manual Slicers

◀◀ (Cutting discs for TRS)

Description	Code	USD	
Grating Disc for parmesan/chocolate WxDxH 7 7/8"x 7 7/8"x 1 3/16" Shipping weight lbs: 2 CuFt: 0.12	653779 PX	\$ 355	
Julienne Disc 5/64" (2mm) WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 2 CuFt: 0.12	650166 AS2XX	\$ 439	
Julienne Disc 5/64" x 5/16" (2 x 8mm) WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 2 CuFt: 0.12	650158 AS2X8X	\$ 439	
Julienne Disc 5/64" x 3/8" (2 x 10mm) WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 2 CuFt: 0.12	650159 AS2X10X	\$ 439	
Julienne Disc 1/8" (3mm) WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 2 CuFt: 0.12	650167 AS3XX	\$ 439	
Julienne Disc 5/32" (4mm) WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 2 CuFt: 0.12	650077 AS4XX	\$ 439	

▶▶

◀◀ (Cutting discs for TRS)







Description	Code	USD	
<p>Julienne Disc 1/4" (6mm)</p> <p>WxDxH 8 1/16"x 8 1/16"x 1 3/8"</p> <p>Shipping weight lbs: 2 CuFt: 0.12</p>	<p>650078</p> <p>AS6XX</p>	<p>\$ 439</p>	
<p>Julienne Disc 5/16" (8mm)</p> <p>WxDxH 8 1/16"x 8 1/16"x 1 3/8"</p> <p>Shipping weight lbs: 2 CuFt: 0.12</p>	<p>650079</p> <p>AS8XX</p>	<p>\$ 439</p>	
<p>Julienne Disc 3/8" (10mm)</p> <p>WxDxH 8 1/16"x 8 1/16"x 1 3/8"</p> <p>Shipping weight lbs: 2 CuFt: 0.12</p>	<p>650080</p> <p>AS10XX</p>	<p>\$ 439</p>	
<p>Slicing Disc 0.6mm (can be combined with Dicing Grids (MT) and Grids for Chips (FT))</p> <p>WxDxH 8 1/16"x 8 1/16"x 1 3/8"</p> <p>Shipping weight lbs: 2 CuFt: 0.12</p>	<p>650081</p> <p>C06SX</p>	<p>\$ 355</p>	
<p>Slicing Disc 1/32" (1mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT))</p> <p>WxDxH 8 1/16"x 8 1/16"x 1 3/8"</p> <p>Shipping weight lbs: 2 CuFt: 0.12</p>	<p>650082</p> <p>C1SX</p>	<p>\$ 355</p>	
<p>Slicing Disc 5/64" (2mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT))</p> <p>WxDxH 8 1/16"x 8 1/16"x 1 3/8"</p> <p>Shipping weight lbs: 2 CuFt: 0.12</p>	<p>650083</p> <p>C2SX</p>	<p>\$ 355</p>	

▶▶

Food Preparation

Vegetable Slicers and Manual Slicers

◀◀ (Cutting discs for TRS)

Description	Code	USD	
<p>Slicing Disc 1/8" (3mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT))</p> <p>WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 2 CuFt: 0.12</p>	<p>650084 C3SX</p>	<p>\$ 355</p>	
<p>Slicing Disc 5/32" (4mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT))</p> <p>WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 2 CuFt: 0.12</p>	<p>650085 C4SX</p>	<p>\$ 355</p>	
<p>Slicing Disc 3/16" (5mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT))</p> <p>WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 2 CuFt: 0.12</p>	<p>650086 C5SX</p>	<p>\$ 355</p>	
<p>Slicing Disc 1/4" (6mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT))</p> <p>WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 2 CuFt: 0.12</p>	<p>650087 C6SX</p>	<p>\$ 355</p>	
<p>Slicing Disc 5/16" (8mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT))</p> <p>WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 2 CuFt: 0.12</p>	<p>650088 C8SX</p>	<p>\$ 355</p>	
<p>Slicing Disc 3/8" (10mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT))</p> <p>WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 2 CuFt: 0.12</p>	<p>650160 C10SX</p>	<p>\$ 355</p>	

▶▶

◀◀ (Cutting discs for TRS)







Description	Code	USD	
<p>Slicing Disc 15/32" (12mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT))</p> <p>WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 2 CuFt: 0.12</p>	<p>650161 C12SX</p>	<p>\$ 355</p>	
<p>Slicing Disc 33/64" (13mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT))</p> <p>WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 2 CuFt: 0.12</p>	<p>650165 C13SX</p>	<p>\$ 355</p>	
<p>Wavy Slicing Disc 5/64" (2mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT))</p> <p>WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 2 CuFt: 0.12</p>	<p>650089 C2WX</p>	<p>\$ 355</p>	
<p>Wavy Slicing Disc 1/8" (3mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT))</p> <p>WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 2 CuFt: 0.12</p>	<p>650090 C3WX</p>	<p>\$ 355</p>	
<p>Wavy Slicing Disc 1/4" (6mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT))</p> <p>WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 2 CuFt: 0.12</p>	<p>650091 C6WX</p>	<p>\$ 355</p>	
<p>Wavy Slicing Disc 5/16" (8mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT))</p> <p>WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 2 CuFt: 0.12</p>	<p>650162 C8WX</p>	<p>\$ 355</p>	

▶▶

Food Preparation







Vegetable Slicers and Manual Slicers

◀◀ (Cutting discs for TRS)

Description	Code	USD	
<p>Wavy Slicing Disc 3/8" (10mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT))</p> <p>WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 2 CuFt: 0.12</p>	<p>650164 C10WX</p>	<p>\$ 355</p>	
<p>Specialty aluminum slicing disc for tomato and onions 8 mm</p> <p>WxDxH 8 1/16"x 8 1/16"x 1 5/16" Shipping weight lbs: 2 CuFt: 0.08</p>	<p>650116 C8</p>	<p>\$ 355</p>	
<p>Specialty aluminum slicing disc for tomato and onions 8 mm 10 mm</p> <p>WxDxH 8 1/16"x 8 1/16"x 1 5/16" Shipping weight lbs: 2 CuFt: 0.08</p>	<p>650115 C10</p>	<p>\$ 355</p>	
<p>Dicing Grid 3/16" x 3/16" (5 x 5mm) (can be combined with Slicing Discs [C] and Wavy Slicing Discs (CW))</p> <p>WxDxH 8 1/4"x 9 "x 0 7/8" Shipping weight lbs: 2 CuFt: 0.12</p>	<p>653566 MT05T</p>	<p>\$ 355</p>	
<p>Dicing Grid 5/16" x 5/16" (8 x 8mm) (can be combined with Slicing Discs [C] and Wavy Slicing Discs (CW))</p> <p>WxDxH 8 1/4"x 9 "x 0 7/8" Shipping weight lbs: 1 CuFt: 0.12</p>	<p>653567 MT08T</p>	<p>\$ 355</p>	
<p>Dicing Grid 3/8" x 3/8" (10 x 10mm) (can be combined with Slicing Discs [C] and Wavy Slicing Discs (CW))</p> <p>WxDxH 8 1/4"x 9 "x 0 7/8" Shipping weight lbs: 1 CuFt: 0.12</p>	<p>653568 MT10T</p>	<p>\$ 355</p>	

▶▶

◀◀ (Cutting discs for TRS)

Description	Code	USD	
Dicing Grid 15/32" x 15/32" (12 x 12mm) (can be combined with Slicing Discs [C] and Wavy Slicing Discs (CW)) WxDxH 8 1/4"x 9 "x 0 7/8" Shipping weight lbs: 2 CuFt: 0.12	653569 MT12T	\$ 355	
Dicing Grid 25/32" x 25/32" (20 x 20mm) (can be combined with Slicing Discs [C] and Wavy Slicing Discs (CW)) WxDxH 8 1/4"x 9 "x 0 7/8" Shipping weight lbs: 2 CuFt: 0.12	653570 MT20T	\$ 355	
Grid for Chips 1/4" (6mm) (can be combined with Slicing Discs [C] and Wavy Slicing Discs (CW)) WxDxH 8 1/4"x 9 "x 0 7/8" Shipping weight lbs: 2 CuFt: 0.12	653571 FT06	\$ 355	
Grid for Chips 5/16" (8mm) (can be combined with Slicing Discs [C] and Wavy Slicing Discs (CW)) WxDxH 8 1/4"x 9 "x 0 7/8" Shipping weight lbs: 1 CuFt: 0.12	653572 FT08	\$ 355	
Grid for Chips 3/8" (10mm) (can be combined with Slicing Discs [C] and Wavy Slicing Discs (CW)) WxDxH 8 1/4"x 9 "x 0 7/8" Shipping weight lbs: 2 CuFt: 0.12	653573 FT10	\$ 355	
Storage Case for one MultiGreen/MightyGreen/TRS/TRK disc WxDxH 1 3/4"x 9 1/16"x 8 1/4" Shipping weight lbs: 2 CuFt: 0.12	653050 SBPL	\$ 38	

▶▶

Food Preparation

Vegetable Slicers and Manual Slicers

◀◀ (Cutting discs for TRS)

Description	Code	USD
<p>Cleaning tool for TRS, TRK & TR210 3/16"-5/16"-3/8 " (5-8-10 mm) dicing grids</p> <p>WxDxH 5 11/16"x 5 11/16"x 1 "</p> <p>CuFt: 0.08</p>	<p>650110 GRID</p>	<p>\$ 85</p>



TR260

Description	Code	USD
<p>TR260 Vegetable Slicer - 2 Speed - lever hopper - 208V</p> <p>2 electric kW 208-240 V 3 60 Hz</p> <p>WxDxH 29 1/2"x 14 15/16"x 18 1/8"</p> <p>Shipping weight lbs: 146 CuFt: 16.95</p> <p>Included Accessory</p> <p>650036 Feed tray to be combined with cabbage hopper & long vegetable hopper 1</p> <p>653510 Lever feed hopper. 1</p>	<p>603286 TR260FH23U</p>	<p>\$ 15,815</p>



Accessories for TR260

Description	Code	USD
<p>Automatic hopper for TR260</p> <p>WxDxH 28 3/4"x 19 5/16"x 18 1/2"</p> <p>Shipping weight lbs: 51 CuFt: 8.52</p>	<p>653037 AH260</p>	<p>\$ 7,179</p>
<p>Cabbage hopper for TR260</p> <p>WxDxH 19 5/16"x 22 1/16"x 24 1/32"</p> <p>Shipping weight lbs: 42 CuFt: 6.13</p>	<p>653048 CABH260</p>	<p>\$ 7,605</p>



▶▶

◀◀ (Accessories for TR260)

Description	Code	USD	
<p>Feed tray to be combined with cabbage hopper & long vegetable hopper</p> <p>WxDxH 15 1/2"x 6 5/16"x 16 7/16"</p> <p>Shipping weight lbs: 12 CuFt: 1.85</p>	<p>650036 FED260</p>	<p>\$ 898</p>	
<p>Long vegetable accessory, for lever-operated hopper (to change the lever-operated hopper into long vegetable hopper)</p> <p>WxDxH 9 1/16"x 4 5/16"x 9 13/16"</p> <p>Shipping weight lbs: 12 CuFt: 0.76</p>	<p>653223 LVALH260</p>	<p>\$ 1,412</p>	
<p>Mobile stand, stainless steel</p> <p>WxDxH 17 1/2"x 20 11/16"x 27 3/16"</p> <p>Shipping weight lbs: 33 CuFt: 1.76</p>	<p>653017 MSX</p>	<p>\$ 1,901</p>	
<p>Blade rack, stainless steel</p> <p>WxDxH 7 7/8"x 13 3/4"x 7 7/8"</p> <p>Shipping weight lbs: 6 CuFt: 1.10</p>	<p>653212 DRX</p>	<p>\$ 700</p>	
<p>Julienne Disc Stainless Steel 5/64" (2mm)</p> <p>WxDxH 11 13/16"x 11 13/16"x 2 "</p> <p>Shipping weight lbs: 5 CuFt: 0.34</p>	<p>653195 A302</p>	<p>\$ 1,319</p>	
<p>Julienne Disc Stainless Steel 1/8" (3mm)</p> <p>WxDxH 11 13/16"x 11 13/16"x 2 "</p> <p>Shipping weight lbs: 7 CuFt: 0.33</p>	<p>653196 A303</p>	<p>\$ 1,319</p>	

▶▶



Food Preparation

Vegetable Slicers and Manual Slicers

◀◀ (Accessories for TR260)

Description	Code	USD	
<p>Julienne Disc Stainless Steel 5/32" (4mm)</p> <p>WxDxH 11 13/16"x 11 13/16"x 2 "</p> <p>Shipping weight lbs: 5 CuFt: 0.34</p>	<p>653197</p> <p>A304</p>	<p>\$ 1,319</p>	
<p>Julienne Disc Stainless Steel 1/4" (6mm)</p> <p>WxDxH 11 13/16"x 11 13/16"x 2 "</p> <p>Shipping weight lbs: 4 CuFt: 0.34</p>	<p>653198</p> <p>AF306</p>	<p>\$ 1,319</p>	
<p>Julienne Disc Stainless Steel 5/16" (8mm)</p> <p>WxDxH 11 13/16"x 11 13/16"x 2 "</p> <p>Shipping weight lbs: 7</p>	<p>653199</p> <p>AF308</p>	<p>\$ 1,319</p>	
<p>Julienne Disc Stainless Steel 3/8" (10mm)</p> <p>WxDxH 11 13/16"x 11 13/16"x 2 "</p> <p>Shipping weight lbs: 4 CuFt: 0.34</p>	<p>653200</p> <p>AF310</p>	<p>\$ 1,319</p>	

Dicing grids for TR260



Description	Code	USD	
<p>Dicing Grid Stainless Steel 3/8" (10mm)</p> <p>WxDxH 12 5/8"x 12 5/8"x 1 3/16"</p> <p>Shipping weight lbs: 4 CuFt: 0.79</p>	<p>653051</p> <p>MT310</p>	<p>\$ 1,862</p>	
<p>Dicing Grid Stainless Steel 15/32" (12mm)</p> <p>WxDxH 12 5/8"x 12 5/8"x 1 3/16"</p> <p>Shipping weight lbs: 4 CuFt: 0.24</p>	<p>653301</p> <p>MT312</p>	<p>\$ 1,862</p>	

▶▶

◀◀ (Dicing grids for TR260)

Description	Code	USD	
Dicing Grid Stainless Steel 5/8" (16mm) WxDxH 12 5/8"x 12 5/8"x 1 3/16" Shipping weight lbs: 3 CuFt: 0.25	653052 MT316	\$ 1,862	
Dicing Grid Stainless Steel 25/32" (20mm) WxDxH 12 5/8"x 12 5/8"x 1 3/16" Shipping weight lbs: 3 CuFt: 0.79	653053 MT320	\$ 1,862	
Dicing Grid Stainless Steel 31/32" (25mm) WxDxH 12 5/8"x 12 5/8"x 1 3/16" Shipping weight lbs: 3 CuFt: 0.79	653054 MT325	\$ 1,862	
Dicing Grid Stainless Steel 1 1/4" (32mm) WxDxH 12 5/8"x 12 5/8"x 1 3/16" Shipping weight lbs: 4 CuFt: 0.20	653055 MT332	\$ 1,862	

Cutting discs for cabbage for TR260



Description	Code	USD	
Cabbage slicing disc in stainless steel 1/32" (1mm) with Central Shaft for Core Removal (to be used with cabbage feed hopper) WxDxH 12 3/16"x 12 3/16"x 5 15/16" Shipping weight lbs: 7 CuFt: 1.22	653009 D601	\$ 1,319	
Cabbage slicing disc in stainless steel 5/64" (2mm) with Central Shaft for Core Removal (to be used with cabbage feed hopper) WxDxH 12 3/16"x 12 3/16"x 5 15/16" Shipping weight lbs: 7 CuFt: 0.91	653227 D602	\$ 1,319	

▶▶




Food Preparation

Vegetable Slicers and Manual Slicers

◀◀ (Cutting discs for cabbage for TR260)

Description	Code	USD	
<p>Cabbage slicing disc in stainless steel 1/8" (3mm) with Central Shaft for Core Removal (to be used with cabbage feed hopper)</p> <p>WxDxH 12 3/16"x 12 3/16"x 5 15/16" Shipping weight lbs: 7 CuFt: 1.22</p>	<p>653228 D603</p>	<p>\$ 1,319</p>	
<p>Grating Disc Stainless Steel 9/32" (7mm) for Cabbage with Central Shaft for Core Removal (to be used with cabbage feed hopper)</p> <p>WxDxH 11 13/16"x 11 13/16"x 1 9/16" Shipping weight lbs: 7</p>	<p>650157 DJ607N</p>	<p>\$ 1,319</p>	



Cutting discs for TR260

Description	Code	USD	
<p>Grating Disc Stainless Steel 5/64" (2mm)</p> <p>WxDxH 11 13/16"x 11 13/16"x 1 9/16" Shipping weight lbs: 4 CuFt: 0.68</p>	<p>650150 J302N</p>	<p>\$ 1,220</p>	
<p>Grating Disc Stainless Steel 1/8" (3mm)</p> <p>WxDxH 11 13/16"x 11 13/16"x 1 9/16" Shipping weight lbs: 4 CuFt: 0.68</p>	<p>650151 J303N</p>	<p>\$ 1,220</p>	
<p>Grating Disc Stainless Steel 5/32" (4mm)</p> <p>WxDxH 11 13/16"x 11 13/16"x 1 9/16" Shipping weight lbs: 4 CuFt: 0.56</p>	<p>650152 J304N</p>	<p>\$ 1,220</p>	
<p>Grating Disc Stainless Steel 9/32" (7mm)</p> <p>WxDxH 11 13/16"x 11 13/16"x 1 9/16" Shipping weight lbs: 4 CuFt: 0.68</p>	<p>650153 J307N</p>	<p>\$ 1,220</p>	

▶▶

◀◀ (Cutting discs for TR260)

Description	Code	USD
Grating Disc Stainless Steel 11/32" (9mm) WxDxH 11 13/16"x 11 13/16"x 1 9/16" Shipping weight lbs: 7 CuFt: 0.68	650154 J309N	\$ 1,220
Grating Disc Stainless Steel for Parmesan/Chocolate WxDxH 11 13/16"x 11 13/16"x 1 9/16" Shipping weight lbs: 7 CuFt: 0.68	650148 P300	\$ 1,220
Grating Disc Stainless Steel for Breadcrumbs/Potatoes WxDxH 11 13/16"x 11 13/16"x 1 9/16" Shipping weight lbs: 7 CuFt: 0.68	650149 K300	\$ 1,220
Julienne Disc Stainless Steel 5/64" (2mm) WxDxH 11 13/16"x 11 13/16"x 2 " Shipping weight lbs: 5 CuFt: 0.34	653195 A302	\$ 1,319
Julienne Disc Stainless Steel 1/8" (3mm) WxDxH 11 13/16"x 11 13/16"x 2 " Shipping weight lbs: 7 CuFt: 0.33	653196 A303	\$ 1,319
Julienne Disc Stainless Steel 5/32" (4mm) WxDxH 11 13/16"x 11 13/16"x 2 " Shipping weight lbs: 5 CuFt: 0.34	653197 A304	\$ 1,319





▶▶

Food Preparation

Vegetable Slicers and Manual Slicers

◀◀ (Cutting discs for TR260)

Description	Code	USD	
<p>Julienne Disc Stainless Steel 1/4" (6mm)</p> <p>WxDxH 11 13/16"x 11 13/16"x 2 "</p> <p>Shipping weight lbs: 4 CuFt: 0.34</p>	<p>653198</p> <p>AF306</p>	<p>\$ 1,319</p>	
<p>Julienne Disc Stainless Steel 5/16" (8mm)</p> <p>WxDxH 11 13/16"x 11 13/16"x 2 "</p> <p>Shipping weight lbs: 7</p>	<p>653199</p> <p>AF308</p>	<p>\$ 1,319</p>	
<p>Julienne Disc Stainless Steel 3/8" (10mm)</p> <p>WxDxH 11 13/16"x 11 13/16"x 2 "</p> <p>Shipping weight lbs: 4 CuFt: 0.34</p>	<p>653200</p> <p>AF310</p>	<p>\$ 1,319</p>	
<p>Slicing Disc Stainless Steel 1/32" (1mm)</p> <p>WxDxH 11 13/16"x 11 13/16"x 1 9/16"</p> <p>Shipping weight lbs: 7 CuFt: 0.68</p>	<p>653188</p> <p>C301</p>	<p>\$ 1,220</p>	
<p>Slicing Disc Stainless Steel 5/64" (2mm)</p> <p>WxDxH 11 13/16"x 11 13/16"x 2 "</p> <p>Shipping weight lbs: 7</p>	<p>653172</p> <p>C302</p>	<p>\$ 1,220</p>	
<p>Slicing Disc Stainless Steel 1/8" (3mm)</p> <p>WxDxH 11 13/16"x 11 13/16"x 2 "</p> <p>Shipping weight lbs: 7 CuFt: 0.34</p>	<p>653173</p> <p>C303</p>	<p>\$ 1,220</p>	

▶▶

Vegetable Slicers and Manual Slicers

◀◀ (Cutting discs for TR260)

Description	Code	USD	
<p>Slicing Disc Stainless Steel 3/16" (5mm)</p> <p>WxDxH 11 13/16"x 11 13/16"x 2 "</p> <p>Shipping weight lbs: 7 CuFt: 0.33</p>	<p>653189</p> <p>C305</p>	<p>\$ 1,220</p>	
<p>Slicing Disc Stainless Steel 1/4" (6mm)</p> <p>WxDxH 11 13/16"x 11 13/16"x 2 "</p> <p>Shipping weight lbs: 7 CuFt: 0.39</p>	<p>653190</p> <p>C306</p>	<p>\$ 1,220</p>	
<p>Slicing Disc Stainless Steel 5/16" (8mm)</p> <p>WxDxH 11 13/16"x 11 13/16"x 2 "</p> <p>Shipping weight lbs: 7 CuFt: 0.33</p>	<p>653191</p> <p>C308</p>	<p>\$ 1,220</p>	
<p>Slicing Disc Stainless Steel 3/8" (10mm)</p> <p>WxDxH 11 13/16"x 11 13/16"x 2 "</p> <p>Shipping weight lbs: 7 CuFt: 0.33</p>	<p>653192</p> <p>C310</p>	<p>\$ 1,220</p>	
<p>Slicing Disc Stainless Steel 5/8" (16mm)</p> <p>WxDxH 11 13/16"x 11 13/16"x 2 "</p> <p>Shipping weight lbs: 4 CuFt: 0.34</p>	<p>653193</p> <p>C316</p>	<p>\$ 1,220</p>	
<p>Krinkle Cut Disc Stainless Steel 5/64" (2mm)</p> <p>WxDxH 11 13/16"x 11 13/16"x 2 "</p> <p>Shipping weight lbs: 4</p>	<p>653217</p> <p>C302W</p>	<p>\$ 1,220</p>	

▶▶

Food Preparation

Vegetable Slicers and Manual Slicers

◀◀ (Cutting discs for TR260)

Description	Code	USD
Krinkle Cut Disc Stainless Steel 1/8" (3mm) WxDxH 11 13/16"x 11 13/16"x 2 " Shipping weight lbs: 4	653218 C303W	\$ 1,220
Krinkle Cut Disc Stainless Steel 1/4" (6mm) WxDxH 11 13/16"x 11 13/16"x 2 " Shipping weight lbs: 4 CuFt: 0.33	653219 C306W	\$ 1,220



Accessories for RC14

Description	Code	USD
Mobile stand, stainless steel WxDxH 17 1/2"x 20 11/16"x 27 3/16" Shipping weight lbs: 33 CuFt: 1.76	653017 MSX	\$ 1,901



Tomato Slicer CT6

Description	Code	USD
Tomato Slicer, manual, 15/64 (6mm) slice, 11 slices, aluminum & stainless steel construction, suction cup base WxDxH 5 11/16"x 16 13/16"x 9 7/16" Shipping weight lbs: 9 CuFt: 1.10 Included Accessory 653099 Tomato Guide for 1/4" slicer 1 653100 Blade assembly for 1/4" tomato slicer 1	601443 CT6U	\$ 821



Accessories for Tomato Slicer CT6

Description	Code	USD
Tipper support for tomato slicer WxDxH 5 1/2"x 22 7/16"x 2 9/16" Shipping weight lbs: 4 CuFt: 0.50	653282 TIP	\$ 436
Blade assembly for 1/4" tomato slicer WxDxH 10 13/16"x 2 15/16"x 1 3/8" Shipping weight lbs: 1 CuFt: 0.28	653100 CB6	\$ 241
Tomato Guide for 1/4" slicer WxDxH 3 15/16"x 4 1/8"x 5 5/16" Shipping weight lbs: 2 CuFt: 0.04	653099 TG6	\$ 148



Food Preparation

Food Processors

TrinityPro Cutter 2.7 QT

Description	Code	USD
<p>Cutter Mixer 2.7 qt with transparent copolyester bowl, 1800 rpm, USA plug</p> <p>0.75 electric kW 115 V 1N 60 Hz</p> <p>WxDxH 9 3/4"x 12 15/16"x 17 15/16"</p> <p>Shipping weight lbs: 36 CuFt: 3.72</p> <p>Included Accessory</p> <p>650117 1</p> <p>650226 1</p> <p>650229 1</p> <p>650230 1</p>	<p>600991</p> <p>K26PUS</p>	<p>\$ 1,628</p>



Accessories for TrinityPro Cutter 2.7 QT

Description	Code	USD
<p>Microtoothed blade rotor for 2.6lt Cutter Mixer</p> <p>WxDxH 6 5/16"x 6 5/16"x 3 9/16"</p> <p>Shipping weight lbs: 1 CuFt: 0.07</p>	<p>650226</p> <p>ROTMT26</p>	<p>\$ 238</p>
<p>Smooth blade rotor for 2.6lt Cutter Mixer</p> <p>WxDxH 6 5/16"x 6 5/16"x 3 9/16"</p> <p>Shipping weight lbs: 1 CuFt: 0.07</p>	<p>650227</p> <p>ROTS26</p>	<p>\$ 238</p>
<p>Stainless steel bowl for 2,6lt Cutter Mixer</p> <p>WxDxH 7 7/8"x 10 5/8"x 6 1/2"</p> <p>Shipping weight lbs: 2</p>	<p>650228</p> <p>BOL26</p>	<p>\$ 595</p>
<p>Transparent copolyester bowl for 2,6lt Cutter Mixer</p> <p>WxDxH 7 7/8"x 10 5/8"x 6 1/2"</p> <p>Shipping weight lbs: 2</p>	<p>650229</p> <p>BOLP26</p>	<p>\$ 297</p>



◀◀ (Accessories for TrinityPro Cutter 2.7 QT)

Description	Code	USD
Scraper for 2.6lt Cutter Mixer bowl WxDxH 6 11/16"x 6 11/16"x 4 1/2" Shipping weight lbs: 2	650230 SCR26	\$ 71
Transparent lid for 2,6lt Cutter Mixer bowl WxDxH 8 1/16"x 8 1/16"x 2 3/4" Shipping weight lbs: -1 CuFt: -1	650117 LID26	\$ 101
Stainless steel bowl for 2,6lt Cutter Mixer, microtoothed rotor, lid with scraper WxDxH 7 7/8"x 10 5/8"x 9 7/16" Shipping weight lbs: 2 Included Accessory 650117 1 650226 1 650228 1 650230 1	650231 RED26	\$ 1,012
Microtoothed blade rotor for 3.6lt Cutter Mixer WxDxH 6 7/8"x 6 7/8"x 4 5/16" Shipping weight lbs: 1 CuFt: 0.07	650233 ROTMT36	\$ 238
Smooth blade rotor for 3.6lt Cutter Mixer WxDxH 6 7/8"x 6 7/8"x 4 5/16" Shipping weight lbs: 1 CuFt: 0.07	650234 ROTs36	\$ 238
Stainless steel bowl for 3.6lt Cutter Mixer WxDxH 8 11/16"x 11 7/16"x 7 1/4" Shipping weight lbs: 2	650235 BOL36	\$ 745



▶▶

Food Preparation

Food Processors

◀◀ (Accessories for TrinityPro Cutter 2.7 QT)

Description	Code	USD
Scraper for 3.6lt Cutter Mixer bowl WxDxH 7 1/4"x 7 1/4"x 5 3/8" Shipping weight lbs: 2	650236 SCR36	\$ 73
Transparent lid for 3,6lt Cutter Mixer bowl WxDxH 8 11/16"x 8 11/16"x 2 13/16" Shipping weight lbs: -1 CuFt: -1	650118 LID36	\$ 101
Stainless steel bowl for 3,6lt Cutter Mixer, microtoothed rotor, lid with scraper WxDxH 8 11/16"x 11 13/16"x 10 1/4" Shipping weight lbs: -1 CuFt: -1 Included Accessory 650118 1 650233 1 650235 1 650236 1	650145 RED36	\$ 1,162

TrinityPro Cutter 3.8 QT

Description	Code	USD
Cutter Mixer 3.8 qt with stainless steel bowl, 1800 rpm, USA plug 1 electric kW 115 V 1N 60 Hz WxDxH 9 15/16"x 13 1/8"x 18 3/4" Shipping weight lbs: 34 CuFt: 3.10 Included Accessory 650118 1 650233 1 650235 1 650236 1	600999 K36US	\$ 2,752



Accessories for TrinityPro Cutter 3.8 QT





Description	Code	USD
Microtoothed blade rotor for 3.6lt Cutter Mixer WxDxH 6 7/8"x 6 7/8"x 4 5/16" Shipping weight lbs: 1 CuFt: 0.07	650233 ROTMT36	\$ 238
Smooth blade rotor for 3.6lt Cutter Mixer WxDxH 6 7/8"x 6 7/8"x 4 5/16" Shipping weight lbs: 1 CuFt: 0.07	650234 ROT36	\$ 238
Stainless steel bowl for 3.6lt Cutter Mixer WxDxH 8 11/16"x 11 7/16"x 7 1/4" Shipping weight lbs: 2	650235 BOL36	\$ 745
Scraper for 3.6lt Cutter Mixer bowl WxDxH 7 1/4"x 7 1/4"x 5 3/8" Shipping weight lbs: 2	650236 SCR36	\$ 73
Transparent lid for 3,6lt Cutter Mixer bowl WxDxH 8 11/16"x 8 11/16"x 2 13/16" Shipping weight lbs: -1 CuFt: -1	650118 LID36	\$ 101
Stainless steel bowl for 3,6lt Cutter Mixer, microtoothed rotor, lid with scraper WxDxH 8 11/16"x 11 13/16"x 10 1/4" Shipping weight lbs: -1 CuFt: -1 Included Accessory 650118 1 650233 1 650235 1 650236 1	650145 RED36	\$ 1,162



Food Preparation

Food Processors

◀◀ (Accessories for TrinityPro Cutter 3.8 QT)

Description	Code	USD	
<p>Microtoothed blade rotor for 2.6lt Cutter Mixer</p> <p>WxDxH 6 5/16"x 6 5/16"x 3 9/16"</p> <p>Shipping weight lbs: 1 CuFt: 0.07</p>	<p>650226 ROTMT26</p>	<p>\$ 238</p>	
<p>Smooth blade rotor for 2.6lt Cutter Mixer</p> <p>WxDxH 6 5/16"x 6 5/16"x 3 9/16"</p> <p>Shipping weight lbs: 1 CuFt: 0.07</p>	<p>650227 ROTS26</p>	<p>\$ 238</p>	
<p>Stainless steel bowl for 2,6lt Cutter Mixer</p> <p>WxDxH 7 7/8"x 10 5/8"x 6 1/2"</p> <p>Shipping weight lbs: 2</p>	<p>650228 BOL26</p>	<p>\$ 595</p>	
<p>Scraper for 2.6lt Cutter Mixer bowl</p> <p>WxDxH 6 11/16"x 6 11/16"x 4 1/2"</p> <p>Shipping weight lbs: 2</p>	<p>650230 SCR26</p>	<p>\$ 71</p>	
<p>Transparent lid for 2,6lt Cutter Mixer bowl</p> <p>WxDxH 8 1/16"x 8 1/16"x 2 3/4"</p> <p>Shipping weight lbs: -1 CuFt: -1</p>	<p>650117 LID26</p>	<p>\$ 101</p>	
<p>Transparent copolyester bowl for 2,6lt Cutter Mixer</p> <p>WxDxH 7 7/8"x 10 5/8"x 6 1/2"</p> <p>Shipping weight lbs: 2</p>	<p>650229 BOLP26</p>	<p>\$ 297</p>	



◀◀ (Accessories for TrinityPro Cutter 3.8 QT)

Description	Code	USD
Stainless steel bowl for 2,6lt Cutter Mixer, microtoothed rotor, lid with scraper WxDxH 7 7/8"x 10 5/8"x 9 7/16" Shipping weight lbs: 2 Included Accessory 650117 1 650226 1 650228 1 650230 1	650231 RED26	\$ 1,012

K45 - 4.7 quart capacity

Description	Code	USD
Vertical Cutter/Mixer, bench-style, variable speed (300-3700 RPM). Supplied with 4.7 qt removable stainless steel bowl with clear BPA-free lid, equipped with scraper. Microtooth blade rotor and metal motor housing, 1-1/4 HP 1 electric kW 110-120 V 1N 60 Hz WxDxH 10 1/16"x 16 5/16"x 19 " Shipping weight lbs: 55 CuFt: 3.50 Included Accessory 650099 Lid & bowl scraper, 4.7 quart, for cutter/mixer 1 653580 Microtooth blade rotor for 4.7 quart cutter/mixer 1 653589 Bowl, 4.7 quart, for cutter/mixer, stainless steel 1	600518 K45YVVU	\$ 4,187



Accessories for K45

Description	Code	USD
Smooth blade rotor for 4.7 quart cutter/mixer WxDxH 7 11/16"x 7 11/16"x 6 1/16" Shipping weight lbs: 2 CuFt: 0.26	653579 SBRK45	\$ 353



▶▶

Food Preparation

Food Processors

◀◀ (Accessories for K45)

Description	Code	USD	
<p>Smooth blade rotor for 4.7 quart cutter/mixer for emulsions</p> <p>WxDxH 7 11/16"x 7 11/16"x 6 1/16" Shipping weight lbs: 2 CuFt: 0.26</p>	<p>653614 SBRE45</p>	<p>\$ 353</p>	
<p>Microtooth blade rotor for 4.7 quart cutter/mixer</p> <p>WxDxH 7 11/16"x 7 11/16"x 6 1/16" Shipping weight lbs: 2 CuFt: 0.26</p>	<p>653580 MBRK45</p>	<p>\$ 353</p>	
<p>Microtooth blade rotor for 4.7 quart cutter/mixer for emulsions</p> <p>WxDxH 7 11/16"x 7 11/16"x 6 1/16" Shipping weight lbs: 2 CuFt: 0.26</p>	<p>650039 MBRE45</p>	<p>\$ 353</p>	
<p>Bowl, 4.7 quart, for cutter/mixer, stainless steel</p> <p>WxDxH 9 1/4"x 11 1/32"x 6 5/16" Shipping weight lbs: 3 CuFt: 0.58</p>	<p>653589 BXK45</p>	<p>\$ 660</p>	
<p>Lid & bowl scraper, 4.7 quart, for cutter/mixer</p> <p>WxDxH 10 1/4"x 14 9/16"x 3 1/8" Shipping weight lbs: 3 CuFt: 0.80</p>	<p>650099 LBSK245</p>	<p>\$ 520</p>	

K55 - 5.8 quart capacity

Description	Code	USD
<p>Vertical Cutter/Mixer, bench-style, variable speed (300-3700 RPM). Supplied with 5.8 quart removable stainless steel bowl with clear BPA-free lid, equipped with scraper. Microtooth blade rotor and metal motor housing 1-1/3HP</p> <p>1.30 electric kW 110-120 V 1N 60 Hz WxDxH 10 1/16"x 16 5/16"x 19 " Shipping weight lbs: 57 CuFt: 3.50</p> <p>Included Accessory</p> <p>650102 Lid & bowl scraper, 5.8 quart, for cutter/mixer 1</p> <p>653582 Microtooth blade rotor for 5.8 quart cutter/mixer 1</p> <p>653590 Bowl, 5.8 quart, for cutter/mixer, stainless steel 1</p>	<p>600519 K55YVVU</p>	<p>\$ 4,487</p>



Accessories for K55

Description	Code	USD
<p>Smooth blade rotor for 5.8 quart cutter/mixer</p> <p>WxDxH 8 7/16"x 8 7/16"x 6 1/16" Shipping weight lbs: 2 CuFt: 0.26</p>	<p>653581 SBRK55</p>	<p>\$ 353</p>
<p>Smooth blade rotor for 5.8 quart cutter/mixer for emulsions</p> <p>WxDxH 8 7/16"x 8 7/16"x 6 1/16" Shipping weight lbs: 2 CuFt: 0.28</p>	<p>653665 SBRE55</p>	<p>\$ 353</p>
<p>Microtooth blade rotor for 5.8 quart cutter/mixer</p> <p>WxDxH 8 7/16"x 8 7/16"x 6 1/16" Shipping weight lbs: 2 CuFt: 0.26</p>	<p>653582 MBRK55</p>	<p>\$ 353</p>




Food Preparation

Food Processors

◀◀ (Accessories for K55)

Description	Code	USD	
<p>Microtooth blade rotor for 5.8 quart cutter/mixer for emulsions</p> <p>WxDxH 8 7/16"x 8 7/16"x 6 1/16"</p> <p>Shipping weight lbs: 2 CuFt: 0.26</p>	<p>650040 MBRE55</p>	<p>\$ 353</p>	
<p>Bowl, 5.8 quart, for cutter/mixer, stainless steel</p> <p>WxDxH 9 1/4"x 11 1/32"x 6 5/16"</p> <p>Shipping weight lbs: 4 CuFt: 0.69</p>	<p>653590 BXK55</p>	<p>\$ 660</p>	
<p>Lid & bowl scraper, 5.8 quart, for cutter/mixer</p> <p>WxDxH 9 13/16"x 11 5/8"x 10 1/4"</p> <p>Shipping weight lbs: 6 CuFt: 0.69</p>	<p>650102 LBSK255</p>	<p>\$ 520</p>	

K70 - 7.4 quart capacity

Description	Code	USD	
<p>Vertical Cutter/Mixer, bench-style, variable speed (300-3700 RPM), 7.4 quart capacity bowl, removable bowl design, stainless steel bowl with clear BPA-free lid, microtooth blade rotor, stainless steel housing, 300-3300 RPM, 2 HP, 120v/60/1-ph, 15.0 amps (</p> <p>1.50 electric kW 110-120 V 1N 60 Hz</p> <p>WxDxH 10 1/16"x 16 5/8"x 20 9/16"</p> <p>Shipping weight lbs: 60 CuFt: 3.50</p> <p>Included Accessory</p> <p>650104 Lid & bowl scraper, 7.4 quart, for cutter/mixer 1</p> <p>653584 Microtooth blade rotor for 7.4 quart cutter/mixer 1</p> <p>653593 Bowl, 7.4 quart, for cutter/mixer, stainless steel 1</p>	<p>600520 K70YVVU</p>	<p>\$ 4,776</p>	

Accessories for K70

Description	Code	USD	
Smooth blade rotor for 7.4 quart cutter/mixer WxDxH 8 7/16"x 8 7/16"x 7 5/8" Shipping weight lbs: 2 CuFt: 0.26	653583 SBRK70	\$ 353	
Smooth blade rotor for 7.4 quart cutter/mixer for emulsions WxDxH 8 7/16"x 8 7/16"x 7 5/8" Shipping weight lbs: 2 CuFt: 0.26	653712 SBRE70	\$ 353	
Microtooth blade rotor for 7.4 quart cutter/mixer WxDxH 8 7/16"x 8 7/16"x 7 5/8" Shipping weight lbs: 2 CuFt: 0.26	653584 MBRK70	\$ 353	
Microtooth blade rotor for 7.4 quart cutter/mixer for emulsions WxDxH 8 7/16"x 8 7/16"x 7 5/8" Shipping weight lbs: 2 CuFt: 0.26	650041 MBRE70	\$ 353	
Bowl, 7.4 quart, for cutter/mixer, stainless steel WxDxH 9 1/4"x 9 1/4"x 7 7/8" Shipping weight lbs: 4 CuFt: 0.69	653593 BXK70	\$ 660	
Lid & bowl scraper, 7.4 quart, for cutter/mixer WxDxH 12 3/16"x 12 3/16"x 12 3/16" Shipping weight lbs: 3 CuFt: 0.89	650104 LBSK270	\$ 520	

Food Preparation

Food Processors

K120S - 12.2 quart capacity

Description	Code	USD
12.2QT + CUTTER MIXER - MICRO TOOTHED BLADES - 2 SPEEDS - S/S BOWL 2.20 electric kW 208-240 V 3 60 Hz WxDxH 16 3/8"x 26 3/4"x 20 3/8" Shipping weight lbs: 165 CuFt: 11.64 Included Accessory 650059 Scraper for K120S cutter mixer 1 650060 Micro-toothed blade rotor for 12.2qt cutter mixer 1 650073 Bowl, 12.2 quart, for cutter/mixer, stainless steel 1	600085 K120S2U	\$ 12,890



Accessories for K120S

Description	Code	USD
Bowl, 12.2 quart, for cutter/mixer, stainless steel WxDxH 16 9/16"x 13 3/8"x 7 1/16" Shipping weight lbs: 11 CuFt: 1.64	650073 BX115L	\$ 2,330
Blade rotor, smooth, for 12.2 quart cutter/mixer WxDxH 11 1/32"x 11 1/32"x 5 15/16" Shipping weight lbs: 4 CuFt: 0.79	653179 SBRI15	\$ 1,386
Micro-toothed blade rotor for 12.2qt cutter mixer WxDxH 11 1/8"x 11 1/8"x 6 5/16" Shipping weight lbs: 4 CuFt: 0.59	650060 MBRI15	\$ 1,386
Blade rotor, serrated, for 12.2 quart cutter/mixer WxDxH 11 1/32"x 11 1/32"x 5 15/16" Shipping weight lbs: 9 CuFt: 0.57	653299 KKR115	\$ 1,386



◀◀ (Accessories for K120S)

Description	Code	USD	
<p>Scraper for K120S cutter mixer</p> <p>WxDxH 11 5/8"x 3 9/16"x 9 7/16"</p> <p>Shipping weight lbs: 3 CuFt: 0.59</p>	<p>650059 SCR115</p>	<p>\$ 650</p>	
<p>Mobile stand, stainless steel</p> <p>WxDxH 17 1/2"x 20 11/16"x 27 3/16"</p> <p>Shipping weight lbs: 33 CuFt: 1.76</p>	<p>653017 MSX</p>	<p>\$ 1,901</p>	

Accessories for K180S

Description	Code	USD	
<p>Micro-toothed blade rotor for 18.5qt cutter mixer</p> <p>WxDxH 11 1/8"x 11 1/8"x 9 7/16"</p> <p>Shipping weight lbs: 6 CuFt: 1.31</p>	<p>650047 MBR175</p>	<p>\$ 1,733</p>	
<p>Blade Rotor, smooth, for 18.5 quart cutter/mixer</p> <p>WxDxH 10 1/4"x 10 1/4"x 9 7/16"</p> <p>Shipping weight lbs: 7 CuFt: 1.51</p>	<p>653119 SBR175</p>	<p>\$ 1,733</p>	
<p>Blade rotor, serrated, for 18.5 quart cutter/mixer</p> <p>WxDxH 10 1/4"x 10 1/4"x 9 7/16"</p> <p>Shipping weight lbs: 7</p>	<p>653120 KKR175</p>	<p>\$ 1,733</p>	
<p>Bowl, 18.5 quart, for cutter/mixer, stainless steel</p> <p>WxDxH 16 1/8"x 13 3/8"x 10 5/8"</p> <p>Shipping weight lbs: 13 CuFt: 1.64</p>	<p>650074 BX175L</p>	<p>\$ 3,111</p>	



Food Preparation

Food Processors

◀◀ (Accessories for K180S)

Description	Code	USD
Scraper for K180S cutter mixer WxDxH 11 5/8"x 3 9/16"x 9 7/16" Shipping weight lbs: 3 CuFt: 0.59	650046 SCR175	\$ 650
Mobile stand, stainless steel WxDxH 17 1/2"x 20 11/16"x 27 3/16" Shipping weight lbs: 33 CuFt: 1.76	653017 MSX	\$ 1,901



Bermixer 350 W

Description	Code	USD
<p>Bermixer PRO, portable, hand held, variable speed (up to 9000 RPM), equipped with constant pressure switch, handle grip, with 18" cutter tube, 1/2 HP, 350 watt, NEMA 5-15P</p> <p>0.35 electric kW 110-120 V 1 50/60 Hz WxDxH 5 7/16"x 4 3/4"x 30 1/8" Shipping weight lbs: 12 CuFt: 1.27</p> <p>Included Accessory 650133 Stainless Steel cutter tube 18in (453mm) 1</p>	<p>600352 BP3545U</p>	<p>\$ 1,086</p>



Accessories for Bermixer PRO 350 W

Description	Code	USD
<p>Stainless Steel cutter tube 14in (353mm)</p> <p>WxDxH 4 5/16"x 4 5/16"x 13 7/8" Shipping weight lbs: 4 CuFt: 0.44</p>	<p>650132 BPT35</p>	<p>\$ 479</p>
<p>Stainless Steel cutter tube 18in (453mm)</p> <p>WxDxH 4 5/16"x 4 5/16"x 17 13/16" Shipping weight lbs: 3 CuFt: 0.44</p>	<p>650133 BPT45</p>	<p>\$ 546</p>
<p>Reinforced whisk 10in</p> <p>WxDxH 4 3/4"x 4 3/4"x 15 13/16" Shipping weight lbs: 3 CuFt: 0.44</p>	<p>653578 BMXRWSK</p>	<p>\$ 636</p>
<p>Bowl cradle for containers</p> <p>WxDxH 6 5/16"x 5 1/2"x 7 1/16" Shipping weight lbs: 3 CuFt: 0.49</p>	<p>653294 B2SUP</p>	<p>\$ 395</p>



Food Preparation

Immersion Blenders

◀◀ (Accessories for Bermixer PRO 350 W)

Description	Code	USD
Adjustable rail, for containers 15in - 26in WxDxH 27 9/16"x 5 15/16"x 1 9/16" Shipping weight lbs: 3 CuFt: 0.44	653292 B2RAIL	\$ 414









Bermixer 450 W

Description	Code	USD
Bermixer PRO, portable, hand held, variable speed (up to 9000 RPM), equipped with constant pressure switch, handle grip, with 18" cutter tube, 1/2 HP, 450 watt, NEMA 1-15P 0.45 electric kW 110-120 V 1 50/60 Hz WxDxH 5 7/16"x 4 3/4"x 30 1/8" Shipping weight lbs: 12 CuFt: 1.27 Included Accessory 650133 Stainless Steel cutter tube 18in (453mm) 1	600353 BP4545U	\$ 1,250
Bermixer PRO, portable, hand held, variable speed (up to 9000 RPM), equipped with constant pressure switch, handle grip, with 22" cutter tube, 1/2 HP, 450 watt, NEMA 1-15P 0.45 electric kW 110-120 V 1 50/60 Hz WxDxH 5 7/16"x 4 3/4"x 34 1/16" Shipping weight lbs: 11 CuFt: 1.27 Included Accessory 650134 Stainless Steel cutter tube 22in (553mm) 1	600354 BP4555U	\$ 1,316









Accessories for Bermixer PRO 450 W

Description	Code	USD	
Stainless Steel cutter tube 14in (353mm) WxDxH 4 5/16"x 4 5/16"x 13 7/8" Shipping weight lbs: 4 CuFt: 0.44	650132 BPT35	\$ 479	
Stainless Steel cutter tube 18in (453mm) WxDxH 4 5/16"x 4 5/16"x 17 13/16" Shipping weight lbs: 3 CuFt: 0.44	650133 BPT45	\$ 546	
Stainless Steel cutter tube 22in (553mm) WxDxH 4 5/16"x 4 5/16"x 21 3/4" Shipping weight lbs: 3 CuFt: 0.44	650134 BPT55	\$ 612	
Reinforced whisk 10in WxDxH 4 3/4"x 4 3/4"x 15 13/16" Shipping weight lbs: 3 CuFt: 0.44	653578 BMXRWSK	\$ 636	
Bowl cradle for containers WxDxH 6 5/16"x 5 1/2"x 7 1/16" Shipping weight lbs: 3 CuFt: 0.49	653294 B2SUP	\$ 395	
Adjustable rail, for containers 15in - 26in WxDxH 27 9/16"x 5 15/16"x 1 9/16" Shipping weight lbs: 3 CuFt: 0.44	653292 B2RAIL	\$ 414	

Food Preparation

Immersion Blenders

Accessories for Bermixer PRO 550 W

Description	Code	USD	
<p>Stainless Steel cutter tube 14in (353mm)</p> <p>WxDxH 4 5/16"x 4 5/16"x 13 7/8"</p> <p>Shipping weight lbs: 4 CuFt: 0.44</p>	<p>650132 BPT35</p>	<p>\$ 479</p>	
<p>Stainless Steel cutter tube 18in (453mm)</p> <p>WxDxH 4 5/16"x 4 5/16"x 17 13/16"</p> <p>Shipping weight lbs: 3 CuFt: 0.44</p>	<p>650133 BPT45</p>	<p>\$ 546</p>	
<p>Stainless Steel cutter tube 22in (553mm)</p> <p>WxDxH 4 5/16"x 4 5/16"x 21 3/4"</p> <p>Shipping weight lbs: 3 CuFt: 0.44</p>	<p>650134 BPT55</p>	<p>\$ 612</p>	
<p>Reinforced whisk 10in</p> <p>WxDxH 4 3/4"x 4 3/4"x 15 13/16"</p> <p>Shipping weight lbs: 3 CuFt: 0.44</p>	<p>653578 BMXRWSK</p>	<p>\$ 636</p>	
<p>Bowl cradle for containers</p> <p>WxDxH 6 5/16"x 5 1/2"x 7 1/16"</p> <p>Shipping weight lbs: 3 CuFt: 0.49</p>	<p>653294 B2SUP</p>	<p>\$ 395</p>	
<p>Adjustable rail, for containers 15in - 26in</p> <p>WxDxH 27 9/16"x 5 15/16"x 1 9/16"</p> <p>Shipping weight lbs: 3 CuFt: 0.44</p>	<p>653292 B2RAIL</p>	<p>\$ 414</p>	

Bermixer 650 W

Description	Code	USD
<p>Bermixer PRO, portable, hand held immersion blender, variable speed (up to 10000 RPM), equipped with constant pressure switch, handle grip, with 22" cutter tube, 1 HP, 650 watt, NEMA 1-15P</p> <p>0.65 electric kW 110-120 V 1 50/60 Hz WxDxH 5 7/16"x 4 3/4"x 34 1/16" Shipping weight lbs: 11 CuFt: 1.27</p> <p>Included Accessory 650134 Stainless Steel cutter tube 22in (553mm) 1</p>	<p>600379 BP6555U</p>	<p>\$ 1,503</p>
<p>Bermixer PRO, portable, hand held immersion blender, variable speed, equipped with constant pressure switch, handle grip, with 26" cutter tube, 1 HP, 650 watt, NEMA 1-15P</p> <p>0.65 electric kW 110-120 V 1 50/60 Hz WxDxH 5 7/16"x 4 3/4"x 38 " Shipping weight lbs: 11 CuFt: 1.27</p> <p>Included Accessory 650135 Stainless Steel cutter tube 26in (553mm) 1</p>	<p>600387 BP6565U</p>	<p>\$ 1,546</p>



Accessories for Bermixer PRO 650 W






Description	Code	USD
<p>Stainless Steel cutter tube 14in (353mm)</p> <p>WxDxH 4 5/16"x 4 5/16"x 13 7/8" Shipping weight lbs: 4 CuFt: 0.44</p>	<p>650132 BPT35</p>	<p>\$ 479</p>
<p>Stainless Steel cutter tube 18in (453mm)</p> <p>WxDxH 4 5/16"x 4 5/16"x 17 13/16" Shipping weight lbs: 3 CuFt: 0.44</p>	<p>650133 BPT45</p>	<p>\$ 546</p>



Food Preparation

Immersion Blenders

◀◀ (Accessories for Bermixer PRO 650 W)

Description	Code	USD	
Stainless Steel cutter tube 22in (553mm) WxDxH 4 5/16"x 4 5/16"x 21 3/4" Shipping weight lbs: 3 CuFt: 0.44	650134 BPT55	\$ 612	
Stainless Steel cutter tube 26in (553mm) WxDxH 4 5/16"x 4 5/16"x 25 11/16" Shipping weight lbs: 4 CuFt: 0.44	650135 BPT65	\$ 680	
Reinforced whisk 10in WxDxH 4 3/4"x 4 3/4"x 15 13/16" Shipping weight lbs: 3 CuFt: 0.44	653578 BMXRWSK	\$ 636	
Bowl cradle for containers WxDxH 6 5/16"x 5 1/2"x 7 1/16" Shipping weight lbs: 3 CuFt: 0.49	653294 B2SUP	\$ 395	
Adjustable rail, for containers 15in - 26in WxDxH 27 9/16"x 5 15/16"x 1 9/16" Shipping weight lbs: 3 CuFt: 0.44	653292 B2RAIL	\$ 414	

Bermixer 750 W

Description	Code	USD
<p>Bermixer PRO, portable hand held immersion blender, variable speed, handle grip, with 22" stainless steel cutter tube, 1 HP, 7500 watt.</p> <p>0.75 electric kW 110-120 V 1 50/60 Hz WxDxH 5 7/16"x 4 3/4"x 34 1/16" Shipping weight lbs: 11 CuFt: 1.27</p> <p>Included Accessory 650134 Stainless Steel cutter tube 22in (553mm) 1</p>	<p>600381 BP7555U</p>	<p>\$ 1,591</p>
<p>Bermier PRO, portable, hand held immersion blender, variable speed (up to 10000 RPM), equipped with constant pressure switch, handle grip, with 26" cutter tube attachment, 750 watt, NEMA 5-15P</p> <p>0.75 electric kW 110-120 V 1 50/60 Hz WxDxH 5 7/16"x 4 3/4"x 38 " Shipping weight lbs: 11 CuFt: 1.27</p> <p>Included Accessory 650135 Stainless Steel cutter tube 26in (553mm) 1</p>	<p>600389 BP7565U</p>	<p>\$ 1,678</p>



Accessories for Bermixer PRO 750 W






Description	Code	USD
<p>Stainless Steel cutter tube 14in (353mm)</p> <p>WxDxH 4 5/16"x 4 5/16"x 13 7/8" Shipping weight lbs: 4 CuFt: 0.44</p>	<p>650132 BPT35</p>	<p>\$ 479</p>
<p>Stainless Steel cutter tube 18in (453mm)</p> <p>WxDxH 4 5/16"x 4 5/16"x 17 13/16" Shipping weight lbs: 3 CuFt: 0.44</p>	<p>650133 BPT45</p>	<p>\$ 546</p>









Food Preparation

Immersion Blenders

◀◀ (Accessories for Bermixer PRO 750 W)

Description	Code	USD	
<p>Stainless Steel cutter tube 22in (553mm)</p> <p>WxDxH 4 5/16" x 4 5/16" x 21 3/4"</p> <p>Shipping weight lbs: 3 CuFt: 0.44</p>	<p>650134 BPT55</p>	<p>\$ 612</p>	
<p>Stainless Steel cutter tube 26in (553mm)</p> <p>WxDxH 4 5/16" x 4 5/16" x 25 11/16"</p> <p>Shipping weight lbs: 4 CuFt: 0.44</p>	<p>650135 BPT65</p>	<p>\$ 680</p>	
<p>Reinforced whisk 10in</p> <p>WxDxH 4 3/4" x 4 3/4" x 15 13/16"</p> <p>Shipping weight lbs: 3 CuFt: 0.44</p>	<p>653578 BMXRWSK</p>	<p>\$ 636</p>	
<p>Bowl cradle for containers</p> <p>WxDxH 6 5/16" x 5 1/2" x 7 1/16"</p> <p>Shipping weight lbs: 3 CuFt: 0.49</p>	<p>653294 B2SUP</p>	<p>\$ 395</p>	
<p>Adjustable rail, for containers 15in - 26in</p> <p>WxDxH 27 9/16" x 5 15/16" x 1 9/16"</p> <p>Shipping weight lbs: 3 CuFt: 0.44</p>	<p>653292 B2RAIL</p>	<p>\$ 414</p>	

Slicing discs for CX21D







Description	Code	USD	
Grating Disc 5/64" (2mm) WxDxH 7 7/8"x 7 7/8"x 1 9/16" Shipping weight lbs: 1 CuFt: 0.12	653773 J2X	\$ 355	
Grating Disc 1/8" (3mm) WxDxH 7 7/8"x 7 7/8"x 1 9/16" Shipping weight lbs: 2 CuFt: 0.12	653774 J3X	\$ 355	
Grating Disc 5/32" (4mm) WxDxH 7 7/8"x 7 7/8"x 1 9/16" Shipping weight lbs: 1 CuFt: 0.12	653775 J4X	\$ 355	
Grating Disc 9/32" (7mm) WxDxH 7 7/8"x 7 7/8"x 1 9/16" Shipping weight lbs: 2 CuFt: 0.12	653776 J7X	\$ 355	
Grating Disc 11/32" (9mm) WxDxH 7 7/8"x 7 7/8"x 1 9/16" Shipping weight lbs: 1 CuFt: 0.08	653777 J9X	\$ 355	
Grating Disc for breadcrumbs/potatoes WxDxH 7 7/8"x 7 7/8"x 1 9/16" Shipping weight lbs: 1 CuFt: 0.12	653778 KX	\$ 355	



Food Preparation







Accessories for H HUB models

◀◀ (Slicing discs for CX21D)

Description	Code	USD	
<p>Grating Disc for parmesan/chocolate</p> <p>WxDxH 7 7/8"x 7 7/8"x 1 3/16"</p> <p>Shipping weight lbs: 2 CuFt: 0.12</p>	<p>653779</p> <p>PX</p>	<p>\$ 355</p>	
<p>Julienne Disc 5/64" (2mm)</p> <p>WxDxH 8 1/16"x 8 1/16"x 1 3/8"</p> <p>Shipping weight lbs: 2 CuFt: 0.12</p>	<p>650166</p> <p>AS2XX</p>	<p>\$ 439</p>	
<p>Julienne Disc 5/64" x 5/16" (2 x 8mm)</p> <p>WxDxH 8 1/16"x 8 1/16"x 1 3/8"</p> <p>Shipping weight lbs: 2 CuFt: 0.12</p>	<p>650158</p> <p>AS2X8X</p>	<p>\$ 439</p>	
<p>Julienne Disc 5/64" x 3/8" (2 x 10mm)</p> <p>WxDxH 8 1/16"x 8 1/16"x 1 3/8"</p> <p>Shipping weight lbs: 2 CuFt: 0.12</p>	<p>650159</p> <p>AS2X10X</p>	<p>\$ 439</p>	
<p>Julienne Disc 1/8" (3mm)</p> <p>WxDxH 8 1/16"x 8 1/16"x 1 3/8"</p> <p>Shipping weight lbs: 2 CuFt: 0.12</p>	<p>650167</p> <p>AS3XX</p>	<p>\$ 439</p>	
<p>Julienne Disc 5/32" (4mm)</p> <p>WxDxH 8 1/16"x 8 1/16"x 1 3/8"</p> <p>Shipping weight lbs: 2 CuFt: 0.12</p>	<p>650077</p> <p>AS4XX</p>	<p>\$ 439</p>	

▶▶

◀◀ (Slicing discs for CX21D)







Description	Code	USD	
<p>Julienne Disc 1/4" (6mm)</p> <p>WxDxH 8 1/16"x 8 1/16"x 1 3/8"</p> <p>Shipping weight lbs: 2 CuFt: 0.12</p>	<p>650078</p> <p>AS6XX</p>	<p>\$ 439</p>	
<p>Julienne Disc 5/16" (8mm)</p> <p>WxDxH 8 1/16"x 8 1/16"x 1 3/8"</p> <p>Shipping weight lbs: 2 CuFt: 0.12</p>	<p>650079</p> <p>AS8XX</p>	<p>\$ 439</p>	
<p>Julienne Disc 3/8" (10mm)</p> <p>WxDxH 8 1/16"x 8 1/16"x 1 3/8"</p> <p>Shipping weight lbs: 2 CuFt: 0.12</p>	<p>650080</p> <p>AS10XX</p>	<p>\$ 439</p>	
<p>Slicing Disc 0.6mm (can be combined with Dicing Grids (MT) and Grids for Chips (FT))</p> <p>WxDxH 8 1/16"x 8 1/16"x 1 3/8"</p> <p>Shipping weight lbs: 2 CuFt: 0.12</p>	<p>650081</p> <p>C06SX</p>	<p>\$ 355</p>	
<p>Slicing Disc 1/32" (1mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT))</p> <p>WxDxH 8 1/16"x 8 1/16"x 1 3/8"</p> <p>Shipping weight lbs: 2 CuFt: 0.12</p>	<p>650082</p> <p>C1SX</p>	<p>\$ 355</p>	
<p>Slicing Disc 5/64" (2mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT))</p> <p>WxDxH 8 1/16"x 8 1/16"x 1 3/8"</p> <p>Shipping weight lbs: 2 CuFt: 0.12</p>	<p>650083</p> <p>C2SX</p>	<p>\$ 355</p>	

▶▶

Food Preparation

Accessories for H HUB models







◀◀ (Slicing discs for CX21D)

Description	Code	USD	
<p>Slicing Disc 1/8" (3mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT))</p> <p>WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 2 CuFt: 0.12</p>	<p>650084 C3SX</p>	<p>\$ 355</p>	
<p>Slicing Disc 5/32" (4mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT))</p> <p>WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 2 CuFt: 0.12</p>	<p>650085 C4SX</p>	<p>\$ 355</p>	
<p>Slicing Disc 3/16" (5mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT))</p> <p>WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 2 CuFt: 0.12</p>	<p>650086 C5SX</p>	<p>\$ 355</p>	
<p>Slicing Disc 1/4" (6mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT))</p> <p>WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 2 CuFt: 0.12</p>	<p>650087 C6SX</p>	<p>\$ 355</p>	
<p>Slicing Disc 5/16" (8mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT))</p> <p>WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 2 CuFt: 0.12</p>	<p>650088 C8SX</p>	<p>\$ 355</p>	
<p>Slicing Disc 3/8" (10mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT))</p> <p>WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 2 CuFt: 0.12</p>	<p>650160 C10SX</p>	<p>\$ 355</p>	

▶▶

Food Preparation
Accessories for H HUB models

◀◀ (Slicing discs for CX21D)






Description	Code	USD	
<p>Slicing Disc 15/32" (12mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT))</p> <p>WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 2 CuFt: 0.12</p>	650161 C12SX	\$ 355	
<p>Slicing Disc 33/64" (13mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT))</p> <p>WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 2 CuFt: 0.12</p>	650165 C13SX	\$ 355	
<p>Wavy Slicing Disc 5/64" (2mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT))</p> <p>WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 2 CuFt: 0.12</p>	650089 C2WX	\$ 355	
<p>Wavy Slicing Disc 1/8" (3mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT))</p> <p>WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 2 CuFt: 0.12</p>	650090 C3WX	\$ 355	
<p>Wavy Slicing Disc 1/4" (6mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT))</p> <p>WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 2 CuFt: 0.12</p>	650091 C6WX	\$ 355	
<p>Wavy Slicing Disc 5/16" (8mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT))</p> <p>WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 2 CuFt: 0.12</p>	650162 C8WX	\$ 355	

▶▶

Food Preparation

Accessories for H HUB models





◀◀ (Slicing discs for CX21D)

Description	Code	USD	
<p>Wavy Slicing Disc 3/8" (10mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT))</p> <p>WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 2 CuFt: 0.12</p>	<p>650164 C10WX</p>	<p>\$ 355</p>	
<p>Dicing Grid 3/16" x 3/16" (5 x 5mm) (can be combined with Slicing Discs [C] and Wavy Slicing Discs (CW))</p> <p>WxDxH 8 1/4"x 9 "x 0 7/8" Shipping weight lbs: 2 CuFt: 0.12</p>	<p>653566 MT05T</p>	<p>\$ 355</p>	
<p>Dicing Grid 5/16" x 5/16" (8 x 8mm) (can be combined with Slicing Discs [C] and Wavy Slicing Discs (CW))</p> <p>WxDxH 8 1/4"x 9 "x 0 7/8" Shipping weight lbs: 1 CuFt: 0.12</p>	<p>653567 MT08T</p>	<p>\$ 355</p>	
<p>Dicing Grid 3/8" x 3/8" (10 x 10mm) (can be combined with Slicing Discs [C] and Wavy Slicing Discs (CW))</p> <p>WxDxH 8 1/4"x 9 "x 0 7/8" Shipping weight lbs: 1 CuFt: 0.12</p>	<p>653568 MT10T</p>	<p>\$ 355</p>	
<p>Dicing Grid 15/32" x 15/32" (12 x 12mm) (can be combined with Slicing Discs [C] and Wavy Slicing Discs (CW))</p> <p>WxDxH 8 1/4"x 9 "x 0 7/8" Shipping weight lbs: 2 CuFt: 0.12</p>	<p>653569 MT12T</p>	<p>\$ 355</p>	
<p>Dicing Grid 25/32" x 25/32" (20 x 20mm) (can be combined with Slicing Discs [C] and Wavy Slicing Discs (CW))</p> <p>WxDxH 8 1/4"x 9 "x 0 7/8" Shipping weight lbs: 2 CuFt: 0.12</p>	<p>653570 MT20T</p>	<p>\$ 355</p>	

▶▶

Food Preparation
Accessories for H HUB models

◀◀ (Slicing discs for CX21D)

Description	Code	USD	
<p>Grid for Chips 1/4" (6mm) (can be combined with Slicing Discs [C] and Wavy Slicing Discs (CW))</p> <p>WxDxH 8 1/4"x 9 "x 0 7/8"</p> <p>Shipping weight lbs: 2 CuFt: 0.12</p>	<p>653571 FT06</p>	<p>\$ 355</p>	
<p>Grid for Chips 5/16" (8mm) (can be combined with Slicing Discs [C] and Wavy Slicing Discs (CW))</p> <p>WxDxH 8 1/4"x 9 "x 0 7/8"</p> <p>Shipping weight lbs: 1 CuFt: 0.12</p>	<p>653572 FT08</p>	<p>\$ 355</p>	
<p>Grid for Chips 3/8" (10mm) (can be combined with Slicing Discs [C] and Wavy Slicing Discs (CW))</p> <p>WxDxH 8 1/4"x 9 "x 0 7/8"</p> <p>Shipping weight lbs: 2 CuFt: 0.12</p>	<p>653573 FT10</p>	<p>\$ 355</p>	
<p>Storage Case for one MultiGreen/MightyGreen/TRS/TRK disc</p> <p>WxDxH 1 3/4"x 9 1/16"x 8 1/4"</p> <p>Shipping weight lbs: 2 CuFt: 0.12</p>	<p>653050 SBPL</p>	<p>\$ 38</p>	

Food Preparation

Vegetable Washers and Spin Dryers

VP2

Description	Code	USD
<p>VP2 "Greens Machine" Vegetable Dryer, 20Gal (75Lt) with basket, stainless steel drum</p> <p>0.37 electric kW 120 V 1N 60 Hz WxDxH 26 9/16"x 26 9/16"x 32 1/64" Shipping weight lbs: 121 CuFt: 19.07</p> <p>Included Accessory 653788 Inner Basket with holes 1</p>	<p>600095 VP2</p>	<p>\$ 5,040</p>
<p>VP2 S/S SALAD DRYER - 20GAL - 220 V/1N ph/60 Hz</p> <p>0.16 electric kW 220 V 1N 60 Hz WxDxH 26 9/16"x 26 9/16"x 32 1/64" Shipping weight lbs: 121 CuFt: 19.07</p> <p>Included Accessory 653788 Inner Basket with holes 1</p>	<p>600096 VP2220</p>	<p>\$ 5,040</p>



Accessories for VP2

Description	Code	USD
<p>Inner Basket with holes</p> <p>WxDxH 14 3/4"x 14 3/4"x 19 3/4" Shipping weight lbs: 10 CuFt: 3.01</p>	<p>653788 BKVP2</p>	<p>\$ 618</p>



INDEX

Food Preparation: Bakery/Pastry/Pizza

Dough Kneaders

Accessories for BPO25

199

Accessories for BPO45

199

Accessories for BPO25

Description	Code	USD
Mobile stand, stainless steel WxDxH 17 1/2"x 20 11/16"x 27 3/16" Shipping weight lbs: 33 CuFt: 1.76	653017 MSX	\$ 1,901



Accessories for BPO45

Description	Code	USD
Mobile stand, stainless steel WxDxH 17 1/2"x 20 11/16"x 27 3/16" Shipping weight lbs: 33 CuFt: 1.76	653017 MSX	\$ 1,901

