



Price List 2022

Food Service Equipment

INDEX

OnE Connected

Connectivity




System Hardware

1


Equipment Hardware

1

System Hardware

Description	Code	USD	
<p>Connectivity hub (router)</p> <p>0.02 electric kW 100-240 V 1N 50-60 Hz WxDxH 7 15/16"x 7 1/16"x 2 3/8" Shipping weight lbs: 2 CuFt: 0.92</p>	<p>922697 COHURO</p>	<p>\$ 3,074</p>	
<p>Connectivity hub (router and sim card)</p> <p>0.02 electric kW 100-240 V 1N 50-60 Hz WxDxH 7 15/16"x 7 1/16"x 2 3/8" Shipping weight lbs: 3 CuFt: 0.98</p>	<p>922705 COHURSIM</p>	<p>\$ 3,403</p>	
<p>Super antenna WiFi and 3G amplifier kit</p> <p>WxDxH 2 "x 2 "x 11 1/32" Shipping weight lbs: 4 CuFt: 0.32</p>	<p>922765 WIFISIGN</p>	<p>\$ 258</p>	

Equipment Hardware

Description	Code	USD	
<p>Wifi board (NIU)</p> <p>WxDxH 1 1/8"x 0 13/16"x 3 " Shipping weight lbs: 2 CuFt: 0.92</p>	<p>922695 WIBO</p>	<p>\$ 117</p>	
<p>Ethernet board (NIU-LAN) for Ovens and green&clean Rack Type Dishwashers</p> <p>WxDxH 1 1/8"x 0 13/16"x 3 " Shipping weight lbs: 2 CuFt: 0.25</p>	<p>922696 ETHBOARD</p>	<p>\$ 258</p>	
<p>Ethernet board (NIU-LAN) for Blast Chillers</p> <p>WxDxH 1 1/8"x 0 13/16"x 3 " Shipping weight lbs: 2 CuFt: 0.25</p>	<p>922392 ETHBOARD_C</p>	<p>\$ 360</p>	

INDEX

Kettles, Braising Pans and Pressure Braising Pans

Tilting Gas Kettles

Tilting Gas Kettles 35 in (900 mm) depth	31
Tilting Gas Kettles 40 in (1000 mm) depth	31

Tilting Braising Pans

Tilting Electric Braising Pans 35 in (900 mm) depth	32
Tilting Gas Braising Pans 35 in (900 mm) depth	32

Tilting Pressure Braising Pans

Tilting Electric Pressure Braising Pans 35 in (900 mm) depth	33
Tilting Gas Pressure Braising Pans 35 in (900 mm) depth	33

Accessories for ProThermetic Kettles, Braising Pans and Pressure Braising Pans

Base plates	34
Suspension frames	34
Baskets	35
Measuring rods for tilting kettles	35
Strainers	36
Strainers and scrapers for dumplings	37
Perforated containers	37
Cover plates	38
Spray guns	38
Miscellaneous	38

Tilting Gas Kettles 35 in (900 mm) depth

Description	Code	USD
<p>Touchline Tilting Kettle, gas, 26 gallon (100 Lt) capacity, stainless steel construction, full jacket, safety valve, safety thermostat, motor assisted tilt, 2" tangent draw-off valve, 71652 BTU</p> <p>0.25 electric kW 120 V 1 60 Hz WxDxH 47 1/4"x 35 7/16"x 27 9/16" Shipping weight lbs: 822 CuFt: 79.91</p> <p>Included Accessory</p> <p>910162 Food Tap Strainer Rod 1 913571 2" tangent draw-off valve for braising pans. Factory mounted only, increased lead time 1</p>	<p>587040 PBOT10GCWF</p>	<p>\$ 74,306</p>



Tilting Gas Kettles 40 in (1000 mm) depth

Description	Code	USD
<p>Touchline Tilting Kettle, gas, 40 gallon (150 Lt) capacity, stainless steel construction, full jacket, safety valve, safety thermostat, motor assisted tilt, 2" tangent draw-off valve, 88712 BTU</p> <p>0.25 electric kW 120 V 1 60 Hz WxDxH 51 3/16"x 39 3/8"x 27 9/16" Shipping weight lbs: 944 CuFt: 99.61</p> <p>Included Accessory</p> <p>910162 Food Tap Strainer Rod 1 913571 2" tangent draw-off valve for braising pans. Factory mounted only, increased lead time 1</p>	<p>587041 PBOT15GDWF</p>	<p>\$ 78,136</p>
<p>Touchline Tilting Kettle, gas, 80 gallon (300 Lt) capacity, stainless steel construction, full jacket, safety valve, safety thermostat, motor assisted tilt, 2" tangent draw-off valve, 153540 BTU</p> <p>0.25 electric kW 120 V 1 60 Hz WxDxH 59 1/16"x 39 3/8"x 27 9/16" Shipping weight lbs: 1168 CuFt: 114.69</p> <p>Included Accessory</p> <p>910162 Food Tap Strainer Rod 1 913571 2" tangent draw-off valve for braising pans. Factory mounted only, increased lead time 1</p>	<p>587042 PBOT30GDWF</p>	<p>\$ 103,912</p>



Kettles, Braising Pans and Pressure Braising Pans

Tilting Braising Pans

Tilting Electric Braising Pans 35 in (900 mm) depth

Description	Code	USD
<p>Touchline Tilting Braising Pan, electric, 24 gallon (90 Lt) capacity, stainless steel construction, safety thermostat, motor assisted tilt</p> <p>15.50 electric kW 208 V 3 60 Hz WxDxH 47 1/4"x 35 7/16"x 27 9/16" Shipping weight lbs: 661 CuFt: 55.08</p>	<p>587031 PFET09ECUU</p>	<p>\$ 56,952</p>
<p>Touchline Tilting Braising Pan, electric, 45 gallon (170 Lt) capacity, stainless steel construction, safety thermostat, motor assisted tilt</p> <p>20.60 electric kW 208 V 3 60 Hz WxDxH 63 "x 35 7/16"x 27 9/16" Shipping weight lbs: 860 CuFt: 93.64</p>	<p>587035 PFET17ECUU</p>	<p>\$ 96,820</p>



Tilting Gas Braising Pans 35 in (900 mm) depth

Description	Code	USD
<p>Touchline Tilting Braising Pan, gas, 24 gallon (90 Lt) capacity, stainless steel construction, safety thermostat, motor assisted tilt, 61,362 BTU</p> <p>0.25 electric kW 120 V 1 60 Hz WxDxH 47 1/4"x 35 7/16"x 27 9/16" Shipping weight lbs: 822 CuFt: 84.35</p>	<p>587037 PFET09GCWU</p>	<p>\$ 66,864</p>
<p>Touchline Tilting Braising Pan, gas, 45 gallon (170 Lt) capacity, stainless steel construction, safety thermostat, motor assisted tilt, 98,861 BTU</p> <p>0.25 electric kW 120 V 1 60 Hz WxDxH 63 "x 35 7/16"x 27 9/16" Shipping weight lbs: 1036 CuFt: 111.65</p>	<p>587039 PFET17GCWU</p>	<p>\$ 104,323</p>



Kettles, Braising Pans and Pressure Braising Pans

Tilting Pressure Braising Pans

Tilting Electric Pressure Braising Pans 35 in (900 mm) depth

Description	Code	USD
<p>Touchline Tilting Pressure Braising Pan, electric, 24 gallon (90 Lt) capacity, stainless steel construction, safety thermostat, motor assisted tilt, 15.5kW</p> <p>15.50 electric kW 208 V 3 60 Hz WxDxH 47 1/4"x 35 7/16"x 27 9/16" Shipping weight lbs: 1003 CuFt: 86.26</p>	<p>587021 PUET09ECUU</p>	<p>\$ 79,494</p>
<p>Touchline Tilting Pressure Braising Pan, electric, 45 gallon (170 Lt) capacity, stainless steel construction, safety thermostat, motor assisted tilt, 20.6kW</p> <p>20.60 electric kW 208 V 3 60 Hz WxDxH 63 "x 35 7/16"x 27 9/16" Shipping weight lbs: 1257 CuFt: 111.05</p>	<p>587025 PUET17ECUU</p>	<p>\$ 91,819</p>



Tilting Gas Pressure Braising Pans 35 in (900 mm) depth





Description	Code	USD
<p>Touchline Tilting Pressure Braising Pan, gas, 24 gallon (90 Lt) capacity, stainless steel construction, safety thermostat, motor assisted tilt, 61,362 BTU</p> <p>0.25 electric kW 120 V 1 60 Hz WxDxH 47 1/4"x 35 7/16"x 27 9/16" Shipping weight lbs: 1041 CuFt: 86.26</p>	<p>587027 PUET09GCWU</p>	<p>\$ 95,578</p>
<p>Touchline Tilting Pressure Braising Pan, gas, 45 gallon (170 Lt) capacity, stainless steel construction, safety thermostat, motor assisted tilt, 98,948 BTU</p> <p>0.25 electric kW 120 V 1 60 Hz WxDxH 63 "x 35 7/16"x 27 9/16" Shipping weight lbs: 1283 CuFt: 112.60</p>	<p>587028 PUET17GCWU</p>	<p>\$ 103,342</p>




Kettles, Braising Pans and Pressure Braising Pans

Accessories for ProThermetic Kettles, Braising Pans and Pressure Braising Pans

Base plates

Description	Code	USD	
<p>Base plate, 26 gallon (100 liter) for kettles</p> <p>WxDxH 24 3/4"x 24 3/4"x 1 "</p> <p>Shipping weight lbs: 13 CuFt: 0.64</p>	<p>910033 THA018</p>	<p>\$ 2,370</p>	
<p>Base plate, 40 gallon (150 liter) for kettles</p> <p>WxDxH 27 1/2"x 27 1/2"x 1 "</p> <p>Shipping weight lbs: 13 CuFt: 1.36</p>	<p>910034 THA019</p>	<p>\$ 3,082</p>	
<p>Base plate, 80 gallon (300 liter) for kettles</p> <p>WxDxH 34 15/16"x 34 15/16"x 1 "</p> <p>Shipping weight lbs: 20 CuFt: 2.12</p>	<p>910036 THA130</p>	<p>\$ 3,119</p>	
<p>Base plate, for pressure braising pans and non-pressure braising pans, half size</p> <ul style="list-style-type: none"> - 2 needed for 24 gallon units (587031, 587037, 587021, 587027) - 3 needed for 45 gallon units (587035, 587039, 587025, 587028) <p>WxDxH 13 3/16"x 21 1/16"x 1 3/16"</p> <p>Shipping weight lbs: 7 CuFt: 0.33</p>	<p>910201 THA061</p>	<p>\$ 320</p>	

Suspension frames

Description	Code	USD	
<p>Suspension frame for Non-Pressurized Tilting Braising Pans</p> <ul style="list-style-type: none"> - 2 needed for 24 gallon units (587031, 587037) - 3 needed for 45 gallon units (587035, 587039) <p>WxDxH 13 1/8"x 22 3/4"x 2 3/8"</p> <p>Shipping weight lbs: 6 CuFt: 0.87</p>	<p>912709 SUSFRAPFET</p>	<p>\$ 362</p>	



Kettles, Braising Pans and Pressure Braising Pans

Accessories for ProThermetic Kettles, Braising Pans and Pressure Braising Pans

◀◀ (Suspension frames)

Description	Code	USD
Suspension frame for Pressurized Tilting Braising Pans - 2 needed for 24 gallon units (587021, 587027) - 3 needed for 45 gallon units (587025, 587028) WxDxH 13 1/8"x 22 3/4"x 2 3/8" Shipping weight lbs: 3 CuFt: 0.41	910191 THA060	\$ 232




Baskets

Description	Code	USD
Basket, for 26 gallon kettles WxDxH 23 5/8"x 23 5/8"x 3 15/16" Shipping weight lbs: 13 CuFt: 3.67	910023 THA012	\$ 3,094
Basket, for 40 gallon kettles WxDxH 26 3/8"x 26 3/8"x 3 15/16" Shipping weight lbs: 15 CuFt: 3.81	910024 THA013	\$ 3,819



Measuring rods for tilting kettles

Description	Code	USD
Measuring rod for tilting kettle 26 gallon WxDxH 2 15/16"x 1 9/16"x 10 3/16" Shipping weight lbs: 1 CuFt: 0.03	913503 MEROD26GAL	\$ 162
Measuring rod for tilting kettle 40 gallon WxDxH 2 15/16"x 1 9/16"x 10 5/8" Shipping weight lbs: 1 CuFt: 0.03	913504 MEROD40GAL	\$ 162



Kettles, Braising Pans and Pressure Braising Pans

Accessories for ProThermetic Kettles, Braising Pans and Pressure Braising Pans

◀◀ (Measuring rods for tilting kettles)

Description	Code	USD
Measuring rod for tilting kettle 80 gallon WxDxH 2 15/16"x 1 9/16"x 14 1/16" Shipping weight lbs: 1 CuFt: 0.04	913505 MEROD79GAL	\$ 162



Strainers



Description	Code	USD
Strainer for 26 gallon kettles WxDxH 27 9/16"x 15 15/16"x 1 3/4" Shipping weight lbs: 9 CuFt: 1.59	910003 THA005	\$ 628
Strainer for 40 gallon kettles WxDxH 29 15/16"x 17 1/8"x 1 3/4" Shipping weight lbs: 9 CuFt: 0.90	910004 THA006	\$ 666
Strainer for 80 gallon kettles WxDxH 37 1/64"x 19 7/8"x 1 3/4" Shipping weight lbs: 11 CuFt: 0.94	910006 THA008	\$ 1,467
Strainer for tilting pressure braising pan, 2 GN (60/90l) WxDxH 27 9/16"x 10 5/8"x 1 1/8" Shipping weight lbs: 9 CuFt: 2.78	913575 STRAINE2GN	\$ 1,507
Strainer for tilting pressure braising pan, 3 GN (10/170l) WxDxH 42 1/8"x 10 5/8"x 1 1/8" Shipping weight lbs: 9 CuFt: 2.67	913574 STRAINE3GN	\$ 1,562



Kettles, Braising Pans and Pressure Braising Pans

Accessories for ProThermetic Kettles, Braising Pans and Pressure Braising Pans

Strainers and scrapers for dumplings

Description	Code	USD	
Dumpling strainer for 21/26 gallon kettles WxDxH 24 1/32"x 8 11/16"x 2 3/8" Shipping weight lbs: 9 CuFt: 1.86	910053 THA030	\$ 754	
Scraper for "dumpling" strainer for kettles WxDxH 8 7/16"x 0 1/16"x 4 3/4" Shipping weight lbs: 2 CuFt: 0.21	910058 THA045	\$ 97	

Perforated containers

Description	Code	USD	
Perforated container with handles, height 8" (203mm) WxDxH 12 13/16"x 20 7/8"x 7 7/8" Shipping weight lbs: 7 CuFt: 1.91	911673 THA706	\$ 551	
Perforated container with handles, height 6" (152mm) WxDxH 12 13/16"x 20 7/8"x 5 15/16" Shipping weight lbs: 7 CuFt: 1.86	910212 THA063	\$ 525	
Perforated container with handles, height 4" (102mm) WxDxH 12 13/16"x 20 7/8"x 3 15/16" Shipping weight lbs: 7 CuFt: 2	910211 THA062	\$ 276	

Kettles, Braising Pans and Pressure Braising Pans

Accessories for ProThermetic Kettles, Braising Pans and Pressure Braising Pans

Cover plates

Description	Code	USD
<p>Left cover plate and mixing faucet for kettle (587040), and all braising pans (587037, 587039, 587031, 587035, 587027, 587028, 587021, and 587025)</p> <p>WxDxH 7 7/8"x 35 7/16"x 13 3/4" Shipping weight lbs: 22 CuFt: 2.65</p>	<p>911819 THA382</p>	<p>\$ 2,888</p>
<p>Left cover plate and mixing faucet for kettles (587041 and 587042)</p> <p>WxDxH 7 7/8"x 39 3/8"x 13 3/4" Shipping weight lbs: 22 CuFt: 2.65</p>	<p>911821 THA384</p>	<p>\$ 2,974</p>




Spray guns

Description	Code	USD
<p>Spray gun kit for free-standing ProThermetic Tilting units H=700 - US</p> <p>WxDxH 8 1/4"x 10 5/8"x 1 9/16" Shipping weight lbs: 11 CuFt: 1.47</p>	<p>913579 SPGUN70USA</p>	<p>\$ 2,860</p>



Miscellaneous


Description	Code	USD
<p>2" tangent draw-off valve for braising pans. Factory mounted only, increased lead time</p> <p>WxDxH 2 3/4"x 9 7/16"x 3 15/16" Shipping weight lbs: 2</p>	<p>913571 FODTAPUSA2</p>	<p>\$ 3,093</p>
<p>Emergency stop button - factory fitted</p> <p>WxDxH 0 1/16"x 0 1/16"x 0 1/16" Shipping weight lbs: 4 CuFt: 0.55</p>	<p>912784 EMERGSTOPT</p>	<p>\$ 680</p>



Kettles, Braising Pans and Pressure Braising Pans

Accessories for ProThermetic Kettles, Braising Pans and Pressure Braising Pans

◀◀ (Miscellaneous)

Description	Code	USD	
External touch control device for tilting units - factory fitted WxDxH 0 1/16"x 0 1/16"x 0 1/16" Shipping weight lbs: 2	<p align="center">912782 EXTOUCHTIL</p>	<p align="center">\$ 4,738</p>	
4 flanged feet, 2", for prothermetic units (kettles, braising pans & pressure braising pans) WxDxH 6 5/16"x 6 5/16"x 7 7/8" Shipping weight lbs: 4 CuFt: 0.52	<p align="center">913438 4FEETFLAUL</p>	<p align="center">\$ 483</p>	