



Price List 2022

Food Service Equipment

INDEX

OnE Connected

Connectivity

System Hardware

1

Equipment Hardware

1

System Hardware

Description	Code	USD
Connectivity hub (router) 0.02 electric kW 100-240 V 1N 50-60 Hz WxDxH 7 15/16"x 7 1/16"x 2 3/8" Shipping weight lbs: 2 CuFt: 0.92	922697 COHURO	\$ 3,074
Connectivity hub (router and sim card) 0.02 electric kW 100-240 V 1N 50-60 Hz WxDxH 7 15/16"x 7 1/16"x 2 3/8" Shipping weight lbs: 3 CuFt: 0.98	922705 COHUROSIM	\$ 3,403
Super antenna WiFi and 3G amplifier kit WxDxH 2 "x 2 "x 11 1/32" Shipping weight lbs: 4 CuFt: 0.32	922765 WIFISIGN	\$ 258



Equipment Hardware

Description	Code	USD
Wifi board (NIU) WxDxH 1 1/8"x 0 13/16"x 3 " Shipping weight lbs: 2 CuFt: 0.92	922695 WIBO	\$ 117
Ethernet board (NIU-LAN) for Ovens and green&clean Rack Type Dishwashers WxDxH 1 1/8"x 0 13/16"x 3 " Shipping weight lbs: 2 CuFt: 0.25	922696 ETHBOARD	\$ 258
Ethernet board (NIU-LAN) for Blast Chillers WxDxH 1 1/8"x 0 13/16"x 3 " Shipping weight lbs: 2 CuFt: 0.25	922392 ETHBOARD_C	\$ 360



INDEX

SpeedDelight - High Speed Cooking

SpeedDelight with Manual Adjustable Top Contact Plate

SpeedDelight with Manual Adjustable Top Contact - Ribbed	43
SpeedDelight with Manual Adjustable Top Contact - Smooth	44

SpeedDelight with Flexible Adjustable Top Contact Plate

SpeedDelight with Flexible Adjustable Top Contact - Ribbed	45
SpeedDelight with Flexible Adjustable Top Contact - Smooth	45

Accessories for SpeedDelight

Accessories for SpeedDelight	46
------------------------------	----

SpeedDelight - High Speed Cooking

SpeedDelight with Manual Adjustable Top Contact Plate

SpeedDelight with Manual Adjustable Top Contact - Ribbed

Description	Code	USD
Cooking Sandwich Press SpeedDelight with flexible plate, ribbed removable reflon upper plate 5 electric kW 240 V 1 60 Hz WxDxH 14 3/16"x 26 9/16"x 24 13/16" Shipping weight lbs: 128 CuFt: 8.45 Included Accessory 653527 Glass saver for SpeedDelight 1 653623 Cleaning brush for SpeedDelight 1 653625 Spatula for SpeedDelight 1 653791 4 stainless steel feet 3" (76 mm) height for SpeedDelight 1 653800 SpeedDelight spacer stop kit for rear ventilation 1 653802 1 653803 1 653804 1	603937 HSPP3RPRUS	\$ 16,706
Cooking Sandwich Press SpeedDelight with flexible adjustable top ribbed contact plate. 5 electric kW 208 V 1 60 Hz WxDxH 14 3/16"x 26 9/16"x 24 13/16" Shipping weight lbs: 128 CuFt: 8.45 Included Accessory 653527 Glass saver for SpeedDelight 1 653791 4 stainless steel feet 3" (76 mm) height for SpeedDelight 1 653800 SpeedDelight spacer stop kit for rear ventilation 1 653802 1 653803 1 653804 1	603923 HSPP3BPRSY	\$ 16,705



SpeedDelight - High Speed Cooking

SpeedDelight with Manual Adjustable Top Contact Plate

SpeedDelight with Manual Adjustable Top Contact - Smooth

Description	Code	USD
SpeedDelight with Flexible Top smooth Contact Plate, dark grey 5 electric kW 240 V 1 60 Hz WxDxH 14 3/16"x 26 9/16"x 24 13/16" Shipping weight lbs: 128 CuFt: 8.45 Included Accessory 653527 Glass saver for SpeedDelight 1 653623 Cleaning brush for SpeedDelight 1 653625 Spatula for SpeedDelight 1 653791 4 stainless steel feet 3" (76 mm) height for SpeedDelight 1 653800 SpeedDelight spacer stop kit for rear ventilation 1 653802 1 653803 1 653804 1	603938 HSPP3RPFUS	\$ 16,706



Speedelight - High Speed Cooking

Speedelight with Flexible Adjustable Top Contact Plate

Speedelight with Flexible Adjustable Top Contact - Ribbed

Description	Code	USD
Cooking Sandwich Press Speedelight with flexible plate, ribbed removable reflon upper plate 5 electric kW 240 V 1 60 Hz WxDxH 14 3/16"x 26 9/16"x 24 13/16" Shipping weight lbs: 128 CuFt: 8.45 Included Accessory 653527 Glass saver for Speedelight 1 653623 Cleaning brush for Speedelight 1 653625 Spatula for Speedelight 1 653791 4 stainless steel feet 3" (76 mm) height for Speedelight 1 653800 Speedelight spacer stop kit for rear ventilation 1 653802 1 653803 1 653804 1	603937 HSPP3RPRUS	\$ 16,706



Speedelight with Flexible Adjustable Top Contact - Smooth

Description	Code	USD
Speedelight with Flexible Top smooth Contact Plate, dark grey 5 electric kW 240 V 1 60 Hz WxDxH 14 3/16"x 26 9/16"x 24 13/16" Shipping weight lbs: 128 CuFt: 8.45 Included Accessory 653527 Glass saver for Speedelight 1 653623 Cleaning brush for Speedelight 1 653625 Spatula for Speedelight 1 653791 4 stainless steel feet 3" (76 mm) height for Speedelight 1 653800 Speedelight spacer stop kit for rear ventilation 1 653802 1 653803 1 653804 1	603938 HSPP3RPFUS	\$ 16,706



Accessories for Speedelight



Description	Code	USD	
UPGRADE KIT FOR INSTALLED SPEEDELIGHT: Kit to upgrade Speedelight in the field. Contains new lid, tray, 2 brushes, and PTFE tray	9R012A	\$ 1299	
UPGRADE KIT FOR NEW SPEEDELIGHT: Kit to upgrade Speedelight in the field. Contains new lid, tray, 2 brushes, and PTFE tray	OCB958	\$ 1899	
Pressed Tray	9R0120	\$ 87	

SpeedDelight - High Speed Cooking

Accessories for SpeedDelight

Accessories for SpeedDelight

Description	Code	USD
Glass saver for SpeedDelight WxDxH 9 3/4"x 9 3/4"x 0 3/16" Shipping weight lbs: 2 CuFt: 0.07	653527 HSGGLS	\$ 118
Cleaning brush for SpeedDelight WxDxH 3 1/32"x 7 1/4"x 0 15/16" Shipping weight lbs: 2 CuFt: 0.01	653623 HSGBRSH	\$ 120
Spatula for SpeedDelight WxDxH 6 5/16"x 0 3/8"x 12 5/8" Shipping weight lbs: 2 CuFt: 0.08	653625 HSGSPAT	\$ 47
Removable ribbed teflon plate for SpeedDelight. Needs retaining clip 0CA445. WxDxH 8 7/16"x 8 1/4"x 0 3/16" Shipping weight lbs: 2 CuFt: 0.08	653787 HSG-RTP	\$ 89
Removable flat teflon plate for SpeedDelight WxDxH 8 7/16"x 8 1/4"x 0 3/16" Shipping weight lbs: 2 CuFt: 0.08	653790 HSG-RTF	\$ 95
4 stainless steel feet 3" (76 mm) height for SpeedDelight WxDxH 2 "x 2 "x 3 7/16" Shipping weight lbs: 2 CuFt: 0.01	653791 HSGFSS76	\$ 52



◀◀ (Accessories for SpeedDelight)

Description	Code	USD
SpeedDelight spacer stop kit for rear ventilation WxDxH 12 9/16"x 7 1/2"x 0 13/16" Shipping weight lbs: 2 CuFt: 0.50	653800 HSSPKIT170	\$ 169
Brush with brass bristles - US WxDxH 2 3/4"x 1 3/8"x 15 15/16" CuFt: 0.04	653803 SLIMBRUSHN	\$ 52
Brush with nylon bristles - US WxDxH 2 3/4"x 1 3/8"x 15 15/16" CuFt: 0.04	653804 SLIMBRUSHB	\$ 52