



# Price List 2026

## Foodservice Equipment

# MAIN INDEX

Jump to the each section by clicking on the category title you wish to view

<b>Pasta Cookers</b>	<b>3</b>
<b>Kettles, Braising Pans and Pressure Braising Pans</b>	<b>6</b>
<b>Speedelight - High Speed Cooking</b>	<b>13</b>
<b>Combi Ovens and Blast Chillers</b>	<b>18</b>
<b>Refrigeration Equipment</b>	<b>65</b>
<b>Food Preparation</b>	<b>68</b>
<b>Dishwashing Equipment</b>	<b>124</b>

# INDEX

## Pasta Cookers and EMPower Restaurant Series

### 900XP

Pasta Cooker - Manual - Gas	1
Pasta Cooker - Manual - Electric	1
Pasta Cookers - Rethermalizers	2

**Pasta Cooker - Manual - Gas**

Description	Code	USD
Pasta Cooker, gas, Single 10.5 gallon (40 Lt) tank, 66lb/hour capacity each, automatic starch removal, automatic low water level control, 9 position energy control, 316 stainless steel tank, stainless steel cabinet & legs, 53,000 BTU 0.03 electric kW 208/120 V 1 60 Hz WxDxH 15 3/4"x 35 7/16"x 33 7/16" Shipping weight lbs: 148 CuFt: 17.89 <b>Included Accessory</b> 206350 Door for open base cupboard 1	<b>391201</b> E9PCGD1MF2	<b>\$ 13,338</b>
Pasta Cooker, gas, Pair of 10.5 gallon (40 Lt) tanks, 66lb/hour capacity each, automatic starch removal, automatic low water level controls, 9 position energy controls, 316 stainless steel tanks, stainless steel cabinet & legs, 106,000 BTU 0.05 electric kW 208/120 V 1 60 Hz WxDxH 31 1/2"x 35 7/16"x 33 7/16" Shipping weight lbs: 238 CuFt: 34.69 <b>Included Accessory</b> 206350 Door for open base cupboard 2	<b>391202</b> E9PCGH2MF2	<b>\$ 21,562</b>



**Pasta Cooker - Manual - Electric**

Description	Code	USD
Pasta Cooker, electric, Single 10.5 gallon (40Lt) tank, 66lb/hour capacity each, automatic starch removal, automatic low water level control, 9 position energy control, 316 stainless steel tank, stainless steel cabinet & legs 10 electric kW 208 V 3 50/60 Hz WxDxH 15 3/4"x 35 7/16"x 33 7/16" Shipping weight lbs: 143 CuFt: 18.56 <b>Included Accessory</b> 206350 Door for open base cupboard 1	<b>391203</b> E9PCED1MF2	<b>\$ 13,995</b>



## Pasta Cookers and EMPower Restaurant Series

### 900XP

◀◀ (Pasta Cooker - Manual - Electric)

Description	Code	USD
<p>Pasta Cooker, electric, Pair of 10.5 gallon (40 Lt) tanks, 66lb/hour capacity each, automatic starch removal, automatic low water level controls, 9 position energy controls, 316 stainless steel tank, stainless steel cabinet &amp; legs</p> <p>20 electric kW 208 V 3 50/60 Hz                      WxDxH 31 1/2"x 35 7/16"x 33 7/16"                      Shipping weight lbs: 201 CuFt: 34.69</p> <p><b>Included Accessory</b>                      206350 Door for open base cupboard 2</p>	<p><b>391204</b>                      E9PCEH2MF2</p>	<p><b>\$ 22,668</b></p>



### Pasta Cookers - Rethermalizers

Description	Code	USD
<p>Electric Freestanding Rethermalizer, 1 Well - 16 gallons (60 lt) - 208 V/ 3 / 60Hz/ 25A</p> <p>9 electric kW 208 V 3 60 Hz                      WxDxH 14 3/4"x 35 13/16"x 33 7/16"                      Shipping weight lbs: 181 CuFt: 19.74</p>	<p><b>391351</b>                      E9PCEDRMC3</p>	<p><b>\$ 19,861</b></p>



# INDEX

## Kettles, Braising Pans and Pressure Braising Pans

### ProThermetic Sprint

Base plates	3
Suspension frames	3
Baskets	3
Strainers	4
Perforated containers	4

### Tilting Pressure Braising Pans

Tilting Electric Pressure Braising Pans 35 in (900 mm) depth	5
Tilting Gas Pressure Braising Pans 35 in (900 mm) depth	5

### Accessories for ProThermetic Kettles, Braising Pans and Pressure Braising Pans

Base plates	6
Suspension frames	6
Baskets	6
Strainers	7
Perforated containers	7
Cover plates	8
Spray guns	8
Miscellaneous	8

**Base plates**

Description	Code	USD
Base plate, 26 gallon (100 liter) for kettles WxDxH 24 3/4"x 24 3/4"x 1 " Shipping weight lbs: 13 CuFt: 0.64	<b>910033</b> THA018	<b>\$ 2,738</b>
Base plate, for pressure braising pans and non-pressure braising pans, half size - 2 needed for 24 gallon units (587031, 587037, 587021, 587027) - 3 needed for 45 gallon units (587035, 587039, 587025, 587028) WxDxH 13 3/16"x 21 1/16"x 1 3/16" Shipping weight lbs: 4 CuFt: 0.33	<b>910201</b> THA061	<b>\$ 370</b>



**Suspension frames**

Description	Code	USD
Suspension frame for Pressurized Tilting Braising Pans - 2 needed for 24 gallon units (587021, 587027) - 3 needed for 45 gallon units (587025, 587028) WxDxH 13 1/8"x 22 3/4"x 2 3/8" Shipping weight lbs: 3 CuFt: 0.41	<b>910191</b> THA060	<b>\$ 299</b>
Suspension frame for Non-Pressurized Tilting Braising Pans - 2 needed for 24 gallon units (587031, 587037) - 3 needed for 45 gallon units (587035, 587039) WxDxH 13 1/8"x 22 3/4"x 2 3/8" Shipping weight lbs: 6 CuFt: 0.87	<b>912709</b> SUSFRAPFET	<b>\$ 420</b>



**Baskets**

Description	Code	USD
Basket, for 26 gallon kettles WxDxH 23 5/8"x 23 5/8"x 3 15/16" Shipping weight lbs: 13 CuFt: 3.67	<b>910023</b> THA012	<b>\$ 3,575</b>
Basket, for 40 gallon kettles WxDxH 26 3/8"x 26 3/8"x 3 15/16" Shipping weight lbs: 15 CuFt: 3.81	<b>910024</b> THA013	<b>\$ 4,411</b>




## Kettles, Braising Pans and Pressure Braising Pans

### ProThermetic Sprint

#### Strainers

Description	Code	USD
Strainer for 26 gallon kettles WxDxH 27 9/16"x 15 15/16"x 1 3/4" Shipping weight lbs: 6 CuFt: 1.59	<b>910003</b> THA005	<b>\$ 727</b>
Strainer for 40 gallon kettles WxDxH 29 15/16"x 17 1/8"x 1 3/4" Shipping weight lbs: 6 CuFt: 0.90	<b>910004</b> THA006	<b>\$ 769</b>
Strainer for 80 gallon kettles WxDxH 37 1/64"x 19 7/8"x 1 3/4" Shipping weight lbs: 11 CuFt: 0.94	<b>910006</b> THA008	<b>\$ 1,697</b>
Strainer for tilting pressure braising pan, 2 GN (60/90l) WxDxH 27 9/16"x 10 5/8"x 1 1/8" Shipping weight lbs: 9 CuFt: 2.78	<b>913575</b> STRAINE2GN	<b>\$ 1,741</b>
Strainer for tilting pressure braising pan, 3 GN (10/170l) WxDxH 42 1/8"x 10 5/8"x 1 1/8" Shipping weight lbs: 2 CuFt: 2.67	<b>913574</b> STRAINE3GN	<b>\$ 1,805</b>



#### Perforated containers

Description	Code	USD
Perforated container with handles, height 4" (102mm) WxDxH 12 13/16"x 20 7/8"x 3 15/16" Shipping weight lbs: 7 CuFt: 2	<b>910211</b> THA062	<b>\$ 319</b>
Perforated container with handles, height 6" (152mm) WxDxH 12 13/16"x 20 7/8"x 5 15/16" Shipping weight lbs: 7 CuFt: 1.86	<b>910212</b> THA063	<b>\$ 608</b>
Perforated container with handles, height 8" (203mm) WxDxH 12 13/16"x 20 7/8"x 7 7/8" Shipping weight lbs: 7 CuFt: 1.91	<b>911673</b> THA706	<b>\$ 638</b>



## Kettles, Braising Pans and Pressure Braising Pans

### Tilting Pressure Braising Pans

#### Tilting Electric Pressure Braising Pans 35 in (900 mm) depth

Description	Code	USD
<p>Touchline Tilting Pressure Braising Pan, electric, 24 gallon (90 Lt) capacity, stainless steel construction, safety thermostat, motor assisted tilt, 15.5kW</p> <p>15.50 electric kW 208 V 3 60 Hz                      WxDxH 47 1/4"x 35 7/16"x 27 9/16"                      Shipping weight lbs: 1003 CuFt: 86.26</p>	<p><b>587021</b>                      PUET09ECUU</p>	<p><b>\$ 103,825</b></p>
<p>Touchline Tilting Pressure Braising Pan, electric, 45 gallon (170 Lt) capacity, stainless steel construction, safety thermostat, motor assisted tilt, 20.6kW</p> <p>20.60 electric kW 208 V 3 60 Hz                      WxDxH 63 "x 35 7/16"x 27 9/16"                      Shipping weight lbs: 1149 CuFt: 111.05</p>	<p><b>587025</b>                      PUET17ECUU</p>	<p><b>\$ 113,381</b></p>



#### Tilting Gas Pressure Braising Pans 35 in (900 mm) depth

Description	Code	USD
<p>Touchline Tilting Pressure Braising Pan, gas, 24 gallon (90 Lt) capacity, stainless steel construction, safety thermostat, motor assisted tilt, 61,362 BTU</p> <p>0.25 electric kW 120 V 1 60 Hz                      WxDxH 47 1/4"x 35 7/16"x 27 9/16"                      Shipping weight lbs: 963 CuFt: 86.92</p>	<p><b>587027</b>                      PUET09GCWU</p>	<p><b>\$ 114,617</b></p>
<p>Touchline Tilting Pressure Braising Pan, gas, 45 gallon (170 Lt) capacity, stainless steel construction, safety thermostat, motor assisted tilt, 98,948 BTU</p> <p>0.25 electric kW 120 V 1 60 Hz                      WxDxH 63 "x 35 7/16"x 27 9/16"                      Shipping weight lbs: 1283 CuFt: 112.60</p>	<p><b>587028</b>                      PUET17GCWU</p>	<p><b>\$ 122,701</b></p>



## Kettles, Braising Pans and Pressure Braising Pans

### Accessories for ProThermetic Kettles, Braising Pans and Pressure Braising Pans

#### Base plates

Description	Code	USD
Base plate, 26 gallon (100 liter) for kettles WxDxH 24 3/4"x 24 3/4"x 1 " Shipping weight lbs: 13 CuFt: 0.64	<b>910033</b> THA018	<b>\$ 2,738</b>
Base plate, for pressure braising pans and non-pressure braising pans, half size - 2 needed for 24 gallon units (587031, 587037, 587021, 587027) - 3 needed for 45 gallon units (587035, 587039, 587025, 587028) WxDxH 13 3/16"x 21 1/16"x 1 3/16" Shipping weight lbs: 4 CuFt: 0.33	<b>910201</b> THA061	<b>\$ 370</b>



#### Suspension frames

Description	Code	USD
Suspension frame for Non-Pressurized Tilting Braising Pans - 2 needed for 24 gallon units (587031, 587037) - 3 needed for 45 gallon units (587035, 587039) WxDxH 13 1/8"x 22 3/4"x 2 3/8" Shipping weight lbs: 6 CuFt: 0.87	<b>912709</b> SUSFRAPFET	<b>\$ 420</b>
Suspension frame for Pressurized Tilting Braising Pans - 2 needed for 24 gallon units (587021, 587027) - 3 needed for 45 gallon units (587025, 587028) WxDxH 13 1/8"x 22 3/4"x 2 3/8" Shipping weight lbs: 3 CuFt: 0.41	<b>910191</b> THA060	<b>\$ 299</b>



#### Baskets

Description	Code	USD
Basket, for 26 gallon kettles WxDxH 23 5/8"x 23 5/8"x 3 15/16" Shipping weight lbs: 13 CuFt: 3.67	<b>910023</b> THA012	<b>\$ 3,575</b>
Basket, for 40 gallon kettles WxDxH 26 3/8"x 26 3/8"x 3 15/16" Shipping weight lbs: 15 CuFt: 3.81	<b>910024</b> THA013	<b>\$ 4,411</b>



## Kettles, Braising Pans and Pressure Braising Pans

### Accessories for ProThermetic Kettles, Braising Pans and Pressure Braising Pans

#### Strainers

Description	Code	USD
Strainer for 26 gallon kettles WxDxH 27 9/16"x 15 15/16"x 1 3/4" Shipping weight lbs: 6 CuFt: 1.59	<b>910003</b> THA005	<b>\$ 727</b>
Strainer for 40 gallon kettles WxDxH 29 15/16"x 17 1/8"x 1 3/4" Shipping weight lbs: 6 CuFt: 0.90	<b>910004</b> THA006	<b>\$ 769</b>
Strainer for 80 gallon kettles WxDxH 37 1/64"x 19 7/8"x 1 3/4" Shipping weight lbs: 11 CuFt: 0.94	<b>910006</b> THA008	<b>\$ 1,697</b>
Strainer for tilting pressure braising pan, 2 GN (60/90l) WxDxH 27 9/16"x 10 5/8"x 1 1/8" Shipping weight lbs: 9 CuFt: 2.78	<b>913575</b> STRAINE2GN	<b>\$ 1,741</b>
Strainer for tilting pressure braising pan, 3 GN (10/170l) WxDxH 42 1/8"x 10 5/8"x 1 1/8" Shipping weight lbs: 2 CuFt: 2.67	<b>913574</b> STRAINE3GN	<b>\$ 1,805</b>



#### Perforated containers

Description	Code	USD
Perforated container with handles, height 8" (203mm) WxDxH 12 13/16"x 20 7/8"x 7 7/8" Shipping weight lbs: 7 CuFt: 1.91	<b>911673</b> THA706	<b>\$ 638</b>
Perforated container with handles, height 6" (152mm) WxDxH 12 13/16"x 20 7/8"x 5 15/16" Shipping weight lbs: 7 CuFt: 1.86	<b>910212</b> THA063	<b>\$ 608</b>
Perforated container with handles, height 4" (102mm) WxDxH 12 13/16"x 20 7/8"x 3 15/16" Shipping weight lbs: 7 CuFt: 2	<b>910211</b> THA062	<b>\$ 319</b>



## Kettles, Braising Pans and Pressure Braising Pans

### Accessories for ProThermetic Kettles, Braising Pans and Pressure Braising Pans

#### Cover plates

Description	Code	USD
Left cover plate and mixing faucet for kettle (587040), and all braising pans (587037, 587039, 587031, 587035, 587027, 587028, 587021, and 587025) WxDxH 7 7/8"x 35 7/16"x 13 3/4" Shipping weight lbs: 22 CuFt: 2.65	<b>911819</b> THA382	<b>\$ 3,338</b>
Left cover plate and mixing faucet for kettles (587041 and 587042) WxDxH 7 7/8"x 39 3/8"x 13 3/4" Shipping weight lbs: 22 CuFt: 2.65	<b>911821</b> THA384	<b>\$ 3,603</b>



#### Spray guns

Description	Code	USD
Spray gun kit for free-standing ProThermetic Tilting units H=700 - US - Field Mounted WxDxH 8 1/4"x 10 5/8"x 1 9/16" Shipping weight lbs: 11 CuFt: 1.47	<b>913579</b> SPGUN70USA	<b>\$ 3,304</b>



#### Miscellaneous

Description	Code	USD
2" tangent draw-off valve for braising pans. Factory mounted only, increased lead time WxDxH 2 3/4"x 9 7/16"x 3 15/16" Shipping weight lbs: 2	<b>913571</b> FODTAPUSA2	<b>\$ 3,573</b>
4 flanged feet, 2", for prothermetic units (kettles, braising pans & pressure braising pans) WxDxH 6 5/16"x 6 5/16"x 7 7/8" Shipping weight lbs: 4 CuFt: 0.55	<b>913438</b> 4FEETFLAUL	<b>\$ 561</b>



# INDEX

## SpeedDelight - High Speed Cooking

### SpeedDelight with Flexible Adjustable Top Contact Plate

SpeedDelight with Flexible Adjustable Top Contact - Ribbed

9

SpeedDelight with Flexible Adjustable Top Contact - Smooth

10

### Accessories for SpeedDelight

Accessories for SpeedDelight

11

**SpeedDelight - High Speed Cooking**  
**SpeedDelight with Flexible Adjustable Top Contact Plate**

**SpeedDelight with Flexible Adjustable Top Contact - Ribbed**

Description	Code	USD
<p>Cooking Sandwich Press SpeedDelight with flexible plate, ribbed removable refflon upper plate</p> <p>5 electric kW 240 V 1 60 Hz                      WxDxH 14 9/16"x 26 7/8"x 24 3/8"                      Shipping weight lbs: 128 CuFt: 8.57</p> <p><b>Included Accessory</b></p> <p>653527 Glass saver for SpeedDelight 1                      653623 Cleaning brush for SpeedDelight 1                      653625 Spatula for SpeedDelight 1                      653791 4 stainless steel feet 3" (76 mm) height for SpeedDelight 1                      653800 SpeedDelight spacer stop kit for rear ventilation 1                      653802 Pressed non-stick tray 1                      653803 Brush with nylon bristles 1                      653804 Brush with brass bristles 1</p>	<p><b>603937</b>                      HSP3RPRUS</p>	<p><b>\$ 22,316</b></p>
<p>SpeedDelight with flexible top plate, removable ribbed teflon plate - 208V - US</p> <p>5 electric kW 208 V 1 60 Hz                      WxDxH 14 9/16"x 26 7/8"x 24 3/8"                      Shipping weight lbs: 130 CuFt: 8.57</p> <p><b>Included Accessory</b></p> <p>653527 Glass saver for SpeedDelight 1                      653623 Cleaning brush for SpeedDelight 1                      653625 Spatula for SpeedDelight 1                      653791 4 stainless steel feet 3" (76 mm) height for SpeedDelight 1                      653800 SpeedDelight spacer stop kit for rear ventilation 1                      653802 Pressed non-stick tray 1                      653803 Brush with nylon bristles 1                      653804 Brush with brass bristles 1</p>	<p><b>603940</b>                      HSP3RPRS</p>	<p><b>\$ 22,316</b></p>



## SpeedDelight - High Speed Cooking

### SpeedDelight with Flexible Adjustable Top Contact Plate

#### SpeedDelight with Flexible Adjustable Top Contact - Smooth

Description	Code	USD
<p>SpeedDelight with Flexible Top smooth Contact Plate, dark grey</p> <p>5 electric kW 240 V 1 60 Hz WxDxH 14 9/16"x 26 7/8"x 24 3/8" Shipping weight lbs: 128 CuFt: 8.57</p> <p><b>Included Accessory</b></p> <p>653527 Glass saver for SpeedDelight 1 653623 Cleaning brush for SpeedDelight 1 653625 Spatula for SpeedDelight 1 653791 4 stainless steel feet 3" (76 mm) height for SpeedDelight 1 653800 SpeedDelight spacer stop kit for rear ventilation 1 653802 Pressed non-stick tray 1 653803 Brush with nylon bristles 1 653804 Brush with brass bristles 1</p>	<p><b>603938</b> HSPP3RPFUS</p>	<p><b>\$ 22,316</b></p>
<p>SpeedDelight with flexible top plate, removable smooth teflon plate - 208V - US</p> <p>5 electric kW 208 V 1 60 Hz WxDxH 14 9/16"x 26 7/8"x 24 3/8" Shipping weight lbs: 130 CuFt: 8.57</p> <p><b>Included Accessory</b></p> <p>653527 Glass saver for SpeedDelight 1 653623 Cleaning brush for SpeedDelight 1 653625 Spatula for SpeedDelight 1 653791 4 stainless steel feet 3" (76 mm) height for SpeedDelight 1 653800 SpeedDelight spacer stop kit for rear ventilation 1 653802 Pressed non-stick tray 1 653803 Brush with nylon bristles 1 653804 Brush with brass bristles 1</p>	<p><b>603941</b> HSPP3RPFS</p>	<p><b>\$ 22,316</b></p>



Accessories for SpeedDelight

Description	Code	USD
Glass saver for SpeedDelight WxDxH 9 3/4"x 9 3/4"x 0 3/16" Shipping weight lbs: 2 CuFt: 0.07	<b>653527</b> HSGGLS	\$ 146
Cleaning brush for SpeedDelight WxDxH 3 1/32"x 7 1/4"x 0 15/16" Shipping weight lbs: 2 CuFt: 0.01	<b>653623</b> HSGBRSH	\$ 149
Spatula for SpeedDelight WxDxH 6 5/16"x 0 3/8"x 12 5/8" Shipping weight lbs: 2 CuFt: 0.08	<b>653625</b> HSGSPAT	\$ 59
Removable ribbed Teflon plate for SpeedDelight. WxDxH 8 7/16"x 8 1/4"x 0 3/16" Shipping weight lbs: 2 CuFt: 0.08	<b>653787</b> HSG-RTP	\$ 123
Removable flat teflon upper plate for SpeedDelight WxDxH 8 7/16"x 8 1/4"x 0 3/16" Shipping weight lbs: 2 CuFt: 0.08	<b>653790</b> HSG-RTF	\$ 129
4 stainless steel feet 3" (76 mm) height for SpeedDelight WxDxH 2 "x 2 "x 3 7/16" Shipping weight lbs: 2 CuFt: 0.01	<b>653791</b> HSGFSS76	\$ 65
4 rubber feet - Height = 26 mm WxDxH 2 1/16"x 2 1/16"x 2 1/64" Shipping weight lbs: 2 CuFt: 0.01	<b>653792</b> HSGFP26	\$ 71
Set of 24 baking paper sheets WxDxH 9 1/4"x 16 5/16"x 0 1/4" Shipping weight lbs: 1 CuFt: 0.05	<b>653795</b> HSGBKPR	\$ 293
SpeedDelight spacer stop kit for rear ventilation WxDxH 12 9/16"x 7 1/2"x 0 13/16" Shipping weight lbs: 2 CuFt: 0.50	<b>653800</b> HSSPKIT170	\$ 201



## SpeedDelight - High Speed Cooking

### Accessories for SpeedDelight

◀◀ (Accessories for SpeedDelight)

Description	Code	USD
Pressed non-stick tray WxDxH 10 11/16"x 10 11/16"x 0 3/8" Shipping weight lbs: 1 CuFt: 0.28	<b>653802</b> PTFETRAY	<b>\$ 263</b>
Brush with nylon bristles WxDxH 2 3/4"x 1 3/8"x 15 15/16" CuFt: 0.04	<b>653803</b> SLIMBRUSHN	<b>\$ 105</b>
Brush with brass bristles WxDxH 2 3/4"x 1 3/8"x 15 15/16" CuFt: 0.04	<b>653804</b> SLIMBRUSHB	<b>\$ 116</b>



# INDEX

## Combi Ovens and Blast Chillers

### SkyLine PremiumS Boiler Ovens

SkyLine PremiumS Boiler Ovens 61 - Electric	13
SkyLine PremiumS Boiler Ovens 62 - Electric	13
SkyLine PremiumS Boiler Ovens 101 - Electric	14
SkyLine PremiumS Boiler Ovens 102 - Electric	15
SkyLine PremiumS Boiler Ovens 201 - Electric	15
SkyLine PremiumS Boiler Ovens 202 - Electric	16
SkyLine PremiumS Boiler Ovens 61 - Gas	17
SkyLine PremiumS Boiler Ovens 62 - Gas	17
SkyLine PremiumS Boiler Ovens 101 - Gas	17
SkyLine PremiumS Boiler Ovens 102 - Gas	18
SkyLine PremiumS Boiler Ovens 201 - Gas	18
SkyLine PremiumS Boiler Ovens 202 - Gas	19

### SkyLine ProS Boilerless Ovens

SkyLine ProS Boilerless Ovens 62- Electric	20
SkyLine ProS Boilerless Ovens 102- Electric	20
SkyLine ProS Boilerless Ovens 62 - Gas	21
SkyLine ProS Boilerless Ovens 102 - Gas	21

### SkyLine Pro Digital Boilerless Ovens

SkyLine Pro Digital Boilerless Ovens 61- Electric	22
SkyLine Pro Digital Boilerless Ovens 62- Electric	22
SkyLine Pro Digital Boilerless Ovens 101- Electric	22
SkyLine Pro Digital Boilerless Ovens 102- Electric	23
SkyLine Pro Digital Boilerless Ovens 61- gas	23
SkyLine Pro Digital Boilerless Ovens 62- gas	23
SkyLine Pro Digital Boilerless Ovens 101- gas	24
SkyLine Pro Digital Boilerless Ovens 102- gas	24

### Accessories for SkyLine Ovens

Cooking Solutions - Half and Full Size Sheet Pans	25
Cooking Solutions - Bakery & Pastry Trays	28
Cooking Solutions - Chicken System	28
Cooking Solutions - Smoker	29
Cooking Solutions - Food Probe	29
Installation Solutions - Bases and Supports	30
Handling Solutions - Half and Full Size Sheet Pans	31
Handling Solutions - Banqueting	33
Handling Solutions - Bakery	34
Cleaning Solutions	35
Installation Solutions - Ventilation	35
Installation Solutions - Stacking Kits	36
Installation Solutions - Miscellaneous	38

## **SkyLine Chills**

SkyLine Chills 61 Blast Chiller - 66 lbs	42
SkyLine Chills 101 Blast Chiller - 110 lbs	42
SkyLine Chills 102 Blast Chiller - 220 lbs	42
SkyLine Chills 201 Blast Chiller - 220lbs	43
SkyLine Chills 202 Blast Chiller - 440lbs	43

## **Accessories for SkyLine Chills**

Cooking Solutions - Half and Full Size Sheet Pans	44
Cooking Solutions - Bakery & Pastry Trays	45
Chilling Solutions - Food Probes	45
Handling Solutions - Half and Full Size Sheet Pans	45
Handling Solutions - Banqueting	47
Handling Solutions - Bakery	48
Installation Solutions - Stacking kits	49
Installation Solutions - Miscellaneous	49

## **MultiSlim Ovens**

MultiSlim Ovens	51
-----------------	----

## **Accessories for compact convection ovens**

Accessories for compact convection ovens	52
--	----

## **Accessories for crosswise convection ovens**

Oven accessories - pans & grids	53
Oven accessories - installation	53
Oven accessory - other	53

## **Accessories for blast chiller and freezer crosswise**

Pans, grids	54
-------------	----

## **Thawing Cabinet**

Thawing Cabinet	55
Thawing Cabinet Accessories	55

## **Rethermalizer**

Rethermalizer	57
---------------	----

SkyLine PremiumS Boiler Ovens 61 - Electric

Description	Code	USD
<p>SkyLine PremiumS Combi Boiler Oven with touch screen control, 6x1/1GN, electric, 3 cooking modes (automatic, recipe program, manual), automatic cleaning, spray gun, 6-sensor probe, boiler in AISI 316L, 3-glass door - 208V US</p> <p>11.10 electric kW 208 V 3 60 Hz WxDxH 34 1/8"x 30 1/2"x 31 13/16" Shipping weight lbs: 314 CuFt: 31.46</p> <p><b>Included Accessory</b> 922062 Single 304 stainless steel grid (12" x 20") 3</p>	<p><b>219749</b> ECOE61T3L30</p>	<p><b>\$ 29,114</b></p>
<p>SkyLine PremiumS Combi Boiler Oven with touch screen control, 6x1/1GN, electric, 3 cooking modes (automatic, recipe program, manual), automatic cleaning, spray gun, 6-sensor probe, boiler in AISI 316L, 3-glass door - 480V US</p> <p>11.10 electric kW 480 V 3 60 Hz WxDxH 34 1/8"x 30 1/2"x 31 13/16" Shipping weight lbs: 304 CuFt: 31.46</p> <p><b>Included Accessory</b> 922062 Single 304 stainless steel grid (12" x 20") 3</p>	<p><b>219727</b> ECOE61T3I30</p>	<p><b>\$ 29,114</b></p>



SkyLine PremiumS Boiler Ovens 62 - Electric

Description	Code	USD
<p>SkyLine PremiumS Combi Boiler Oven with touch screen control, 6x2/1GN, electric, 3 cooking modes (automatic, recipe program, manual), automatic cleaning, spray gun, 6-sensor probe, boiler in AISI 316L, 3-glass door and IoT module - 208V US</p> <p>21.40 electric kW 208 V 3 60 Hz WxDxH 42 15/16"x 38 1/4"x 31 13/16" Shipping weight lbs: 370 CuFt: 45.21</p> <p><b>Included Accessory</b> 922076 Aisi 304 stainless steel grid (18" x 26") 3</p>	<p><b>219756</b> ECOE62T3L30</p>	<p><b>\$ 39,840</b></p>



## Combi Ovens and Blast Chillers

### SkyLine PremiumS Boiler Ovens

◀◀ (SkyLine PremiumS Boiler Ovens 62 - Electric)

Description	Code	USD
<p>SkyLine PremiumS Combi Boiler Oven with touch screen control, 6x2/1GN, electric, 3 cooking modes (automatic, recipe program, manual), automatic cleaning, spray gun, 6-sensor probe, boiler in AISI 316L, 3-glass door and IoT module - 480V US</p> <p>21.40 electric kW 480 V 3 60 Hz                      WxDxH 42 15/16"x 38 1/4"x 31 13/16"                      Shipping weight lbs: 370 CuFt: 45.21</p> <p><b>Included Accessory</b>                      922076 Aisi 304 stainless steel grid (18" x 26") 3</p>	<p><b>219728</b>                      ECOE62T3I30</p>	<p><b>\$ 40,264</b></p>



### SkyLine PremiumS Boiler Ovens 101 - Electric

Description	Code	USD
<p>SkyLine PremiumS Combi Boiler Oven with touch screen control, 10x1/1GN, electric, 3 cooking modes (automatic, recipe program, manual), automatic cleaning, spray gun, 6-sensor probe, boiler in AISI 316L, 3-glass door and IoT module - 2080V US</p> <p>19 electric kW 208 V 3 60 Hz                      WxDxH 34 1/8"x 30 1/2"x 41 5/8"                      Shipping weight lbs: 399 CuFt: 39.70</p> <p><b>Included Accessory</b>                      922062 Single 304 stainless steel grid (12" x 20") 5</p>	<p><b>219757</b>                      ECOE101T3L30</p>	<p><b>\$ 33,277</b></p>
<p>SkyLine PremiumS Combi Boiler Oven with touch screen control, 10x1/1GN, electric, 3 cooking modes (automatic, recipe program, manual), automatic cleaning, spray gun, 6-sensor probe, boiler in AISI 316L, 3-glass door and IoT module - 480V US</p> <p>19 electric kW 480 V 3 60 Hz                      WxDxH 34 1/8"x 30 1/2"x 41 5/8"                      Shipping weight lbs: 331 CuFt: 39.09</p> <p><b>Included Accessory</b>                      922062 Single 304 stainless steel grid (12" x 20") 5</p>	<p><b>219729</b>                      ECOE101T3I30</p>	<p><b>\$ 35,586</b></p>



SkyLine PremiumS Boiler Ovens 102 - Electric

Description	Code	USD
<p>SkyLine PremiumS Combi Boiler Oven with touch screen control, 10x2/1GN, electric, 3 cooking modes (automatic, recipe program, manual), automatic cleaning, spray gun, 6-sensor probe, boiler in AISI 316L, 3-glass door and IoT module - 2080V US</p> <p>37.40 electric kW 208 V 3 60 Hz                      WxDxH 42 15/16"x 38 1/4"x 41 5/8"                      Shipping weight lbs: 454 CuFt: 59.12</p> <p><b>Included Accessory</b>                      922076 Aisi 304 stainless steel grid (18" x 26") 5</p>	<p><b>219758</b>                      ECOE102T3L30</p>	<p><b>\$ 41,875</b></p>
<p>SkyLine PremiumS Combi Boiler Oven with touch screen control, 10x2/1GN, electric, 3 cooking modes (automatic, recipe program, manual), automatic cleaning, spray gun, 6-sensor probe, boiler in AISI 316L, 3-glass door and IoT module - 480V US</p> <p>37.40 electric kW 480 V 3 60 Hz                      WxDxH 42 15/16"x 38 1/4"x 41 5/8"                      Shipping weight lbs: 471 CuFt: 56.18</p> <p><b>Included Accessory</b>                      922076 Aisi 304 stainless steel grid (18" x 26") 5</p>	<p><b>219746</b>                      ECOE102T3I30</p>	<p><b>\$ 44,760</b></p>



SkyLine PremiumS Boiler Ovens 201 - Electric

Description	Code	USD
<p>SkyLine PremiumS Combi Boiler Oven with touch screen control, 20x1/1GN, electric, 3 cooking modes (automatic, recipe program, manual), automatic cleaning, spray gun, 6-sensor probe, boiler in AISI 316L, 3-glass door and IoT module - 208V US</p> <p>37.70 electric kW 208 V 3 60 Hz                      WxDxH 35 7/8"x 34 1/32"x 70 5/8"                      Shipping weight lbs: 794 CuFt: 64.50</p> <p><b>Included Accessory</b>                      922062 Single 304 stainless steel grid (12" x 20") 10                      922753 20 Tray Rack Trolley, Half Sheet Pans, 2 1/2" (63mm) pitch for 201 ovens and blast chillers 1</p>	<p><b>219759</b>                      ECOE201T3L30</p>	<p><b>\$ 59,270</b></p>



## Combi Ovens and Blast Chillers

### SkyLine PremiumS Boiler Ovens

◀◀ (SkyLine PremiumS Boiler Ovens 201 - Electric)

Description	Code	USD
<p>SkyLine PremiumS Combi Boiler Oven with touch screen control, 20x/1GN, electric, 3 cooking modes (automatic, recipe program, manual), automatic cleaning, spray gun, 6-sensor probe, boiler in AISI 316L, 3-glass door and IoT module - 4800V US</p> <p>37.70 electric kW 480 V 3 60 Hz                      WxDxH 35 7/8"x 34 1/32"x 70 5/8"                      Shipping weight lbs: 690 CuFt: 64.73</p> <p><b>Included Accessory</b></p> <p>922062 Single 304 stainless steel grid (12" x 20") 10                      922753 20 Tray Rack Trolley, Half Sheet Pans, 2 1/2" (63mm) pitch for 201 ovens and blast chillers 1</p>	<p><b>219747</b>                      ECOE201T3I30</p>	<p><b>\$ 62,563</b></p>



### SkyLine PremiumS Boiler Ovens 202 - Electric

Description	Code	USD
<p>SkyLine PremiumS Combi Boiler Oven with touch screen control, 20x2/1GN, electric, 3 cooking modes (automatic, recipe program, manual), automatic cleaning, spray gun, 6-sensor probe, boiler in AISI 316L, 3-glass door and IoT module - 2080V US</p> <p>65.40 electric kW 208 V 3 60 Hz                      WxDxH 45 3/4"x 42 "x 70 5/8"                      Shipping weight lbs: 1047 CuFt: 97.81</p> <p><b>Included Accessory</b></p> <p>922076 Aisi 304 stainless steel grid (18" x 26") 10                      922757 20 Tray Rack Trolley, Full Sheet Pans, 2 1/2" (63mm) pitch for 202 ovens and blast chillers 1</p>	<p><b>219766</b>                      ECOE202T3L30</p>	<p><b>\$ 73,549</b></p>
<p>SkyLine PremiumS Electric Combi Boiler Oven 202 480V</p> <p>65.40 electric kW 480 V 3 60 Hz                      WxDxH 45 3/4"x 42 "x 70 5/8"                      Shipping weight lbs: 1047 CuFt: 97.81</p> <p><b>Included Accessory</b></p> <p>922076 Aisi 304 stainless steel grid (18" x 26") 10                      922757 20 Tray Rack Trolley, Full Sheet Pans, 2 1/2" (63mm) pitch for 202 ovens and blast chillers 1</p>	<p><b>219748</b>                      ECOE202T3I30</p>	<p><b>\$ 73,549</b></p>



**SkyLine PremiumS Boiler Ovens 61 - Gas**

Description	Code	USD
<p>SkyLine PremiumS Combi Boiler Oven with touch screen control, 6x1/1GN, gas, 3 cooking modes (automatic, recipe program, manual), automatic cleaning, spray gun, 6-sensor probe, 3-glass door and IoT module - 120V US</p> <p>1.10 electric kW 120 V 1 60 Hz                      WxDxH 34 1/8"x 30 1/2"x 31 13/16"                      Shipping weight lbs: 342 CuFt: 30.12</p> <p><b>Included Accessory</b>                      922062 Single 304 stainless steel grid (12" x 20") 3</p>	<p><b>219786</b>                      ECOG61T3O30</p>	<p><b>\$ 35,799</b></p>



**SkyLine PremiumS Boiler Ovens 62 - Gas**

Description	Code	USD
<p>SkyLine PremiumS Combi Boiler Oven with touch screen control, 6x2/1GN, gas, 3 cooking modes (automatic, recipe program, manual), automatic cleaning, spray gun, 6-sensor probe, 3-glass door and IoT module - 120V US</p> <p>1.50 electric kW 120 V 1 60 Hz                      WxDxH 42 15/16"x 38 1/4"x 31 13/16"                      Shipping weight lbs: 364 CuFt: 45.21</p> <p><b>Included Accessory</b>                      922076 Aisi 304 stainless steel grid (18" x 26") 3</p>	<p><b>219700</b>                      ECOG62T3O30</p>	<p><b>\$ 45,115</b></p>



**SkyLine PremiumS Boiler Ovens 101 - Gas**

Description	Code	USD
<p>SkyLine PremiumS Gas Combi Boiler Oven with touch screen control, 10x1/1GN, 3 cooking modes, automatic cleaning, spray gun, 6-sensor probe, 3-glass door and IoT module -120V US</p> <p>1.10 electric kW 120 V 1 60 Hz                      WxDxH 34 1/8"x 30 1/2"x 41 5/8"                      Shipping weight lbs: 439 CuFt: 40.01</p> <p><b>Included Accessory</b>                      922062 Single 304 stainless steel grid (12" x 20") 5</p>	<p><b>219701</b>                      ECOG101T3O30</p>	<p><b>\$ 38,182</b></p>



## Combi Ovens and Blast Chillers

### SkyLine PremiumS Boiler Ovens

#### SkyLine PremiumS Boiler Ovens 102 - Gas

Description	Code	USD
<p>SkyLine PremiumS Combi Boiler Oven with touch screen control, 10x2/1GN, gas, 3 cooking modes (automatic, recipe program, manual), automatic cleaning, spray gun, 6-sensor probe, 3-glass door and IoT module -120V US</p> <p>1.50 electric kW 120 V 1 60 Hz                      WxDxH 42 15/16"x 38 1/4"x 41 5/8"                      Shipping weight lbs: 545 CuFt: 56.18</p> <p><b>Included Accessory</b>                      922076 Aisi 304 stainless steel grid (18" x 26") 5</p>	<p><b>219702</b>                      ECOG102T3O30</p>	<p><b>\$ 50,217</b></p>

#### SkyLine PremiumS Boiler Ovens 201 - Gas

Description	Code	USD
<p>SkyLine PremiumS Combi Boiler Oven with touch screen control, 20x1/1GN, gas, 3 cooking modes (automatic, recipe program, manual), automatic cleaning, spray gun, 6-sensor probe, 3-glass door and IoT module -120V US</p> <p>1.80 electric kW 120 V 1 60 Hz                      WxDxH 35 7/8"x 34 1/32"x 70 5/8"                      Shipping weight lbs: 993 CuFt: 64.73</p> <p><b>Included Accessory</b>                      922062 Single 304 stainless steel grid (12" x 20") 10                      922753 20 Tray Rack Trolley, Half Sheet Pans, 2 1/2" (63mm) pitch for 201 ovens and blast chillers 1</p>	<p><b>219703</b>                      ECOG201T3O30</p>	<p><b>\$ 64,110</b></p>



SkyLine PremiumS Boiler Ovens 202 - Gas

Description	Code	USD						
<p>SkyLine PremiumS Combi Boiler Oven with touch screen control, 20x2/1GN, gas, 3 cooking modes (automatic, recipe program, manual), automatic cleaning, spray gun, 6-sensor probe, 3-glass door and IoT module -120V US</p> <p>2.50 electric kW 120 V 1 60 Hz                      WxDxH 45 3/4"x 42 "x 70 5/8"                      Shipping weight lbs: 1047 CuFt: 97.81</p> <p><b>Included Accessory</b></p> <table border="0"> <tr> <td>922076</td> <td>Aisi 304 stainless steel grid (18" x 26")</td> <td>10</td> </tr> <tr> <td>922757</td> <td>20 Tray Rack Trolley, Full Sheet Pans, 2 1/2" (63mm) pitch for 202 ovens and blast chillers</td> <td>1</td> </tr> </table>	922076	Aisi 304 stainless steel grid (18" x 26")	10	922757	20 Tray Rack Trolley, Full Sheet Pans, 2 1/2" (63mm) pitch for 202 ovens and blast chillers	1	<p><b>219704</b>                      ECOG202T3O30</p>	<p><b>\$ 85,032</b></p>
922076	Aisi 304 stainless steel grid (18" x 26")	10						
922757	20 Tray Rack Trolley, Full Sheet Pans, 2 1/2" (63mm) pitch for 202 ovens and blast chillers	1						



## Combi Ovens and Blast Chillers

### SkyLine ProS Boilerless Ovens

#### SkyLine ProS Boilerless Ovens 62- Electric

Description	Code	USD
<p>SkyLine ProS Combi Boilerless Oven with touch screen control, 6x2/1GN, electric, 2 cooking modes (recipe program, manual), automatic cleaning, spray gun, 6-sensor probe, 3-glass door and IoT module - 208V US</p> <p>21.40 electric kW 208 V 3 60 Hz                      WxDxH 42 15/16"x 38 1/4"x 31 13/16"                      Shipping weight lbs: 416 CuFt: 45.21</p> <p><b>Included Accessory</b>                      922076 Aisi 304 stainless steel grid (18" x 26") 3</p>	<p><b>219608</b>                      ECOE62K3L30</p>	<p><b>\$ 35,558</b></p>
<p>SkyLine ProS Combi Boilerless Oven with touch screen control, 6x2/1GN, electric, 2 cooking modes (recipe program, manual), automatic cleaning, spray gun, 6-sensor probe, 3-glass door and IoT module - 480V US</p> <p>21.40 electric kW 480 V 3 60 Hz                      WxDxH 42 15/16"x 38 1/4"x 31 13/16"                      Shipping weight lbs: 399 CuFt: 45.21</p> <p><b>Included Accessory</b>                      922076 Aisi 304 stainless steel grid (18" x 26") 3</p>	<p><b>219607</b>                      ECOE62K3I30</p>	<p><b>\$ 39,744</b></p>



#### SkyLine ProS Boilerless Ovens 102- Electric

Description	Code	USD
<p>SkyLine ProS Combi Boilerless Oven with touch screen control, 10x2/1GN, electric, 2 cooking modes (recipe program, manual), automatic cleaning, spray gun, 6-sensor probe, 3-glass door and IoT module - 208V US</p> <p>35.40 electric kW 208 V 3 60 Hz                      WxDxH 42 15/16"x 38 1/4"x 41 5/8"                      Shipping weight lbs: 683 CuFt: 56.18</p> <p><b>Included Accessory</b>                      922076 Aisi 304 stainless steel grid (18" x 26") 5</p>	<p><b>219619</b>                      ECOE102K3L30</p>	<p><b>\$ 45,858</b></p>
<p>SkyLine ProS Combi Boilerless Oven with touch screen control, 10x2/1GN, electric, 2 cooking modes (recipe program, manual), automatic cleaning, spray gun, 6-sensor probe, 3-glass door and IoT module - 480V US</p> <p>35.40 electric kW 480 V 3 60 Hz                      WxDxH 42 15/16"x 38 1/4"x 41 5/8"                      Shipping weight lbs: 683 CuFt: 56.18</p> <p><b>Included Accessory</b>                      922076 Aisi 304 stainless steel grid (18" x 26") 5</p>	<p><b>219618</b>                      ECOE102K3I30</p>	<p><b>\$ 45,858</b></p>



SkyLine ProS Boilerless Ovens 62 - Gas

Description	Code	USD
<p>SkyLine ProS Combi Boilerless Oven with touch screen control, 6x2/1GN, gas, 2 cooking modes (recipe program, manual), automatic cleaning, spray gun, 6-sensor probe, 3-glass door and IoT module - 120V US</p> <p>1.50 electric kW 120 V 1 60 Hz                      WxDxH 42 15/16"x 38 1/4"x 31 13/16"                      Shipping weight lbs: 421 CuFt: 45.21</p> <p><b>Included Accessory</b>                      922076 Aisi 304 stainless steel grid (18" x 26") 3</p>	<p><b>219615</b>                      ECOG62K3O30</p>	<p><b>\$ 38,881</b></p>



SkyLine ProS Boilerless Ovens 102 - Gas

Description	Code	USD
<p>SkyLine ProS Combi Boilerless Oven with touch screen control, 10x2/1GN, gas, 2 cooking modes (recipe program, manual), automatic cleaning, spray gun, 6-sensor probe, 3-glass door and IoT module - 120V US</p> <p>1.50 electric kW 120 V 1 60 Hz                      WxDxH 42 15/16"x 38 1/4"x 41 5/8"                      Shipping weight lbs: 734 CuFt: 56.18</p> <p><b>Included Accessory</b>                      922076 Aisi 304 stainless steel grid (18" x 26") 5</p>	<p><b>219624</b>                      ECOG102K3O30</p>	<p><b>\$ 56,192</b></p>



## Combi Ovens and Blast Chillers

### SkyLine Pro Digital Boilerless Ovens

#### SkyLine Pro Digital Boilerless Ovens 61- Electric

Description	Code	USD
<p>SkyLine Pro Combi Boilerless Oven with digital control, 6x1/1GN, electric, programmable, automatic cleaning, spray gun, 3-glass door and IoT module - 208V US</p> <p>11.10 electric kW 208 V 3 60 Hz                      WxDxH 34 1/8"x 30 1/2"x 31 13/16"                      Shipping weight lbs: 344 CuFt: 31.46</p> <p><b>Included Accessory</b>                      922062 Single 304 stainless steel grid (12" x 20") 3</p>	<p><b>219904</b>                      ECOE61C3L30</p>	<p><b>\$ 21,518</b></p>



#### SkyLine Pro Digital Boilerless Ovens 62- Electric

Description	Code	USD
<p>SkyLine Pro Combi Boilerless Oven with digital control, 6x2/1GN, electric, programmable, automatic cleaning, spray gun, 3-glass door and IoT module - 208V US</p> <p>21.40 electric kW 208 V 3 60 Hz                      WxDxH 42 15/16"x 38 1/4"x 31 13/16"                      Shipping weight lbs: 414 CuFt: 48.66</p> <p><b>Included Accessory</b>                      922076 Aisi 304 stainless steel grid (18" x 26") 3</p>	<p><b>219906</b>                      ECOE62C3L30</p>	<p><b>\$ 30,401</b></p>



#### SkyLine Pro Digital Boilerless Ovens 101- Electric

Description	Code	USD
<p>SkyLine Pro Combi Boilerless Oven with digital control, 10x1/1GN, electric, programmable, automatic cleaning, spray gun, 3-glass door and IoT module - 208V US</p> <p>19 electric kW 208 V 3 60 Hz                      WxDxH 34 1/8"x 30 1/2"x 41 5/8"                      Shipping weight lbs: 359 CuFt: 39.09</p> <p><b>Included Accessory</b>                      922062 Single 304 stainless steel grid (12" x 20") 5</p>	<p><b>219908</b>                      ECOE101C3L30</p>	<p><b>\$ 26,968</b></p>



**SkyLine Pro Digital Boilerless Ovens 102- Electric**

Description	Code	USD
<p>SkyLine Pro Combi Boilerless Oven with digital control, 10x2/1GN, electric, programmable, automatic cleaning, spray gun, 3-glass door and IoT module - 208V US</p> <p>35.40 electric kW 208 V 3 60 Hz WxDxH 42 15/16"x 38 1/4"x 41 5/8" Shipping weight lbs: 648 CuFt: 56.18</p> <p><b>Included Accessory</b> 922076 Aisi 304 stainless steel grid (18" x 26") 5</p>	<p><b>219914</b> ECOE102C3L30</p>	<p><b>\$ 34,081</b></p>



**SkyLine Pro Digital Boilerless Ovens 61- gas**

Description	Code	USD
<p>SkyLine Pro Combi Boilerless Oven with digital control, 6x1/1GN, gas, programmable, automatic cleaning, spray gun, 3-glass door and IoT module - 120V US</p> <p>1.10 electric kW 120 V 1 60 Hz WxDxH 34 1/8"x 30 1/2"x 31 13/16" Shipping weight lbs: 301 CuFt: 31.46</p> <p><b>Included Accessory</b> 922062 Single 304 stainless steel grid (12" x 20") 3</p>	<p><b>219905</b> ECOG61C3O30</p>	<p><b>\$ 25,939</b></p>



**SkyLine Pro Digital Boilerless Ovens 62- gas**

Description	Code	USD
<p>SkyLine Pro Combi Boilerless Oven with digital control, 6x2/1GN, gas, programmable, automatic cleaning, spray gun, 3-glass door and IoT module - 120V US</p> <p>1.50 electric kW 120 V 1 60 Hz WxDxH 42 15/16"x 38 1/4"x 31 13/16" Shipping weight lbs: 331 CuFt: 45.21</p> <p><b>Included Accessory</b> 922076 Aisi 304 stainless steel grid (18" x 26") 3</p>	<p><b>219907</b> ECOG62C3O30</p>	<p><b>\$ 33,085</b></p>



## Combi Ovens and Blast Chillers

### SkyLine Pro Digital Boilerless Ovens

#### SkyLine Pro Digital Boilerless Ovens 101- gas

Description	Code	USD
<p>SkyLine Pro Combi Boilerless Oven with digital control, 10x1/1GN, gas, programmable, automatic cleaning, spray gun, 3-glass door and IoT module - 120V US</p> <p>1.10 electric kW 120 V 1 60 Hz                      WxDxH 34 1/8"x 30 1/2"x 41 5/8"                      Shipping weight lbs: 356 CuFt: 39.09</p> <p><b>Included Accessory</b>                      922062 Single 304 stainless steel grid (12" x 20") 5</p>	<p><b>219909</b>                      ECOG101C3O30</p>	<p><b>\$ 31,220</b></p>





#### SkyLine Pro Digital Boilerless Ovens 102- gas

Description	Code	USD
<p>SkyLine Pro Combi Boilerless Oven with digital control, 10x2/1GN, gas, programmable, automatic cleaning, spray gun, 3-glass door and IoT module - 120V US</p> <p>1.50 electric kW 120 V 1 60 Hz                      WxDxH 42 15/16"x 38 1/4"x 41 5/8"                      Shipping weight lbs: 719 CuFt: 56.18</p> <p><b>Included Accessory</b>                      922076 Aisi 304 stainless steel grid (18" x 26") 5</p>	<p><b>219915</b>                      ECOG102C3O30</p>	<p><b>\$ 37,604</b></p>



Cooking Solutions - Half and Full Size Sheet Pans

Description	Code	USD
Single 304 stainless steel grid (12" x 20") WxDxH 12 13/16"x 20 7/8"x 0 3/8" Shipping weight lbs: 4 CuFt: 0.51	<b>922062</b> GRSSGN11	\$ 67
Aisi 304 stainless steel grid (18" x 26") WxDxH 25 9/16"x 20 7/8"x 0 3/8" Shipping weight lbs: 6 CuFt: 0.51	<b>922076</b> GRSSGN21	\$ 112
Multipurpose hook WxDxH 2 "x 0 3/16"x 11 13/16" Shipping weight lbs: 2 CuFt: 0.04	<b>922348</b> MUHO	\$ 193
Stainless steel 304 grids (GN ½) with spikes, fits 4 chickens WxDxH 10 7/16"x 12 13/16"x 5 1/2" Shipping weight lbs: 4 CuFt: 1.22	<b>922086</b> GR4CH12	\$ 126
Grid for whole chicken 1/IGN (8 per grid - 2.6 lbs each) WxDxH 12 13/16"x 20 7/8"x 6 " Shipping weight lbs: 3 CuFt: 1.22	<b>922266</b> GR8CH11	\$ 140
Chicken racks, pair (2) (fits 8 chickens per rack) WxDxH 12 13/16"x 20 7/8"x 6 " Shipping weight lbs: 7 CuFt: 1.22	<b>922036</b> GRPA8CH	\$ 286
Grid for whole duck (8 per grid - 1,8kg each), GN 1/1 WxDxH 12 13/16"x 20 7/8"x 10 3/16" Shipping weight lbs: 4 CuFt: 2.48	<b>922362</b> GR8DU11	\$ 241
Grease collection tray (4") for 61 and 101 ovens WxDxH 22 13/16"x 13 3/8"x 4 5/16" Shipping weight lbs: 7 CuFt: 0.97	<b>922321</b> GRCOTRLO11	\$ 1,133
Grease collection tray (2 2/5") for 62 and 102 ovens WxDxH 20 7/8"x 29 1/8"x 2 3/8" Shipping weight lbs: 9 CuFt: 1.52	<b>922357</b> GRCOTRLO21	\$ 1,317



## Combi Ovens and Blast Chillers

### Accessories for SkyLine Ovens


◀◀ (Cooking Solutions - Half and Full Size Sheet Pans)

Description	Code	USD
Pair of frying baskets WxDxH 20 7/8"x 12 13/16"x 1 9/16" Shipping weight lbs: 5 CuFt: 0.66	<b>922239</b> 2FRBAOV	\$ 285
Non-stick U-pan (12" x 10" x 3/4") WxDxH 12 13/16"x 10 7/16"x 0 13/16" Shipping weight lbs: 2 CuFt: 0.06	<b>925009</b> NOSTUPA1220	\$ 106
Non-stick U-pan (12" x 10" x 1 1/2") WxDxH 12 13/16"x 10 7/16"x 1 9/16" Shipping weight lbs: 2 CuFt: 0.13	<b>925010</b> NOSTUPA1240	\$ 118
Non-stick universal pan (12" x 20" x 3/4") WxDxH 20 7/8"x 12 13/16"x 0 13/16" Shipping weight lbs: 3 CuFt: 0.13	<b>925000</b> NOSTUPA1120	\$ 201
Non-stick universal pan (12" x 20" x 1 1/2") WxDxH 20 7/8"x 12 13/16"x 1 9/16" Shipping weight lbs: 3 CuFt: 0.26	<b>925001</b> NOSTUPA1140	\$ 233
Non-stick universal pan (12" x 20" x 2 1/2") WxDxH 20 7/8"x 12 13/16"x 2 3/8" Shipping weight lbs: 4 CuFt: 0.45	<b>925002</b> NOSTUPA1160	\$ 247
Frying griddle double sided (ribbed/smooth) 12" x 20" WxDxH 12 13/16"x 20 7/8"x 0 3/16" Shipping weight lbs: 5 CuFt: 0.14	<b>925003</b> GRDOFA11	\$ 233
Aluminum combi oven grill (12" x 20") WxDxH 12 13/16"x 20 7/8"x 0 1/2" Shipping weight lbs: 4 CuFt: 0.19	<b>925004</b> GRAL11	\$ 341
Mesh grilling grid (12" x 20") WxDxH 12 13/16"x 20 7/8"x 0 3/8" Shipping weight lbs: 7 CuFt: 0.13	<b>922713</b> GRMEGR	\$ 317



◀◀ (Cooking Solutions - Half and Full Size Sheet Pans)

Description	Code	USD
Tray for traditional static cooking, H=100mm (12" x 20") WxDxH 12 13/16"x 20 7/8"x 3 15/16" Shipping weight lbs: 9 CuFt: 0.77	<b>922746</b> TRSTCO	\$ 582
Egg fryer for 8 eggs (12" X 20") WxDxH 12 13/16"x 20 7/8"x 0 11/16" Shipping weight lbs: 3 CuFt: 0.19	<b>925005</b> FRPAN8EPH11	\$ 208
Flat baking tray with 2 edges (12" x 20") WxDxH 12 13/16"x 20 7/8"x 0 3/8" Shipping weight lbs: 2 CuFt: 0.14	<b>925006</b> FLBATR2ED11	\$ 111
Flat dehydration tray, (12" x 20") WxDxH 20 7/8"x 12 13/16"x 0 1/16" Shipping weight lbs: 9 CuFt: 0.20	<b>922652</b> DETR11FL	\$ 354
Dehydration tray, (12" x 20"), H=2/3" WxDxH 20 7/8"x 12 13/16"x 0 13/16" Shipping weight lbs: 9 CuFt: 0.20	<b>922651</b> DETR1120MM	\$ 394
Baking tray for (4) baguettes (12" x 20") WxDxH 12 13/16"x 20 7/8"x 0 15/16" Shipping weight lbs: 2 CuFt: 0.25	<b>925007</b> BATR4BA11	\$ 108
Kit universal skewer rack & (4) long skewer ovens (TANDOOR) WxDxH 20 7/8"x 12 13/16"x 2 3/16" Shipping weight lbs: 4 CuFt: 0.55	<b>922324</b> 1SKPA4LOSK	\$ 590
Kit universal skewer rack & (6) long skewer ovens (TANDOOR) WxDxH 20 7/8"x 12 13/16"x 2 3/16" Shipping weight lbs: 4 CuFt: 0.55	<b>922325</b> 1SKPA6SHSK	\$ 700
Spit for lamb or suckling pig (up to 26lbs) for 61,101,201 WxDxH 6 1/4"x 10 3/8"x 23 5/8" Shipping weight lbs: 4 CuFt: 1.48	<b>922709</b> SPLAPI12KG	\$ 972



## Combi Ovens and Blast Chillers

### Accessories for SkyLine Ovens

◀◀ (Cooking Solutions - Half and Full Size Sheet Pans)

Description	Code	USD
Potato baker GN 1/1 for 28 potatoes (12"X20") WxDxH 12 13/16"x 20 7/8"x 3 3/8" Shipping weight lbs: 4 CuFt: 0.76	<b>925008</b> POBA28PO	\$ 213



### Cooking Solutions - Bakery & Pastry Trays

Description	Code	USD
Pastry grid 16" x 24" WxDxH 23 5/8"x 15 3/4"x 0 1/2" Shipping weight lbs: 4 CuFt: 0.19	<b>922264</b> GRSSPA4X6	\$ 263
Perforated baking tray, made of perforated aluminum, 16" x 24" WxDxH 15 3/4"x 23 5/8"x 0 13/16" Shipping weight lbs: 4 CuFt: 0.17	<b>922190</b> PEALBATR	\$ 99
Double-face griddle, one side ribbed and one side smooth, 400x600mm WxDxH 15 3/4"x 23 5/8"x 0 9/16" Shipping weight lbs: 11 CuFt: 0.17	<b>922747</b> GRDOFA4X6	\$ 385




### Cooking Solutions - Chicken System

Description	Code	USD
Reinforced tray rack with wheels, lowest support dedicated to a grease collection tray for 101 oven pitch: 2 1/2" WxDxH 15 3/8"x 20 "x 28 5/8" Shipping weight lbs: 20 CuFt: 5.83	<b>922694</b> RETR1011	\$ 1,581
Grease collection tray (4") for 61 and 101 ovens WxDxH 22 13/16"x 13 3/8"x 4 5/16" Shipping weight lbs: 7 CuFt: 0.97	<b>922321</b> GRCOTRLO11	\$ 1,133
Grease collection tray (2 2/5") for 62 and 102 ovens WxDxH 20 7/8"x 29 1/8"x 2 3/8" Shipping weight lbs: 9 CuFt: 1.52	<b>922357</b> GRCOTRLO21	\$ 1,317



◀◀ (Cooking Solutions - Chicken System)

Description	Code	USD
Stainless steel 304 grids (GN ½) with spikes, fits 4 chickens WxDxH 10 7/16"x 12 13/16"x 5 1/2" Shipping weight lbs: 4 CuFt: 1.22	<b>922086</b> GR4CH12	\$ 126
Grid for whole chicken 1/1GN (8 per grid - 2.6 lbs each) WxDxH 12 13/16"x 20 7/8"x 6 " Shipping weight lbs: 3 CuFt: 1.22	<b>922266</b> GR8CH11	\$ 140
Grid for whole duck (8 per grid - 1,8kg each), GN 1/1 WxDxH 12 13/16"x 20 7/8"x 10 3/16" Shipping weight lbs: 4 CuFt: 2.48	<b>922362</b> GR8DU11	\$ 241
Chicken racks, pair (2) (fits 8 chickens per rack) WxDxH 12 13/16"x 20 7/8"x 6 " Shipping weight lbs: 7 CuFt: 1.22	<b>922036</b> GRPA8CH	\$ 286



**Cooking Solutions - Smoker**

Description	Code	USD
Smoker for ovens WxDxH 8 11/16"x 8 11/16"x 3 3/8" Shipping weight lbs: 3 CuFt: 0.32	<b>922338</b> VOSM	\$ 755



**Cooking Solutions - Food Probe**

Description	Code	USD
USB Probe for sous-vide cooking (only for Touchline ovens) WxDxH 6 5/16"x 6 11/16"x 3 9/16" Shipping weight lbs: 1 CuFt: 0.14	<b>922281</b> USBPR	\$ 860
Probe holder for liquids WxDxH 17 1/16"x 1 9/16"x 1 7/16" Shipping weight lbs: 2 CuFt: 0.04	<b>922714</b> PRHOLI	\$ 730



## Combi Ovens and Blast Chillers

### Accessories for SkyLine Ovens

◀◀ (Cooking Solutions - Food Probe)

Description	Code	USD
USB single point probe WxDxH 6 5/16"x 6 11/16"x 3 9/16" Shipping weight lbs: 1 CuFt: 0.14	<b>922390</b> USBPROBE	<b>\$ 732</b>

### Installation Solutions - Bases and Supports

Description	Code	USD
Open base with tray support for 61 & 101 combi oven WxDxH 34 1/16"x 27 3/4"x 30 5/16" Shipping weight lbs: 77 CuFt: 21.45	<b>922612</b> OPBATRSU61011	<b>\$ 1,504</b>
Open base with tray support for 62 & 102 combi oven WxDxH 42 13/16"x 35 1/2"x 30 5/16" Shipping weight lbs: 150 CuFt: 35.98	<b>922613</b> OPBATRSU61021	<b>\$ 1,962</b>
Cupboard base with tray support for 61 & 101 combi oven WxDxH 34 1/8"x 30 1/2"x 30 5/16" Shipping weight lbs: 179 CuFt: 25.06	<b>922614</b> CUBATR61011	<b>\$ 4,210</b>
Cupboard base with tray support for 62 & 102 combi oven WxDxH 42 15/16"x 38 1/4"x 30 5/16" Shipping weight lbs: 243 CuFt: 38.73	<b>922616</b> CUBATR61021	<b>\$ 5,134</b>
Tray support for 61 & 101 oven base WxDxH 1 13/16"x 24 7/16"x 17 5/16" Shipping weight lbs: 7 CuFt: 0.47	<b>922690</b> TRSU61011	<b>\$ 436</b>
Tray support for 62 & 102 oven base WxDxH 1 3/4"x 32 3/16"x 17 5/16" Shipping weight lbs: 13 CuFt: 0.58	<b>922692</b> TRSU61021	<b>\$ 576</b>



◀◀ (Installation Solutions - Bases and Supports)

Description	Code	USD
Caster kit for base for 61, 62, 101 and 102 oven bases only WxDxH 3 15/16"x 3 3/8"x 6 1/4" Shipping weight lbs: 9 CuFt: 1.73	<b>922003</b> WHK6101121	\$ 216
Wall support for 62 oven WxDxH 43 1/8"x 38 1/2"x 34 3/16" Shipping weight lbs: 2 CuFt: 12.33	<b>922644</b> WASU621	\$ 3,550



Handling Solutions - Half and Full Size Sheet Pans

Description	Code	USD
Slide-in rack with handle for 61 and 101 combi oven WxDxH 16 1/8"x 25 11/16"x 1 5/8" Shipping weight lbs: 11 CuFt: 0.69	<b>922610</b> SLRAHA61011	\$ 570
Slide-in rack with handle for 62, and 102 combi oven WxDxH 24 7/8"x 32 5/8"x 1 5/8" Shipping weight lbs: 15 CuFt: 0.98	<b>922605</b> SLRAHA61021	\$ 1,060
Trolley for slide-in rack for 61 and 101 combi oven and blast chiller freezer WxDxH 19 1/16"x 35 15/16"x 37 3/8" Shipping weight lbs: 95 CuFt: 20.13	<b>922626</b> TRSLRA61011	\$ 4,177
Trolley for slide-in rack for 62 & 102 ovens and 102 blast chiller. WxDxH 27 "x 40 11/16"x 37 3/8" Shipping weight lbs: 117 CuFt: 32.63	<b>922627</b> TRSLRA61021	\$ 5,681
6 Tray Rack with wheels, Half Sheet Pans, 2 1/2" (65mm) pitch for 61 ovens and blast chillers WxDxH 15 5/16"x 20 "x 18 3/16" Shipping weight lbs: 18 CuFt: 5.10	<b>922600</b> TRRAWH611	\$ 1,224
5 Tray Rack with wheels, Half Sheet Pans, 3" (80mm) pitch, for 61 ovens and blast chillers WxDxH 15 5/16"x 20 "x 18 3/16" Shipping weight lbs: 15 CuFt: 5.10	<b>922606</b> TRRAWH511	\$ 1,203



## Combi Ovens and Blast Chillers

### Accessories for SkyLine Ovens

◀◀ (Handling Solutions - Half and Full Size Sheet Pans)

Description	Code	USD
6 Tray Rack with wheels, Full Sheet Pans, 2 ½" (65mm) pitch for 62 ovens WxDxH 23 3/8"x 24 3/4"x 18 3/4" Shipping weight lbs: 20 CuFt: 11.89	<b>922700</b> TRRAWH621	<b>\$ 1,957</b>
5 Tray Rack with wheels, Full Size Sheet Pans, 3" (80mm) pitch for 62 ovens WxDxH 23 3/8"x 24 3/4"x 18 3/4" Shipping weight lbs: 20 CuFt: 8.90	<b>922611</b> TRRAWH521	<b>\$ 1,990</b>
10 Tray Rack with wheels, Half Sheet Pans, 2 ½" (65mm) pitch for 101 ovens and blast chillers WxDxH 15 5/16"x 20 "x 28 1/2" Shipping weight lbs: 21 CuFt: 5.10	<b>922601</b> TRRAWH1011	<b>\$ 1,576</b>
10 Tray Rack with wheels, Full Sheet Pans, 2 ½" (65mm) pitch for 102 ovens and blast chillers WxDxH 23 3/8"x 24 3/4"x 28 1/2" Shipping weight lbs: 31 CuFt: 9.51	<b>922603</b> TRRAWH1021	<b>\$ 1,902</b>
20 Tray Rack Trolley, Half Sheet Pans, 2 ½" (63mm) pitch for 201 ovens and blast chillers WxDxH 21 7/16"x 34 1/8"x 66 15/16" Shipping weight lbs: 123 CuFt: 33.48	<b>922753</b> TRRA201163C	<b>\$ 4,587</b>
16 Tray Rack Trolley, Half Sheet Pans, 3" (80mm) pitch for 201 ovens and blast chillers WxDxH 21 7/16"x 34 1/8"x 66 15/16" Shipping weight lbs: 119 CuFt: 33.48	<b>922754</b> TRRA161180C	<b>\$ 5,855</b>
20 Tray Rack Trolley, Full Sheet Pans, 2 ½" (63mm) pitch for 202 ovens and blast chillers WxDxH 28 3/16"x 39 3/4"x 66 15/16" Shipping weight lbs: 170 CuFt: 52.24	<b>922757</b> TRRA202163C	<b>\$ 6,223</b>
16 Tray Rack Trolley, Full Sheet Pans, 3" (80mm) pitch for 202 ovens and blast chillers WxDxH 28 3/16"x 39 3/4"x 66 15/16" Shipping weight lbs: 165 CuFt: 52.24	<b>922758</b> TRRA162180C	<b>\$ 6,223</b>



Handling Solutions - Banqueting

Description	Code	USD
Slide-in rack with handle for 61 and 101 combi oven WxDxH 16 1/8"x 25 11/16"x 1 5/8" Shipping weight lbs: 11 CuFt: 0.69	<b>922610</b> SLRAHA61011	\$ 570
Slide-in rack with handle for 62, and 102 combi oven WxDxH 24 7/8"x 32 5/8"x 1 5/8" Shipping weight lbs: 15 CuFt: 0.98	<b>922605</b> SLRAHA61021	\$ 1,060
Trolley for slide-in rack for 61 and 101 combi oven and blast chiller freezer WxDxH 19 1/16"x 35 15/16"x 37 3/8" Shipping weight lbs: 95 CuFt: 20.13	<b>922626</b> TRSLRA61011	\$ 4,177
Trolley for slide-in rack for 62 & 102 ovens and 102 blast chiller. WxDxH 27 "x 40 11/16"x 37 3/8" Shipping weight lbs: 117 CuFt: 32.63	<b>922627</b> TRSLRA61021	\$ 5,681
Banquet rack with wheels 23 plates for 101 oven and blast chiller freezer, 85mm pitch WxDxH 15 3/8"x 25 9/16"x 27 15/16" Shipping weight lbs: 33 CuFt: 7.42	<b>922649</b> BARAW23PL1011	\$ 2,211
Banquet rack with wheels holding 51 plates for 102 oven and blast chiller freezer, 75mm pitch ( 3" 1/3") WxDxH 23 7/16"x 30 11/16"x 27 5/8" Shipping weight lbs: 53 CuFt: 12.71	<b>922650</b> BARAW51PL1021	\$ 4,735
201 Banquet trolley for oven and blast chiller for 54 plates holding, 3" (74mm) pitch WxDxH 21 7/16"x 34 3/16"x 67 1/2" Shipping weight lbs: 123 CuFt: 33.48	<b>922756</b> TRBA54PL2011C	\$ 5,605
201 Banquet trolley for combi and blast chiller for 116 plates holding, 2.5" 66mm pitch WxDxH 28 3/16"x 40 1/2"x 67 3/8" Shipping weight lbs: 214 CuFt: 52.24	<b>922764</b> TRBA116PL2021C	\$ 5,855
Thermal blanket for 101 oven (trolley not included) WxDxH 15 3/8"x 26 "x 28 3/8" Shipping weight lbs: 9 CuFt: 0.83	<b>922364</b> THCO1011	\$ 1,473



## Combi Ovens and Blast Chillers

### Accessories for SkyLine Ovens

◀◀ (Handling Solutions - Banqueting)

Description	Code	USD
Thermal blanket for 102 oven (trolley not included) WxDxH 30 15/16"x 24 5/8"x 28 3/8" Shipping weight lbs: 18 CuFt: 1.51	<b>922366</b> THCO1021	<b>\$ 1,685</b>
Thermal blanket for 201 oven (trolley not included) WxDxH 15 3/16"x 26 "x 61 7/16" Shipping weight lbs: 15 CuFt: 0.61	<b>922365</b> THCO2011	<b>\$ 1,929</b>
Thermal blanket for 202 oven (trolley not included) WxDxH 24 5/8"x 30 15/16"x 61 1/32" Shipping weight lbs: 22 CuFt: 2.27	<b>922367</b> THCO2021	<b>\$ 1,965</b>



### Handling Solutions - Bakery

Description	Code	USD
Slide-in rack with handle for 61 and 101 combi oven WxDxH 16 1/8"x 25 11/16"x 1 5/8" Shipping weight lbs: 11 CuFt: 0.69	<b>922610</b> SLRAHA61011	<b>\$ 570</b>
Slide-in rack with handle for 62, and 102 combi oven WxDxH 24 7/8"x 32 5/8"x 1 5/8" Shipping weight lbs: 15 CuFt: 0.98	<b>922605</b> SLRAHA61021	<b>\$ 1,060</b>
Trolley for slide-in rack for 61 and 101 combi oven and blast chiller freezer WxDxH 19 1/16"x 35 15/16"x 37 3/8" Shipping weight lbs: 95 CuFt: 20.13	<b>922626</b> TRSLRA61011	<b>\$ 4,177</b>
Trolley for slide-in rack for 62 & 102 ovens and 102 blast chiller. WxDxH 27 "x 40 11/16"x 37 3/8" Shipping weight lbs: 117 CuFt: 32.63	<b>922627</b> TRSLRA61021	<b>\$ 5,681</b>
Bakery/pastry tray rack with wheels 400x600mm for 6 GN 1/1 oven and blast chiller freezer, 80mm pitch (5 runners) WxDxH 16 7/8"x 23 15/16"x 18 9/16" Shipping weight lbs: 21 CuFt: 6.92	<b>922607</b> 5BAPARAWH611	<b>\$ 1,240</b>



### Cleaning Solutions

Description	Code	USD
External connection kit for detergent and rinse aid WxDxH 8 13/16"x 10 1/8"x 3 7/8" Shipping weight lbs: 9 CuFt: 0.92	<b>922618</b> EXCOKDERI	\$ 2,112
HOLDER FOR DETERGENT TANK - WALL MOUNTED WxDxH 6 5/16"x 6 "x 6 3/8" Shipping weight lbs: 3 CuFt: 0.58	<b>922386</b> HODEWA	\$ 92
Detergent tank holder for open base WxDxH 6 5/8"x 7 1/2"x 18 1/32" Shipping weight lbs: 4 CuFt: 0.60	<b>922699</b> HODEOP	\$ 307
External side spray unit WxDxH 8 11/16"x 8 11/16"x 8 11/16" Shipping weight lbs: 4 CuFt: 0.38	<b>922171</b> EXSISPUN	\$ 336
C25 Rinse & Descale Tabs, 50 tabs bucket Shipping weight lbs: -1 CuFt: 0.29	<b>OS2394</b> OS2394	\$ 79
C22 Cleaning Tabs, phosphate-free, 100 bags bucket Shipping weight lbs: 15	<b>OS2395</b> OS2395	\$ 278



### Installation Solutions - Ventilation

Description	Code	USD
Flue condenser for gas oven WxDxH 16 "x 12 1/64"x 10 1/16" Shipping weight lbs: 13 CuFt: 1.09	<b>922678</b> FLCOGASOV	\$ 656
Chimney adaptor WxDxH 3 5/8"x 3 5/8"x 4 3/4" Shipping weight lbs: 2 CuFt: 0.20	<b>922706</b> CHIMADAPCKM	\$ 232



## Combi Ovens and Blast Chillers

### Accessories for SkyLine Ovens

◀◀ (Installation Solutions - Ventilation)

Description	Code	USD
Extension for condensation tube, 37cm WxDxH 2 3/8"x 10 5/8"x 14 3/4" Shipping weight lbs: 3 CuFt: 0.25	<b>922776</b> EXTCOND	\$ 456

### Installation Solutions - Stacking Kits

Description	Code	USD
Stacking kit for gas 61 oven placed on gas 61 oven WxDxH 34 1/8"x 35 1/4"x 5 15/16" Shipping weight lbs: 104 CuFt: 19.56	<b>922622</b> STK611611	\$ 3,755
Stacking kit for gas 61 combi oven placed on gas 101 combi oven WxDxH 34 1/8"x 35 1/4"x 5 15/16" Shipping weight lbs: 104 CuFt: 19.56	<b>922623</b> STK6111011	\$ 3,755
Stacking kit for electric 61/61 combi ovens or electric 61/101 combi ovens WxDxH 34 1/8"x 35 1/4"x 4 3/4" Shipping weight lbs: 110 CuFt: 19.56	<b>922620</b> STK61161011	\$ 2,233
Stacking kit for gas 62/62 combi ovens WxDxH 42 15/16"x 43 "x 5 15/16" Shipping weight lbs: 126 CuFt: 24.33	<b>922624</b> STK621621	\$ 4,240
Stacking kit for gas 62 combi oven placed on 102 gas combi oven WxDxH 42 15/16"x 43 "x 5 15/16" Shipping weight lbs: 126 CuFt: 24.33	<b>922625</b> STK6211021	\$ 4,867
Stacking kit for electric 62 combi oven placed on 62 electric combi oven or 102 combi oven WxDxH 42 15/16"x 43 "x 4 3/4" Shipping weight lbs: 123 CuFt: 24.79	<b>922621</b> STK62161021	\$ 2,531
Riser on feet for 2 6 GN 1/1 ovens or a 6 GN 1/1 oven on base WxDxH 32 5/8"x 26 5/16"x 15 3/8" Shipping weight lbs: 21 CuFt: 8.19	<b>922632</b> RIFEST611	\$ 1,288



◀◀ (Installation Solutions - Stacking Kits)

Description	Code	USD
Riser on wheels for 2 stacked 61 combi ovens, height=250mm (9 6/7in) WxDxH 32 7/8"x 26 9/16"x 15 3/8" Shipping weight lbs: 27 CuFt: 8.19	<b>922635</b> RIWEST611	\$ 1,452
Riser on feet for 2 stacked 61 combi ovens WxDxH 41 7/16"x 34 1/16"x 15 3/8" Shipping weight lbs: 29 CuFt: 12.85	<b>922633</b> RIFEST621	\$ 1,427
Riser on wheels for 2 stacked 62 combi ovens, height=250mm (9 6/7in) WxDxH 41 5/8"x 34 5/16"x 15 3/8" Shipping weight lbs: 35 CuFt: 12.85	<b>922634</b> RIWEST621	\$ 1,786
Wheels for stacked ovens WxDxH 3 11/16"x 4 1/16"x 5 15/16" Shipping weight lbs: 15 CuFt: 0.17	<b>922704</b> WHSTOV	\$ 1,076
Trolley for mobile rack for 61 on 61 or 101 combi ovens WxDxH 19 1/16"x 40 1/4"x 45 1/16" Shipping weight lbs: 110 CuFt: 23.31	<b>922630</b> TRMORA61011	\$ 6,968
Trolley for mobile rack for 62 on 62 or 102 combi ovens WxDxH 27 "x 45 "x 45 1/16" Shipping weight lbs: 139 CuFt: 35.59	<b>922631</b> TRMORA61021	\$ 7,459
Compatibility kit for installation of 61 Skyline electric combi oven on previous generation 61 electric combi oven WxDxH 35 1/4"x 30 1/4"x 6 11/16" Shipping weight lbs: 88 CuFt: 19.56	<b>922679</b> COK611	\$ 2,079
Stacking kit for 61 combi oven on 61 blast chiller freezer - height=100mm (4") WxDxH 35 1/4"x 30 1/8"x 3 15/16" Shipping weight lbs: 18 CuFt: 0.54	<b>880565</b> STK611N	\$ 1,691



## Combi Ovens and Blast Chillers

### Accessories for SkyLine Ovens

#### Installation Solutions - Miscellaneous

Description	Code	USD
Plastic drain kit for 201 & 202 combi oven, d=50mm (2") WxDxH 12 5/8"x 41 5/16"x 3 1/8" Shipping weight lbs: 7 CuFt: 0.95	<b>922739</b> PLDRK20	\$ 194
Double-click closing catch for oven door WxDxH 0 9/16"x 2 1/16"x 0 9/16" Shipping weight lbs: 2 CuFt: 0.01	<b>922265</b> DOSTDOOPK	\$ 140
Heat shield for 61 combi oven WxDxH 2 3/4"x 30 1/2"x 27 7/8" Shipping weight lbs: 60 CuFt: 7.19	<b>922662</b> HESH611	\$ 1,005
Heat shield for 62 combi oven WxDxH 2 3/4"x 38 1/4"x 27 7/8" Shipping weight lbs: 64 CuFt: 8.31	<b>922665</b> HESH621	\$ 1,031
Heat shield for 101 combi oven WxDxH 2 3/4"x 30 1/2"x 37 3/4" Shipping weight lbs: 79 CuFt: 10.21	<b>922663</b> HESH1011	\$ 1,100
Heat shield for 102 combi oven WxDxH 2 3/4"x 38 1/4"x 37 3/4" Shipping weight lbs: 75 CuFt: 9.25	<b>922664</b> HESH1021	\$ 1,141
Heat shield for 201 combi oven WxDxH 2 3/4"x 27 7/8"x 63 1/8" Shipping weight lbs: 30 CuFt: 3.19	<b>922659</b> HESH2011	\$ 1,398
Heat shield for 202 combi oven WxDxH 2 3/4"x 36 "x 63 1/8" Shipping weight lbs: 37 CuFt: 3.79	<b>922658</b> HESH2021	\$ 1,617
Heat shield for stacked ovens 61 on 61 combi ovens WxDxH 2 3/4"x 30 1/2"x 60 1/2" Shipping weight lbs: 117 CuFt: 14.07	<b>922660</b> HESHSTOV611	\$ 1,438



◀◀ (Installation Solutions - Miscellaneous)

Description	Code	USD
Heat shield for stacked ovens 62 on 62 combi ovens WxDxH 2 3/4"x 38 1/4"x 60 1/2" Shipping weight lbs: 121 CuFt: 16.99	<b>922666</b> HESHSTOV621	\$ 1,548
Heat shield for stacked ovens 61 on 101 combi ovens WxDxH 2 3/4"x 30 1/2"x 70 5/16" Shipping weight lbs: 101 CuFt: 13.10	<b>922661</b> HESHSTOV61011	\$ 1,515
Heat shield for stacked ovens 62 on 102 combi ovens WxDxH 2 3/4"x 38 1/4"x 70 5/16" Shipping weight lbs: 143 CuFt: 18.84	<b>922667</b> HESHSTOV61021	\$ 1,691
Levelling entry ramp for 201 combi oven WxDxH 25 13/16"x 36 5/8"x 2 3/8" Shipping weight lbs: 93 CuFt: 19.48	<b>922715</b> LEENRA2011	\$ 2,663
Levelling entry ramp for 202 combi oven WxDxH 35 7/8"x 44 5/8"x 2 3/8" Shipping weight lbs: 117 CuFt: 20.34	<b>922716</b> LEENRA2021	\$ 3,298
Holder for trolley handle (when trolley is in the oven) for 201 and 202 combi ovens WxDxH 1 5/16"x 7 7/8"x 2 3/8" Shipping weight lbs: 1 CuFt: 0.02	<b>922743</b> TRHOHA20GN	\$ 98
4 adjustable feet with black cover for 61,62 & 101,102 combi ovens, 150-200mm (5 9/10in -7 9/1in) WxDxH 3 3/4"x 3 3/4"x 3 15/16" Shipping weight lbs: 3 CuFt: 0.20	<b>922693</b> 4ADFE610	\$ 299
4 adjustable feet for 61,62 & 101,102 combi ovens, 100- 115mm (5 9/10in -7 9/1in) WxDxH 2 15/16"x 2 15/16"x 3 15/16" Shipping weight lbs: 4 CuFt: 0.26	<b>922688</b> KITFEETADJCKM	\$ 279



## Combi Ovens and Blast Chillers

### Accessories for SkyLine Ovens

◀◀ (Installation Solutions - Miscellaneous)

Description	Code	USD
4 high adjustable feet for 61,62 & 101,102 combi ovens, 230-290mm (9in - 11 2/5in) WxDxH 2 15/16"x 2 15/16"x 9 3/16" Shipping weight lbs: 4 CuFt: 0.16	<b>922745</b> 4HIADFE610	<b>\$ 194</b>
4 FLANGED FEET FOR 61,62,101,102 OVENS - 2" 100-130MM WxDxH 1 1/32"x 9 1/4"x 3 15/16" Shipping weight lbs: 8 CuFt: 0.54	<b>922351</b> 4FLFE610	<b>\$ 274</b>
4 flanged feet for 201 and 202 combi ovens , 2", 100-130mm (4"-5") WxDxH 4 5/8"x 4 5/8"x 5 " Shipping weight lbs: 3 CuFt: 0.72	<b>922707</b> 4FLFE20	<b>\$ 425</b>
Kit to convert from natural gas to LPG WxDxH 9 13/16"x 13 3/4"x 2 3/8" Shipping weight lbs: 2 CuFt: 0.08	<b>922670</b> GASTOLPG	<b>\$ 458</b>
Kit to convert from LPG to natural gas WxDxH 9 13/16"x 13 3/4"x 2 3/8" Shipping weight lbs: 2	<b>922671</b> LPGTOGAS	<b>\$ 513</b>
Chimney adaptor WxDxH 3 5/8"x 3 5/8"x 4 3/4" Shipping weight lbs: 2 CuFt: 0.20	<b>922706</b> CHIMADAPCKM	<b>\$ 232</b>
Kit to fix oven to the wall WxDxH 1 1/8"x 3 5/16"x 7 1/8" Shipping weight lbs: 2 CuFt: 0.06	<b>922687</b> KIFIOVWA	<b>\$ 194</b>



◀◀ (Installation Solutions - Miscellaneous)

Description	Code	USD
Stainless steel drain kit for all oven sizes (61, 62, 101,102, 201,202)- dia=50mm (2") WxDxH 12 5/8"x 41 5/16"x 3 1/8" Shipping weight lbs: 18 CuFt: 0.95	<b>922636</b> SSDR610	<b>\$ 1,171</b>
Stainless steel drain kit for 201 & 202 oven, d=50mm (2") WxDxH 12 5/8"x 41 5/16"x 3 1/8" Shipping weight lbs: 14 CuFt: 0.95	<b>922738</b> SSDRK20	<b>\$ 904</b>
Plastic drain kit for all oven sizes (61, 62, 101,102,201, 202), dia=50mm (2") WxDxH 12 5/8"x 41 5/16"x 3 1/8" Shipping weight lbs: 6 CuFt: 1.78	<b>922637</b> PLDRK610	<b>\$ 194</b>

## Combi Ovens and Blast Chillers

### SkyLine ChILLS

#### SkyLine ChILLS 61 Blast Chiller - 66 lbs

Description	Code	USD
SkyLine ChILLS Blast Chiller Freezer - 66 lbs 6 Half Sheet Pans (12" X 20") Reach-In 3.20 electric kW 208 V 3 60 Hz WxDxH 35 5/16"x 36 7/8"x 42 1/2" Shipping weight lbs: 423 CuFt: 44.80 <b>Included Accessory</b> 880581 Worktop for 61 blast chiller freezer 1 922062 Single 304 stainless steel grid (12" x 20") 3	<b>727731</b> EBFA61TQ	<b>\$ 36,273</b>



#### SkyLine ChILLS 101 Blast Chiller - 110 lbs

Description	Code	USD
SkyLine ChILLS 110lbs 10 Half Sheet Pans (12" X 20") Reach-In 4.70 electric kW 208 V 3 60 Hz WxDxH 35 1/4"x 37 "x 68 1/8" Shipping weight lbs: 556 CuFt: 71.29 <b>Included Accessory</b> 922062 Single 304 stainless steel grid (12" x 20") 5	<b>727738</b> EBFA11Q	<b>\$ 58,594</b>



#### SkyLine ChILLS 102 Blast Chiller - 220 lbs

Description	Code	USD
SkyLine ChILLS 220lbs 10 Full Sheet Pans (18" X 26") Reach-In 6.40 electric kW 208 V 3 60 Hz WxDxH 49 3/16"x 42 15/16"x 68 7/8" Shipping weight lbs: 778 CuFt: 106.66 <b>Included Accessory</b> 922076 Aisi 304 stainless steel grid (18" x 26") 5	<b>727742</b> EBFA12Q	<b>\$ 70,407</b>



**SkyLine Chills 201 Blast Chiller - 220lbs**

Description	Code	USD
SkyLine Chills Remote 220lbs 20 Half Sheet Pans (12" X 20") Roll-In 4.80 electric kW 208 V 3 60 Hz WxDxH 40 15/16"x 33 7/16"x 70 9/16" Shipping weight lbs: 511 CuFt: 79.10	<b>727744</b> EBFA21RQ	<b>\$ 91,269</b>



**SkyLine Chills 202 Blast Chiller - 440lbs**

Description	Code	USD
SkyLine Chills Remote Passthrough 440lbs 20 Full Sheet Pans (18" X 26") Roll-In 6.70 electric kW 208 V 3 60 Hz WxDxH 55 1/8"x 54 15/16"x 89 3/16" Shipping weight lbs: 1056 CuFt: 188.44	<b>727759</b> EBFA22RPQ	<b>\$ 109,523</b>
SkyLine Chills Remote 440lbs 20 Full Sheet Pans (18" X 26") Roll-In 6.70 electric kW 208 V 3 60 Hz WxDxH 55 1/8"x 49 13/16"x 89 3/16" Shipping weight lbs: 419 CuFt: 178.51	<b>727760</b> EBFA22RN	<b>\$ 99,092</b>
SkyLine Chills Remote w/ Insulated Floor and Ramp 440lbs 20 Full Sheet Pans (18" X 26") Roll-In 6.70 electric kW 208 V 3 60 Hz WxDxH 55 1/8"x 49 13/16"x 89 3/16" Shipping weight lbs: 1188 CuFt: 179.40	<b>727758</b> EBFA22RQ	<b>\$ 104,307</b>




## Combi Ovens and Blast Chillers

### Accessories for SkyLine Chills

#### Cooking Solutions - Half and Full Size Sheet Pans

Description	Code	USD
Single 304 stainless steel grid (12" x 20") WxDxH 12 13/16"x 20 7/8"x 0 3/8" Shipping weight lbs: 4 CuFt: 0.51	<b>922062</b> GRSSGN11	<b>\$ 67</b>
Aisi 304 stainless steel grid (18" x 26") WxDxH 25 9/16"x 20 7/8"x 0 3/8" Shipping weight lbs: 6 CuFt: 0.51	<b>922076</b> GRSSGN21	<b>\$ 112</b>
Pair of frying baskets WxDxH 20 7/8"x 12 13/16"x 1 9/16" Shipping weight lbs: 5 CuFt: 0.66	<b>922239</b> 2FRBAOV	<b>\$ 285</b>
Non-stick U-pan (12" x 10" x 3/4") WxDxH 12 13/16"x 10 7/16"x 0 13/16" Shipping weight lbs: 2 CuFt: 0.06	<b>925009</b> NOSTUPA1220	<b>\$ 106</b>
Non-stick U-pan (12" x 10" x 1 1/2") WxDxH 12 13/16"x 10 7/16"x 1 9/16" Shipping weight lbs: 2 CuFt: 0.13	<b>925010</b> NOSTUPA1240	<b>\$ 118</b>
Non-stick universal pan (12" x 20" x 3/4") WxDxH 20 7/8"x 12 13/16"x 0 13/16" Shipping weight lbs: 3 CuFt: 0.13	<b>925000</b> NOSTUPA1120	<b>\$ 201</b>
Non-stick universal pan (12" x 20" x 1 1/2") WxDxH 20 7/8"x 12 13/16"x 1 9/16" Shipping weight lbs: 3 CuFt: 0.26	<b>925001</b> NOSTUPA1140	<b>\$ 233</b>
Non-stick universal pan (12" x 20" x 2 1/2") WxDxH 20 7/8"x 12 13/16"x 2 3/8" Shipping weight lbs: 4 CuFt: 0.45	<b>925002</b> NOSTUPA1160	<b>\$ 247</b>
Frying griddle double sided (ribbed/smooth) 12" x 20" WxDxH 12 13/16"x 20 7/8"x 0 3/16" Shipping weight lbs: 5 CuFt: 0.14	<b>925003</b> GRDOFA11	<b>\$ 233</b>



**Cooking Solutions - Bakery & Pastry Trays**

Description	Code	USD
Pastry grid 16" x 24" WxDxH 23 5/8"x 15 3/4"x 0 1/2" Shipping weight lbs: 4 CuFt: 0.19	<b>922264</b> GRSSPA4X6	<b>\$ 263</b>
Perforated baking tray, made of perforated aluminum, 16" x 24" WxDxH 15 3/4"x 23 5/8"x 0 13/16" Shipping weight lbs: 4 CuFt: 0.17	<b>922190</b> PEALBATR	<b>\$ 99</b>
Double-face griddle, one side ribbed and one side smooth, 400x600mm WxDxH 15 3/4"x 23 5/8"x 0 9/16" Shipping weight lbs: 11 CuFt: 0.17	<b>922747</b> GRDOFA4X6	<b>\$ 385</b>



**Chilling Solutions - Food Probes**

Description	Code	USD
Kit of 3 single sensor probes for blast chiller/freezers WxDxH 0 13/16"x 1 3/16"x 0 1/2" Shipping weight lbs: 2 CuFt: 0.04	<b>880567</b> SISEPR3BCF	<b>\$ 1,127</b>
Probe holder for liquids WxDxH 17 1/16"x 1 9/16"x 1 7/16" Shipping weight lbs: 2 CuFt: 0.04	<b>922714</b> PRHOLI	<b>\$ 730</b>



**Handling Solutions - Half and Full Size Sheet Pans**

Description	Code	USD
Trolley for slide-in rack for 61 and 101 combi oven and blast chiller freezer WxDxH 19 1/16"x 35 15/16"x 37 3/8" Shipping weight lbs: 95 CuFt: 20.13	<b>922626</b> TRSLRA61011	<b>\$ 4,177</b>



## Combi Ovens and Blast Chillers

### Accessories for SkyLine ChILLS

◀◀ (Handling Solutions - Half and Full Size Sheet Pans)

Description	Code	USD
Trolley for slide-in rack for 62 & 102 ovens and 102 blast chiller. WxDxH 27 "x 40 11/16"x 37 3/8" Shipping weight lbs: 117 CuFt: 32.63	<b>922627</b> TRSLRA61021	<b>\$ 5,681</b>
6 Tray Rack with wheels, Half Sheet Pans, 2 ½" (65mm) pitch for 61 ovens and blast chillers WxDxH 15 5/16"x 20 "x 18 3/16" Shipping weight lbs: 18 CuFt: 5.10	<b>922600</b> TRRAWH611	<b>\$ 1,224</b>
5 Tray Rack with wheels, Half Sheet Pans, 3" (80mm) pitch, for 61 ovens and blast chillers WxDxH 15 5/16"x 20 "x 18 3/16" Shipping weight lbs: 15 CuFt: 5.10	<b>922606</b> TRRAWH511	<b>\$ 1,203</b>
10 Tray Rack with wheels, Half Sheet Pans, 2 ½" (65mm) pitch for 101 ovens and blast chillers WxDxH 15 5/16"x 20 "x 28 1/2" Shipping weight lbs: 21 CuFt: 5.10	<b>922601</b> TRRAWH1011	<b>\$ 1,576</b>
10 Tray Rack with wheels, Full Sheet Pans, 2 ½" (65mm) pitch for 102 ovens and blast chillers WxDxH 23 3/8"x 24 3/4"x 28 1/2" Shipping weight lbs: 31 CuFt: 9.51	<b>922603</b> TRRAWH1021	<b>\$ 1,902</b>
20 Tray Rack Trolley, Half Sheet Pans, 2 ½" (63mm) pitch for 201 ovens and blast chillers WxDxH 21 7/16"x 34 1/8"x 66 15/16" Shipping weight lbs: 123 CuFt: 33.48	<b>922753</b> TRRA201163C	<b>\$ 4,587</b>
16 Tray Rack Trolley, Half Sheet Pans, 3" (80mm) pitch for 201 ovens and blast chillers WxDxH 21 7/16"x 34 1/8"x 66 15/16" Shipping weight lbs: 119 CuFt: 33.48	<b>922754</b> TRRA161180C	<b>\$ 5,855</b>
20 Tray Rack Trolley, Full Sheet Pans, 2 ½" (63mm) pitch for 202 ovens and blast chillers WxDxH 28 3/16"x 39 3/4"x 66 15/16" Shipping weight lbs: 170 CuFt: 52.24	<b>922757</b> TRRA202163C	<b>\$ 6,223</b>
16 Tray Rack Trolley, Full Sheet Pans, 3" (80mm) pitch for 202 ovens and blast chillers WxDxH 28 3/16"x 39 3/4"x 66 15/16" Shipping weight lbs: 165 CuFt: 52.24	<b>922758</b> TRRA162180C	<b>\$ 6,223</b>



◀◀ (Handling Solutions - Half and Full Size Sheet Pans)

Description	Code	USD
5 stainless steel runners for 61 and 101 blast chiller freezer WxDxH 21 15/16"x 0 13/16"x 1 1/8" Shipping weight lbs: 13 CuFt: 0.37	<b>880587</b> 5SSRU61011BCF	<b>\$ 353</b>
5 stainless steel runners for 102 blast chiller freezer WxDxH 27 1/4"x 0 13/16"x 1 1/8" Shipping weight lbs: 15 CuFt: 0.40	<b>880588</b> 5SSRU1021BCF	<b>\$ 316</b>
Slide-in rack support for 101 blast chiller freezer WxDxH 15 11/16"x 30 7/8"x 3 5/8" Shipping weight lbs: 13 CuFt: 1.56	<b>880564</b> SLRASU1011BCF	<b>\$ 949</b>
Slide-in rack support for 102 blast chiller freezer WxDxH 25 1/16"x 35 9/16"x 3 3/8" Shipping weight lbs: 26 CuFt: 2.42	<b>880563</b> SLRASU1021BCF	<b>\$ 1,222</b>



### Handling Solutions - Banqueting

Description	Code	USD
Trolley for slide-in rack for 61 and 101 combi oven and blast chiller freezer WxDxH 19 1/16"x 35 15/16"x 37 3/8" Shipping weight lbs: 95 CuFt: 20.13	<b>922626</b> TRSLRA61011	<b>\$ 4,177</b>
Trolley for slide-in rack for 62 & 102 ovens and 102 blast chiller. WxDxH 27 "x 40 11/16"x 37 3/8" Shipping weight lbs: 117 CuFt: 32.63	<b>922627</b> TRSLRA61021	<b>\$ 5,681</b>
Banquet rack with wheels 23 plates for 101 oven and blast chiller freezer, 85mm pitch WxDxH 15 3/8"x 25 9/16"x 27 15/16" Shipping weight lbs: 33 CuFt: 7.42	<b>922649</b> BARAW23PL1011	<b>\$ 2,211</b>



▶▶

## Combi Ovens and Blast Chillers

### Accessories for SkyLine Chills

◀◀ (Handling Solutions - Banqueting)

Description	Code	USD
Banquet rack with wheels holding 51 plates for 102 oven and blast chiller freezer, 75mm pitch ( 3" 1/3") WxDxH 23 7/16"x 30 11/16"x 27 5/8" Shipping weight lbs: 53 CuFt: 12.71	<b>922650</b> BARAW51PL1021	\$ 4,735
201 Banquet trolley for oven and blast chiller for 54 plates holding, 3" (74mm) pitch WxDxH 21 7/16"x 34 3/16"x 67 1/2" Shipping weight lbs: 123 CuFt: 33.48	<b>922756</b> TRBA54PL2011C	\$ 5,605
201 Banquet trolley for combi and blast chiller for 116 plates holding, 2.5" 66mm pitch WxDxH 28 3/16"x 40 1/2"x 67 3/8" Shipping weight lbs: 214 CuFt: 52.24	<b>922764</b> TRBA116PL2021C	\$ 5,855
Slide-in rack support for 102 blast chiller freezer WxDxH 25 1/16"x 35 9/16"x 3 3/8" Shipping weight lbs: 26 CuFt: 2.42	<b>880563</b> SLRASU1021BCF	\$ 1,222
Slide-in rack support for 101 blast chiller freezer WxDxH 15 11/16"x 30 7/8"x 3 5/8" Shipping weight lbs: 13 CuFt: 1.56	<b>880564</b> SLRASU1011BCF	\$ 949



### Handling Solutions - Bakery

Description	Code	USD
Trolley for slide-in rack for 61 and 101 combi oven and blast chiller freezer WxDxH 19 1/16"x 35 15/16"x 37 3/8" Shipping weight lbs: 95 CuFt: 20.13	<b>922626</b> TRSLRA61011	\$ 4,177
Trolley for slide-in rack for 62 & 102 ovens and 102 blast chiller. WxDxH 27 "x 40 11/16"x 37 3/8" Shipping weight lbs: 117 CuFt: 32.63	<b>922627</b> TRSLRA61021	\$ 5,681
Bakery/pastry tray rack with wheels 400x600mm for 6 GN 1/1 oven and blast chiller freezer, 80mm pitch (5 runners) WxDxH 16 7/8"x 23 15/16"x 18 9/16" Shipping weight lbs: 21 CuFt: 6.92	<b>922607</b> 5BAPARAWH611	\$ 1,240



◀◀ (Handling Solutions - Bakery)

Description	Code	USD
Slide-in rack support for 101 blast chiller freezer WxDxH 15 11/16"x 30 7/8"x 3 5/8" Shipping weight lbs: 13 CuFt: 1.56	<b>880564</b> SLRASU1011BCF	\$ 949
Slide-in rack support for 102 blast chiller freezer WxDxH 25 1/16"x 35 9/16"x 3 3/8" Shipping weight lbs: 26 CuFt: 2.42	<b>880563</b> SLRASU1021BCF	\$ 1,222



**Installation Solutions - Stacking kits**

Description	Code	USD
Stacking kit for 61 combi oven on 61 blast chiller freezer - height=100mm (4") WxDxH 35 1/4"x 30 1/8"x 3 15/16" Shipping weight lbs: 18 CuFt: 0.54	<b>880565</b> STK611N	\$ 1,691



**Installation Solutions - Miscellaneous**

Description	Code	USD
4 wheels for blast chiller freezer WxDxH 8 11/16"x 8 11/16"x 5 11/16" Shipping weight lbs: 13 CuFt: 0.53	<b>881284</b> 4WHBCF	\$ 420
6 wheels for 102 blast chiller freezer WxDxH 8 11/16"x 8 11/16"x 5 11/16" Shipping weight lbs: 20 CuFt: 0.74	<b>881285</b> 6WH1021BCF	\$ 611
Flanged feet for blast chiller freezer WxDxH 5 1/2"x 3 3/8"x 5 15/16" Shipping weight lbs: 19 CuFt: 0.55	<b>880589</b> FLFBCF	\$ 256



# Combi Ovens and Blast Chillers

## Accessories for SkyLine Chills

◀◀ (Installation Solutions - Miscellaneous)

Description	Code	USD
Worktop for 61 blast chiller freezer WxDxH 35 5/16"x 33 1/4"x 1 9/16" Shipping weight lbs: 18 CuFt: 3.02	<b>880581</b> WO611BCF	<b>\$ 647</b>

MultiSlim Ovens

Description	Code	USD
MultiSlim Electric Boilerless Compact Oven, 6 Half Sheet Pans, 11 Humidity Level Settings and Automatic Cleaning  6.90 electric kW 208 V 3 60 Hz WxDxH 20 7/16"x 31 5/8"x 30 5/16" Shipping weight lbs: 273 CuFt: 26.28	<p style="text-align: center;"><b>260650</b> ECT061WL</p>	<p style="text-align: center;"><b>\$ 21,339</b></p>



## Combi Ovens and Blast Chillers

### Accessories for compact convection ovens

#### Accessories for compact convection ovens


Description	Code	USD
Base support for stacked compact ovens WxDxH 18 1/2"x 24 7/16"x 12 5/8" Shipping weight lbs: 18 CuFt: 3.71	<b>922368</b> BASESTK	<b>\$ 1,213</b>
Open base for compact 6x1/1GN oven WxDxH 18 1/2"x 24 7/16"x 31 1/2" Shipping weight lbs: 22 CuFt: 9.56	<b>922369</b> STBL6	<b>\$ 1,758</b>
Tray support for compact 6x1/1GN oven - open base WxDxH 29 9/16"x 5 1/16"x 28 15/16" Shipping weight lbs: 11 CuFt: 0.24	<b>922370</b> TRAYSUPPL	<b>\$ 911</b>
External spray unit for compact 6x1/1GN oven WxDxH 8 11/16"x 8 11/16"x 8 11/16" Shipping weight lbs: 4 CuFt: 0.49	<b>922372</b> EXSPRAYL	<b>\$ 333</b>
Double-step door for opening compact 6x1/1GN oven WxDxH 3 15/16"x 3 15/16"x 3 15/16" Shipping weight lbs: 1 CuFt: 0.12	<b>922377</b> DSTEPDOORL	<b>\$ 183</b>
Kit to front air filter for compact 6x1/1GN oven WxDxH 15 3/4"x 13 3/4"x 13 3/4" Shipping weight lbs: 11 CuFt: 2.24	<b>922379</b> KITFILTER	<b>\$ 425</b>
Kit single point food probe with support for compact 6x1/1GN oven, US WxDxH 15 3/4"x 13 3/4"x 13 3/4" Shipping weight lbs: 11 CuFt: 2.24	<b>922417</b> KITPRMSUS	<b>\$ 486</b>



Accessories for crosswise convection ovens

Oven accessories - pans & grids

Description	Code	USD
Grid for whole chicken 1/1GN (8 per grid - 2.6 lbs each) WxDxH 12 13/16"x 20 7/8"x 6 " Shipping weight lbs: 3 CuFt: 1.22	<b>922266</b> GR8CH11	\$ 140
Chicken racks, pair (2) (fits 8 chickens per rack) WxDxH 12 13/16"x 20 7/8"x 6 " Shipping weight lbs: 7 CuFt: 1.22	<b>922036</b> GRPA8CH	\$ 286
Pair of frying baskets WxDxH 20 7/8"x 12 13/16"x 1 9/16" Shipping weight lbs: 5 CuFt: 0.66	<b>922239</b> 2FRBAOV	\$ 285
Kit universal skewer rack & (6) long skewer ovens (TANDOOR) WxDxH 20 7/8"x 12 13/16"x 2 3/16" Shipping weight lbs: 4 CuFt: 0.55	<b>922325</b> ISKPA6SHSK	\$ 700
Grid for whole duck (8 per grid - 1,8kg each), GN 1/1 WxDxH 12 13/16"x 20 7/8"x 10 3/16" Shipping weight lbs: 4 CuFt: 2.48	<b>922362</b> GR8DU11	\$ 241



Oven accessories - installation

Description	Code	USD
External side spray unit WxDxH 8 11/16"x 8 11/16"x 8 11/16" Shipping weight lbs: 4 CuFt: 0.38	<b>922171</b> EXSISPUN	\$ 336



Oven accessory - other

Description	Code	USD
Smoker for ovens WxDxH 8 11/16"x 8 11/16"x 3 3/8" Shipping weight lbs: 3 CuFt: 0.32	<b>922338</b> VOSM	\$ 755




## Combi Ovens and Blast Chillers

### Accessories for blast chiller and freezer crosswise

#### Pans, grids

Description	Code	USD
Single 304 stainless steel grid (12" x 20") WxDxH 12 13/16"x 20 7/8"x 0 3/8" Shipping weight lbs: 4 CuFt: 0.51	<b>922062</b> GRSSGN11	<b>\$ 67</b>
Pastry grid 16" x 24" WxDxH 23 5/8"x 15 3/4"x 0 1/2" Shipping weight lbs: 4 CuFt: 0.19	<b>922264</b> GRSSPA4X6	<b>\$ 263</b>
Aisi 304 stainless steel grid (18" x 26") WxDxH 25 9/16"x 20 7/8"x 0 3/8" Shipping weight lbs: 6 CuFt: 0.51	<b>922076</b> GRSSGN21	<b>\$ 112</b>



Thawing Cabinet

Description	Code	USD
1-door Thawing Cabinet, 10 stainless steel grids, 670lt, 0+10°C, AISI 304, R290 - US  1.42 electric kW 115 V 1 60 Hz WxDxH 27 15/16"x 32 7/8"x 82 1/4" Shipping weight lbs: 421 CuFt: 68.32 <b>Included Accessory</b> 881002 4 swiveling wheels (2 with brake) 1 881016 20" x 26" AISI 304 stainless steel grid 10	<b>725449</b> TC671DUCB2	<b>\$ 25,204</b>
1-door Thawing Cabinet, 15 stainless steel grids, 670lt, 0+10°C, AISI 304, R290 - US  1.42 electric kW 115 V 1 60 Hz WxDxH 27 15/16"x 32 7/8"x 82 1/4" Shipping weight lbs: 481 CuFt: 70.19 <b>Included Accessory</b> 881002 4 swiveling wheels (2 with brake) 1 881016 20" x 26" AISI 304 stainless steel grid 15	<b>725448</b> TC671DZXU2	<b>\$ 26,566</b>



Thawing Cabinet Accessories

Description	Code	USD
20" x 26" AISI 304 stainless steel grid  WxDxH 20 7/8"x 25 3/16"x 0 13/16" Shipping weight lbs: 7 CuFt: 0.50	<b>881016</b> GRIGLSS21	<b>\$ 201</b>
Shelf support with 15 positions for Thawing Cabinet - US  WxDxH 1 1/2"x 0 3/16"x 2 11/16" Shipping weight lbs: 29 CuFt: 1.59	<b>881286</b> SUPTH15US	<b>\$ 394</b>
Shelf support with 10 positions for Thawing Cabinet - US  WxDxH 2 1/8"x 0 3/16"x 2 11/16" Shipping weight lbs: 29 CuFt: 1.59	<b>881287</b> SUPTW10US	<b>\$ 505</b>



## Combi Ovens and Blast Chillers

### Thawing Cabinet

◀◀ (Thawing Cabinet Accessories)

Description	Code	USD
Internal back air baffle/conveyor for 15 grids Thawing Cabinet WxDxH 20 13/16"x 2 1/4"x 50 " Shipping weight lbs: 12 CuFt: 2.75	<b>881201</b> BFLTHW15	<b>\$ 651</b>
Internal back air baffle/conveyor for 10 grids Thawing Cabinet WxDxH 20 13/16"x 2 1/4"x 50 " Shipping weight lbs: 12 CuFt: 2.75	<b>881202</b> BFLTHW10	<b>\$ 839</b>
External door handle for Thawing Cabinet WxDxH 2 1/4"x 1 7/8"x 11 13/16" Shipping weight lbs: 29 CuFt: 1.59	<b>881255</b> TWHNDL	<b>\$ 240</b>
Conversion Kit from 15 to 10 grids (contains structure & baffle) US WxDxH 3 15/16"x 3 15/16"x 49 5/8" Shipping weight lbs: 29 CuFt: 1.59	<b>881289</b> KTHW1510	<b>\$ 3,216</b>

**Rethermalizer**

Description	Code	USD
Electric Freestanding Rethermalizer, 1 Well - 16 gallons (60 lt) - 208 V/ 3 / 60Hz/ 25A 9 electric kW 208 V 3 60 Hz WxDxH 14 3/4"x 35 13/16"x 33 7/16" Shipping weight lbs: 181 CuFt: 19.74	<p style="text-align: center;"><b>391351</b> E9PCEDRMC3</p>	<p style="text-align: center;"><b>\$ 19,861</b></p>



# INDEX

## Refrigeration Equipment

### Refrigerators and Freezers

Grids, containers and rails	59
Accessories for Roll-in and Pass-through	59
Accessories	59

**Grids, containers and rails**

Description	Code	USD
20" x 26" AISI 304 stainless steel grid WxDxH 20 7/8"x 25 3/16"x 0 13/16" Shipping weight lbs: 7 CuFt: 0.50	<b>881016</b> GRIGLSS21	<b>\$ 201</b>

**Accessories for Roll-in and Pass-through**

Description	Code	USD
20 Tray Rack Trolley, Half Sheet Pans, 2 1/2" (63mm) pitch for 201 ovens and blast chillers WxDxH 21 7/16"x 34 1/8"x 66 15/16" Shipping weight lbs: 123 CuFt: 33.48	<b>922753</b> TRRA201163C	<b>\$ 4,587</b>



**Accessories**

Description	Code	USD
20" x 26" AISI 304 stainless steel grid WxDxH 20 7/8"x 25 3/16"x 0 13/16" Shipping weight lbs: 7 CuFt: 0.50	<b>881016</b> GRIGLSS21	<b>\$ 201</b>
Shelf support with 15 positions for Thawing Cabinet - US WxDxH 1 1/2"x 0 3/16"x 2 11/16" Shipping weight lbs: 29 CuFt: 1.59	<b>881286</b> SUPTH15US	<b>\$ 394</b>
Shelf support with 10 positions for Thawing Cabinet - US WxDxH 2 1/8"x 0 3/16"x 2 11/16" Shipping weight lbs: 29 CuFt: 1.59	<b>881287</b> SUPTW10US	<b>\$ 505</b>



## Refrigeration Equipment

### Refrigerators and Freezers

◀◀ (Accessories)

Description	Code	USD
Internal back air baffle/conveyor for 15 grids Thawing Cabinet WxDxH 20 13/16"x 2 1/4"x 50 " Shipping weight lbs: 12 CuFt: 2.75	<b>881201</b> BFLTHW15	<b>\$ 651</b>
Internal back air baffle/conveyor for 10 grids Thawing Cabinet WxDxH 20 13/16"x 2 1/4"x 50 " Shipping weight lbs: 12 CuFt: 2.75	<b>881202</b> BFLTHW10	<b>\$ 839</b>
Conversion Kit from 15 to 10 grids (contains structure & baffle) US WxDxH 3 15/16"x 3 15/16"x 49 5/8" Shipping weight lbs: 29 CuFt: 1.59	<b>881289</b> KTHW1510	<b>\$ 3,216</b>
External door handle for Thawing Cabinet WxDxH 2 1/4"x 1 7/8"x 1 13/16" Shipping weight lbs: 29 CuFt: 1.59	<b>881255</b> TWHNDL	<b>\$ 240</b>

# INDEX

## Food Preparation

### Combination Vegetable Slicers and Food Processors

TrinityPro Combi Slicer/Cutter	61
Accessories for TrinityPro Combi Slicer/Cutter	61
TRK45	66
Accessories for TRK45	66
TRK55	67
Accessories for TRK55	67
TRK70	68
Accessories for TRK70	68
Cutting discs for TRK 45/55/70	69

### Vegetable Slicers and Manual Slicers

TrinityPro Vegetable Slicer	76
Accessories for TrinityPro Vegetable Slicer	76
TRS - 1 speed	79
Accessories for TRS	80
Accessories for TR210	80
Cutting discs for TRS	80
TR260	87
Accessories for TR260	87
Dicing grids for TR260	88
Cutting discs for cabbage for TR260	89
Cutting discs for TR260	90
Accessories for RC14	92
Tomato Slicer CT6	93
Accessories for Tomato Slicer CT6	93

### Food Processors

TrinityPro Cutter 2.7 QT	94
Accessories for TrinityPro Cutter 2.7 QT	94
TrinityPro Cutter 3.8 QT	96
Accessories for TrinityPro Cutter 3.8 QT	96
K45 - 4.7 quart capacity	98
Accessories for K45	98
K55 - 5.8 quart capacity	99
Accessories for K55	99
K70 - 7.4 quart capacity	100
Accessories for K70	100
K120S - 12.2 quart capacity	101
Accessories for K120S	101
Accessories for K180S	102

### Immersion Blenders

Bermixer 350 W	103
Accessories for Bermixer PRO 350 W	103
Bermixer 450 W	104
Accessories for Bermixer PRO 450 W	104

Accessories for Bermixer PRO 550 W	105
Bermixer 650 W	106
Accessories for Bermixer PRO 650 W	106
Bermixer 750 W	107
Accessories for Bermixer PRO 750 W	108

## **Accessories for H HUB models**

Slicing discs for CX21D	109
-------------------------	-----

## **Vegetable Washers and Spin Dryers**

VP4	114
Accessories for VP4	114

Combination Vegetable Slicers and Food Processors

TrinityPro Combi Slicer/Cutter

Description	Code	USD
<p>Combined Vegetable Slicer and Cutter Mixer 2.7 qt, with transparent copolyester bowl, 1800 rpm, 2 discs included (grater 2mm, slicer 4mm), 750W, USA plug</p> <p>0.75 electric kW 115 V 1N 60 Hz WxDxH 13 11/16"x 12 15/16"x 20 3/4" Shipping weight lbs: 46 CuFt: 4.89</p> <p><b>Included Accessory</b></p> <p>650117 1 650198 1 650226 1 650229 1 650230 1 650232 1 650237 1</p>	<p><b>602156</b> COM26PUS</p>	<p><b>\$ 2,503</b></p>
<p>Combined Vegetable Slicer and Cutter Mixer 3.8 qt, with stainless steel bowl, 1800 rpm, 2 discs included (5/64" grater, 5/32" slicer), USA plug</p> <p>1 electric kW 115 V 1N 60 Hz WxDxH 13 11/16"x 13 1/8"x 20 3/4" Shipping weight lbs: 52 CuFt: 4.89</p> <p><b>Included Accessory</b></p> <p>650118 1 650198 1 650232 1 650233 1 650235 1 650236 1 650237 1</p>	<p><b>602161</b> COM36US</p>	<p><b>\$ 3,639</b></p>



Accessories for TrinityPro Combi Slicer/Cutter

Description	Code	USD
<p>Ejector for Vegetable Slicer</p> <p>WxDxH 7 3/8"x 7 3/8"x 1 7/16" Shipping weight lbs: 2</p>	<p><b>650232</b> EJEVS</p>	<p><b>\$ 75</b></p>
<p>Kit including 3 discs dia. 175mm (slicer 2mm, slicer 5mm, grater 3mm)</p> <p>WxDxH 6 7/8"x 6 7/8"x 2 " Shipping weight lbs: 2</p> <p><b>Included Accessory</b></p> <p>650199 1 650214 1 650216 1</p>	<p><b>650196</b> SET3</p>	<p><b>\$ 487</b></p>



## Food Preparation

### Combination Vegetable Slicers and Food Processors

◀◀ (Accessories for TrinityPro Combi Slicer/Cutter)

Description	Code	USD
<p>Kit including 6 discs dia. 175mm (slicer 2mm, slicer 5mm, grater 3mm, grater 7mm, slicer 10mm, grid 10x10mm)</p> <p>WxDxH 6 7/8"x 6 7/8"x 2 "</p> <p>Shipping weight lbs: -1 CuFt: -1</p> <p><b>Included Accessory</b></p> <p>650199 1</p> <p>650207 1</p> <p>650214 1</p> <p>650216 1</p> <p>650221 1</p> <p>650223 1</p>	<p><b>650197</b> SET6</p>	<p><b>\$ 1,284</b></p>
<p>Stainless steel grating disc 2 mm (dia. 175mm)</p> <p>WxDxH 6 7/8"x 6 7/8"x 2 "</p> <p>CuFt: 0.05</p>	<p><b>650198</b> J172</p>	<p><b>\$ 168</b></p>
<p>Stainless steel grating disc 3 mm (dia. 175mm)</p> <p>WxDxH 6 7/8"x 6 7/8"x 2 "</p> <p>CuFt: 0.05</p>	<p><b>650199</b> J173</p>	<p><b>\$ 168</b></p>
<p>Stainless steel grating disc 4 mm (dia. 175mm)</p> <p>WxDxH 6 7/8"x 6 7/8"x 2 "</p> <p>CuFt: 0.05</p>	<p><b>650205</b> J174</p>	<p><b>\$ 168</b></p>
<p>Stainless steel grating disc 7 mm (dia. 175mm)</p> <p>WxDxH 6 7/8"x 6 7/8"x 2 "</p> <p>CuFt: 0.05</p>	<p><b>650207</b> J177</p>	<p><b>\$ 168</b></p>
<p>Parmesan Disc</p> <p>WxDxH 6 7/8"x 6 7/8"x 2 "</p> <p>CuFt: 0.05</p>	<p><b>650208</b> J17P</p>	<p><b>\$ 194</b></p>
<p>Stainless steel shredding disc 2x2 mm (dia. 175mm)</p> <p>WxDxH 6 7/8"x 6 7/8"x 1 9/16"</p> <p>Shipping weight lbs: 1 CuFt: 0.04</p>	<p><b>650209</b> AS172</p>	<p><b>\$ 194</b></p>
<p>Stainless steel shredding disc 4x4 mm (dia. 175mm)</p> <p>WxDxH 6 7/8"x 6 7/8"x 1 9/16"</p> <p>Shipping weight lbs: 1 CuFt: 0.04</p>	<p><b>650210</b> AS174</p>	<p><b>\$ 194</b></p>



Combination Vegetable Slicers and Food Processors

◀◀ (Accessories for TrinityPro Combi Slicer/Cutter)

Description	Code	USD
Stainless steel shredding disc 8x8 mm for French fries (dia. 175mm) WxDxH 6 7/8"x 6 7/8"x 1 9/16" Shipping weight lbs: 1 CuFt: 0.04	<b>650211</b> AS178	\$ 194
Stainless steel slicing disc 1 mm (dia. 175mm) WxDxH 6 7/8"x 6 7/8"x 1 3/16" Shipping weight lbs: 1 CuFt: 0.03	<b>650213</b> C17X1	\$ 168
Stainless steel slicing disc 2 mm (dia. 175mm) WxDxH 6 7/8"x 6 7/8"x 1 3/16" Shipping weight lbs: 1 CuFt: 0.03	<b>650214</b> C17X2	\$ 168
Stainless steel slicing disc 3 mm (dia. 175mm) WxDxH 6 7/8"x 6 7/8"x 1 3/16" Shipping weight lbs: 1 CuFt: 0.03	<b>650215</b> C17X3	\$ 168
Stainless steel slicing disc 4 mm (dia. 175mm) WxDxH 6 7/8"x 6 7/8"x 1 3/16" Shipping weight lbs: 1 CuFt: 0.03	<b>650237</b> C17X4	\$ 168
Stainless steel slicing disc 5 mm (dia. 175mm) WxDxH 6 7/8"x 6 7/8"x 1 3/16" Shipping weight lbs: 1 CuFt: 0.03	<b>650216</b> C17X5	\$ 168
Stainless steel slicing disc 6 mm (dia. 175mm) WxDxH 6 7/8"x 6 7/8"x 1 3/16" Shipping weight lbs: 1 CuFt: 0.03	<b>650217</b> C17X6	\$ 168
Stainless steel wavy slicing disc 3 mm (dia. 175mm) WxDxH 6 7/8"x 6 7/8"x 1 3/16" Shipping weight lbs: 1 CuFt: 0.03	<b>650218</b> C17XW3	\$ 168
Stainless steel wavy slicing disc 5 mm (dia. 175mm) WxDxH 6 7/8"x 6 7/8"x 1 3/16" Shipping weight lbs: 1 CuFt: 0.03	<b>650219</b> C17XW5	\$ 168



## Food Preparation

### Combination Vegetable Slicers and Food Processors

◀◀ (Accessories for TrinityPro Combi Slicer/Cutter)

Description	Code	USD
Aluminum slicing disc 8 mm (dia. 175mm) WxDxH 6 7/8"x 6 7/8"x 1 7/16" Shipping weight lbs: 1 CuFt: 0.04	<b>650220</b> C178	<b>\$ 383</b>
Aluminum slicing disc 10 mm (dia. 175mm) WxDxH 6 7/8"x 6 7/8"x 1 7/16" Shipping weight lbs: 1 CuFt: 0.04	<b>650221</b> C1710	<b>\$ 383</b>
Dicing grid 8x8 (dia 175mm) WxDxH 7 9/16"x 8 11/16"x 1 " Shipping weight lbs: 2	<b>650222</b> MT08	<b>\$ 347</b>
Dicing grid 10x10 (dia 175mm) WxDxH 7 9/16"x 8 11/16"x 1 " Shipping weight lbs: 2	<b>650223</b> MT10	<b>\$ 347</b>
Dicing kit 8mm (aluminum slicer 8mm, grid 8x8mm) (dia. 175mm) WxDxH 8 3/8"x 9 7/16"x 2 3/8" Shipping weight lbs: -1 CuFt: -1 <b>Included Accessory</b> 650220 1 650222 1	<b>650224</b> DC8	<b>\$ 741</b>
Dicing kit 10mm (aluminum slicer 10mm, grid 10x10 mm) (dia. 175mm) WxDxH 8 3/8"x 9 7/16"x 2 3/8" Shipping weight lbs: -1 CuFt: -1 <b>Included Accessory</b> 650221 1 650223 1	<b>650225</b> DC10	<b>\$ 694</b>
Cleaning tool for TRS, TRK & TR210 3/16"-5/16"-3/8 " (5-8-10 mm) dicing grids WxDxH 5 11/16"x 5 11/16"x 1 " CuFt: 0.08	<b>650110</b> GRID	<b>\$ 100</b>
Microtoothed blade rotor for 2.6lt Cutter Mixer WxDxH 6 5/16"x 6 5/16"x 3 9/16" Shipping weight lbs: 1 CuFt: 0.07	<b>650226</b> ROTMT26	<b>\$ 278</b>



## Food Preparation

### Combination Vegetable Slicers and Food Processors

◀◀ (Accessories for TrinityPro Combi Slicer/Cutter)

Description	Code	USD
Smooth blade rotor for 2.6lt Cutter Mixer WxDxH 6 5/16"x 6 5/16"x 3 9/16" Shipping weight lbs: 1 CuFt: 0.07	<b>650227</b> ROTS26	\$ 278
Stainless steel bowl for 2,6lt Cutter Mixer WxDxH 7 7/8"x 10 5/8"x 6 1/2" Shipping weight lbs: 2	<b>650228</b> BOL26	\$ 694
Transparent copolyester bowl for 2,6lt Cutter Mixer WxDxH 7 7/8"x 10 5/8"x 6 1/2" Shipping weight lbs: 2	<b>650229</b> BOLP26	\$ 347
Scraper for 2.6lt Cutter Mixer bowl WxDxH 6 11/16"x 6 11/16"x 4 1/2" Shipping weight lbs: 2	<b>650230</b> SCR26	\$ 83
Transparent lid for 2,6lt Cutter Mixer bowl WxDxH 8 1/16"x 8 1/16"x 2 3/4" Shipping weight lbs: -1 CuFt: -1	<b>650117</b> LID26	\$ 118
Stainless steel bowl for 2,6lt Cutter Mixer, microtoothed rotor, lid with scraper WxDxH 7 7/8"x 10 5/8"x 9 7/16" Shipping weight lbs: 2 <b>Included Accessory</b> 650117 1 650226 1 650228 1 650230 1	<b>650231</b> RED26	\$ 1,179
Microtoothed blade rotor for 3.6lt Cutter Mixer WxDxH 6 7/8"x 6 7/8"x 4 5/16" Shipping weight lbs: 1 CuFt: 0.07	<b>650233</b> ROTMT36	\$ 278
Smooth blade rotor for 3.6lt Cutter Mixer WxDxH 6 7/8"x 6 7/8"x 4 5/16" Shipping weight lbs: 1 CuFt: 0.07	<b>650234</b> ROTS36	\$ 278
Stainless steel bowl for 3.6lt Cutter Mixer WxDxH 8 11/16"x 11 7/16"x 7 1/4" Shipping weight lbs: 2	<b>650235</b> BOL36	\$ 868



## Food Preparation

### Combination Vegetable Slicers and Food Processors

◀◀ (Accessories for TrinityPro Combi Slicer/Cutter)

Description	Code	USD
Scraper for 3.6lt Cutter Mixer bowl WxDxH 7 1/4"x 7 1/4"x 5 3/8" Shipping weight lbs: 2	<b>650236</b> SCR36	\$ 85
Transparent lid without sealing for 3,6lt Cutter Mixer bowl (1 speed models) WxDxH 8 11/16"x 8 11/16"x 2 13/16" Shipping weight lbs: -1 CuFt: -1	<b>650118</b> LID36	\$ 118



### TRK45

Description	Code	USD
Vegetable Cutter/Mixer, variable speed (300-3700 RPM). Supplied with 4.7 qt stainless steel cutterbowl, BPA-free lid, bowl scraper, microtooth blade rotor and stainless steel hopper and lever, removable cutting chamber and ejector plate. 1-1/3 HP  1 electric kW 110-120 V 1N 60 Hz WxDxH 9 15/16"x 19 1/16"x 19 7/8" Shipping weight lbs: 73 CuFt: 5.73 <b>Included Accessory</b> 650099 Lid & bowl scraper, 4.7 quart, for cutter/mixer 1 653589 Bowl, 4.7 quart, for cutter/mixer, stainless steel 1 653772 TRS & TRK ejector plate 1 653876 1	<b>600493</b> TRK45YU	\$ 6,534



### Accessories for TRK45

Description	Code	USD
Microtoothed blade rotor for 4,5 lt cutter mixer WxDxH 7 11/16"x 7 11/16"x 6 1/16" Shipping weight lbs: 2 CuFt: 0.26	<b>653876</b> MBRK45B	\$ 440
TRS & TRK ejector plate WxDxH 7 9/16"x 7 9/16"x 1 1/4" CuFt: 0.04	<b>653772</b> EJTRS	\$ 99



## Food Preparation

### Combination Vegetable Slicers and Food Processors

◀◀ (Accessories for TRK45)

Description	Code	USD
Bowl, 4.7 quart, for cutter/mixer, stainless steel WxDxH 9 1/4"x 11 1/32"x 6 5/16" Shipping weight lbs: 3 CuFt: 0.58	<b>653589</b> BXK45	\$ 769
Lid & bowl scraper, 4.7 quart, for cutter/mixer WxDxH 10 1/4"x 14 9/16"x 3 1/8" Shipping weight lbs: 3 CuFt: 0.80	<b>650099</b> LBSK245	\$ 607



### TRK55

Description	Code	USD
Vegetable Cutter/Mixer, angled front, continuous feed design, variable speed (300-3700 RPM), large 3/4 moon hopper, includes 5.8 qt. stainless steel bowl, lid, bowl scraper, microtooth blade rotor, handle pusher, standard ejector, stainless steel feeding 1.30 electric kW 110-120 V 1N 60 Hz WxDxH 9 15/16"x 19 1/16"x 19 7/8" Shipping weight lbs: 71 CuFt: 5.73 <b>Included Accessory</b> 650102 Lid & bowl scraper, 5.8 quart, for cutter/mixer 1 653590 Bowl, 5.8 quart, for cutter/mixer, stainless steel 1 653772 TRS & TRK ejector plate 1 653879 1	<b>600494</b> TRK55YU	\$ 6,872



### Accessories for TRK55

Description	Code	USD
TRS & TRK ejector plate WxDxH 7 9/16"x 7 9/16"x 1 1/4" CuFt: 0.04	<b>653772</b> EJTRS	\$ 99
Lid & bowl scraper, 5.8 quart, for cutter/mixer WxDxH 9 13/16"x 11 5/8"x 10 1/4" Shipping weight lbs: 3 CuFt: 0.86	<b>650102</b> LBSK255	\$ 648



▶▶

## Food Preparation

### Combination Vegetable Slicers and Food Processors

◀◀ (Accessories for TRK55)

Description	Code	USD
Bowl, 5.8 quart, for cutter/mixer, stainless steel WxDxH 9 1/4"x 11 1/32"x 6 5/16" Shipping weight lbs: 4	<b>653590</b> B XK55	<b>\$ 769</b>



### TRK70

Description	Code	USD
Vegetable Cutter/Mixer, angled front, continuous feed design, variable speed (300-3700 RPM), large single feed hopper, includes 7.4 qt stainless steel bowl.  1.50 electric kW 110-120 V 1N 60 Hz WxDxH 9 15/16"x 19 1/16"x 19 7/8" Shipping weight lbs: 71 CuFt: 5.73	<b>600495</b> TRK70YU	<b>\$ 7,308</b>
<b>Included Accessory</b>		
650104 Lid & bowl scraper, 7.4 quart, for cutter/mixer	1	
653593 Bowl, 7.4 quart, for cutter/mixer, stainless steel	1	
653772 TRS & TRK ejector plate	1	
653874	1	



### Accessories for TRK70

Description	Code	USD
Microtoothed blade rotor for 7 lt cutter mixer WxDxH 8 7/16"x 8 7/16"x 7 5/8" Shipping weight lbs: 2 CuFt: 0.26	<b>653874</b> M BRK70B	<b>\$ 440</b>
Bowl, 7.4 quart, for cutter/mixer, stainless steel WxDxH 9 1/4"x 9 1/4"x 7 7/8" Shipping weight lbs: 4 CuFt: 0.69	<b>653593</b> B XK70	<b>\$ 769</b>
TRS & TRK ejector plate WxDxH 7 9/16"x 7 9/16"x 1 1/4" CuFt: 0.04	<b>653772</b> EJTRS	<b>\$ 99</b>
Lid & bowl scraper, 7.4 quart, for cutter/mixer WxDxH 12 3/16"x 12 3/16"x 12 3/16" Shipping weight lbs: 3 CuFt: 0.89	<b>650104</b> L BSK270	<b>\$ 607</b>



Combination Vegetable Slicers and Food Processors

Cutting discs for TRK 45/55/70

Description	Code	USD
<p>Bistrot Pack, Stainless Steel Disc Set containing one each of: C2S 5/64" (2mm) slicing disc, C5S 3/16" (5mm) slicing disc, J2X 5/64" (2mm) grating disc</p> <p>WxDxH 8 1/16"x 8 1/16"x 1 3/8"</p> <p>Shipping weight lbs: 7 CuFt: 0.64</p> <p><b>Included Accessory</b></p> <p>650083 Slicing Disc 5/64" (2mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT)) 1</p> <p>650086 Slicing Disc 3/16" (5mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT)) 1</p> <p>653773 Grating Disc 5/64" (2mm) 1</p>	<p><b>650092</b> SCEQXX</p>	<p><b>\$ 1,256</b></p>
<p>Set of 4 Stainless Steel Discs containing one each of: C2S 5/64" (2mm) slicing disc, C5S 3/16" (5mm) slicing disc, J2X 5/64" (2mm) grating disc and J7X 9/32" (7mm) grating disc</p> <p>WxDxH 8 1/16"x 8 1/16"x 1 3/8"</p> <p>Shipping weight lbs: 8 CuFt: 0.67</p> <p><b>Included Accessory</b></p> <p>650083 Slicing Disc 5/64" (2mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT)) 1</p> <p>650086 Slicing Disc 3/16" (5mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT)) 1</p> <p>653773 Grating Disc 5/64" (2mm) 1</p> <p>653776 Grating Disc 9/32" (7mm) 1</p>	<p><b>650178</b> SD4CJX</p>	<p><b>\$ 1,561</b></p>
<p>Gastronomy Pack-set discs (2mm, 5mm and 10mm slicing pressing discs, 2mm grating disc, 4x4mm shredding disc, 10x10mm dicing grid) and grid cleaning tool</p> <p>WxDxH 20 1/16"x 9 7/16"x 10 7/16"</p> <p>Shipping weight lbs: 13 CuFt: 1.15</p> <p><b>Included Accessory</b></p> <p>650077 Julienne Disc 5/32" (4mm) 1</p> <p>650083 Slicing Disc 5/64" (2mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT)) 1</p> <p>650086 Slicing Disc 3/16" (5mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT)) 1</p> <p>650110 Cleaning tool for TRS, TRK &amp; TR210 3/16"-5/16"-3/8" (5-8-10 mm) dicing grids 1</p> <p>650115 Specialty aluminum slicing disc for tomato and onions 8 mm 10 mm 1</p> <p>653568 Dicing Grid 3/8" x 3/8" (10 x 10mm) (can be combined with Slicing Discs [C] and Wavy Slicing Discs (CW)) 1</p> <p>653773 Grating Disc 5/64" (2mm) 1</p>	<p><b>650113</b> SCREQXX</p>	<p><b>\$ 2,579</b></p>



## Food Preparation

### Combination Vegetable Slicers and Food Processors

◀◀ (Cutting discs for TRK 45/55/70)

Description	Code	USD
<p>Set of 7 discs (2mm, 5mm and 10mm slicing pressing discs, 2mm and 7mm grating discs, 4x4mm shredding disc, 10x10mm dicing grid) and grid cleaning tool</p> <p>WxDxH 20 1/16"x 9 7/16"x 10 7/16"</p> <p>Shipping weight lbs: 15 CuFt: 1.17</p> <p><b>Included Accessory</b></p> <p>650077 Julienne Disc 5/32" (4mm) 1</p> <p>650083 Slicing Disc 5/64" (2mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT)) 1</p> <p>650086 Slicing Disc 3/16" (5mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT)) 1</p> <p>650110 Cleaning tool for TRS, TRK &amp; TR210 3/16"-5/16"-3/8" (5-8-10 mm) dicing grids 1</p> <p>650115 Specialty aluminum slicing disc for tomato and onions 8 mm 10 mm 1</p> <p>653568 Dicing Grid 3/8" x 3/8" (10 x 10mm) (can be combined with Slicing Discs [C] and Wavy Slicing Discs (CW)) 1</p> <p>653773 Grating Disc 5/64" (2mm) 1</p> <p>653776 Grating Disc 9/32" (7mm) 1</p>	<p><b>650114</b> SD7CJASMTX</p>	<p><b>\$ 2,667</b></p>
<p>Grating Disc 5/64" (2mm)</p> <p>WxDxH 8 1/16"x 7 7/8"x 1 9/16"</p> <p>Shipping weight lbs: 1 CuFt: 0.12</p>	<p><b>653773</b> J2X</p>	<p><b>\$ 414</b></p>
<p>Grating Disc 1/8" (3mm)</p> <p>WxDxH 8 1/16"x 7 7/8"x 1 9/16"</p> <p>Shipping weight lbs: 2</p>	<p><b>653774</b> J3X</p>	<p><b>\$ 414</b></p>
<p>Grating Disc 5/32" (4mm)</p> <p>WxDxH 8 1/16"x 7 7/8"x 1 9/16"</p> <p>Shipping weight lbs: 1 CuFt: 0.12</p>	<p><b>653775</b> J4X</p>	<p><b>\$ 414</b></p>
<p>Grating Disc 9/32" (7mm)</p> <p>WxDxH 8 1/16"x 7 7/8"x 1 9/16"</p> <p>Shipping weight lbs: 1 CuFt: 0.12</p>	<p><b>653776</b> J7X</p>	<p><b>\$ 414</b></p>
<p>Grating Disc 11/32" (9mm)</p> <p>WxDxH 8 1/16"x 7 7/8"x 1 9/16"</p> <p>Shipping weight lbs: 1 CuFt: 0.13</p>	<p><b>653777</b> J9X</p>	<p><b>\$ 414</b></p>



## Food Preparation

### Combination Vegetable Slicers and Food Processors

◀◀ (Cutting discs for TRK 45/55/70)

Description	Code	USD
Grating Disc for breadcrumbs/potatoes WxDxH 8 1/16"x 7 7/8"x 1 9/16" Shipping weight lbs: 1 CuFt: 0.12	<b>653778</b> KX	<b>\$ 414</b>
Grating Disc for parmesan/chocolate WxDxH 8 1/16"x 7 7/8"x 1 3/16" Shipping weight lbs: 2 CuFt: 0.12	<b>653779</b> PX	<b>\$ 414</b>
Julienne Disc 5/64" (2mm) WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 2 CuFt: 0.12	<b>650166</b> AS2XX	<b>\$ 546</b>
Julienne Disc 5/64" x 5/16" (2 x 8mm) WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 2 CuFt: 0.12	<b>650158</b> AS2X8X	<b>\$ 546</b>
Julienne Disc 5/64" x 3/8" (2 x 10mm) WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 2 CuFt: 0.12	<b>650159</b> AS2X10X	<b>\$ 511</b>
Julienne Disc 1/8" (3mm) WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 2 CuFt: 0.12	<b>650167</b> AS3XX	<b>\$ 511</b>
Julienne Disc 5/32" (4mm) WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 2 CuFt: 0.13	<b>650077</b> AS4XX	<b>\$ 511</b>
Julienne Disc 1/4" (6mm) WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 2 CuFt: 0.13	<b>650078</b> AS6XX	<b>\$ 511</b>
Julienne Disc 5/16" (8mm) WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 2 CuFt: 0.12	<b>650079</b> AS8XX	<b>\$ 546</b>



## Food Preparation

### Combination Vegetable Slicers and Food Processors

◀◀ (Cutting discs for TRK 45/55/70)

Description	Code	USD
Slicing Disc 0.6mm (can be combined with Dicing Grids (MT) and Grids for Chips (FT)) WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 2 CuFt: 0.12	<b>650081</b> C06SX	\$ 414
Slicing Disc 5/64" (2mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT)) WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 2 CuFt: 0.12	<b>650083</b> C2SX	\$ 414
Slicing Disc 1/8" (3mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT)) WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 2 CuFt: 0.12	<b>650084</b> C3SX	\$ 414
Slicing Disc 5/32" (4mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT)) WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 2 CuFt: 0.13	<b>650085</b> C4SX	\$ 414
Slicing Disc 3/16" (5mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT)) WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 2 CuFt: 0.12	<b>650086</b> C5SX	\$ 442
Slicing Disc 1/4" (6mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT)) WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 2 CuFt: 0.12	<b>650087</b> C6SX	\$ 414
Slicing Disc 5/16" (8mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT)) WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 2 CuFt: 0.13	<b>650088</b> C8SX	\$ 414
Slicing Disc 3/8" (10mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT)) WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 2 CuFt: 0.13	<b>650160</b> C10SX	\$ 414
Slicing Disc 15/32" (12mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT)) WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 2 CuFt: 0.12	<b>650161</b> C12SX	\$ 414



Combination Vegetable Slicers and Food Processors

◀◀ (Cutting discs for TRK 45/55/70)

Description	Code	USD
Slicing Disc 33/64" (13mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT)) WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 2 CuFt: 0.12	<b>650165</b> C13SX	\$ 442
Wavy Slicing Disc 5/64" (2mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT)) WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 2 CuFt: 0.12	<b>650089</b> C2WX	\$ 414
Wavy Slicing Disc 1/8" (3mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT)) WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 2	<b>650090</b> C3WX	\$ 414
Wavy Slicing Disc 1/4" (6mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT)) WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 2 CuFt: 0.12	<b>650091</b> C6WX	\$ 414
Wavy Slicing Disc 5/16" (8mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT)) WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 2 CuFt: 0.12	<b>650162</b> C8WX	\$ 414
Wavy Slicing Disc 3/8" (10mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT)) WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 2 CuFt: 0.01	<b>650164</b> C10WX	\$ 414
Specialty aluminum slicing disc for tomato and onions 8 mm WxDxH 8 1/16"x 8 1/16"x 1 5/16" Shipping weight lbs: 2 CuFt: 0.08	<b>650116</b> C8	\$ 442
Specialty aluminum slicing disc for tomato and onions 8 mm 10 mm WxDxH 8 1/16"x 8 1/16"x 1 5/16" Shipping weight lbs: 2 CuFt: 0.08	<b>650115</b> C10	\$ 442
Dicing Grid 3/16" x 3/16" (5 x 5mm) (can be combined with Slicing Discs [C] and Wavy Slicing Discs (CW)) WxDxH 8 1/16"x 9" x 0 7/8" Shipping weight lbs: 2 CuFt: 0.12	<b>653566</b> MT05T	\$ 414




## Food Preparation

### Combination Vegetable Slicers and Food Processors

◀◀ (Cutting discs for TRK 45/55/70)

Description	Code	USD
Dicing Grid 5/16" x 5/16" (8 x 8mm) (can be combined with Slicing Discs [C] and Wavy Slicing Discs (CW)) WxDxH 8 1/16"x 9 "x 0 7/8" Shipping weight lbs: 1 CuFt: 0.12	<b>653567</b> MT08T	\$ 414
Dicing Grid 3/8" x 3/8" (10 x 10mm) (can be combined with Slicing Discs [C] and Wavy Slicing Discs (CW)) WxDxH 8 1/16"x 9 "x 0 7/8" Shipping weight lbs: 1 CuFt: 0.12	<b>653568</b> MT10T	\$ 414
Dicing Grid 15/32" x 15/32" (12 x 12mm) (can be combined with Slicing Discs [C] and Wavy Slicing Discs (CW)) WxDxH 8 1/16"x 9 "x 0 7/8" Shipping weight lbs: 2 CuFt: 0.12	<b>653569</b> MT12T	\$ 414
Dicing Grid 25/32" x 25/32" (20 x 20mm) (can be combined with Slicing Discs [C] and Wavy Slicing Discs (CW)) WxDxH 8 1/16"x 9 "x 0 7/8" Shipping weight lbs: 2 CuFt: 0.12	<b>653570</b> MT20T	\$ 414
Grid for Chips 1/4" (6mm) (can be combined with Slicing Discs [C] and Wavy Slicing Discs (CW)) WxDxH 8 1/16"x 9 "x 0 7/8" Shipping weight lbs: 2 CuFt: 0.12	<b>653571</b> FT06	\$ 414
Slicing Disc 1/32" (1mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT)) WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 2 CuFt: 0.13	<b>650082</b> CISX	\$ 414
Dicing kit 10x10x10mm, diam. 205mm (10mm aluminum slicing pressing disc, 10mm grid and grid cleaning tool) WxDxH 8 1/16"x 8 1/16"x 1 5/16" Shipping weight lbs: 4 CuFt: 0.08 <b>Included Accessory</b>	<b>650112</b> DICINGKIT10	\$ 670
650110 Cleaning tool for TRS, TRK & TR210 3/16"-5/16"-3/8 " (5-8-10 mm) dicing grids 1		
650115 Specialty aluminum slicing disc for tomato and onions 8 mm 10 mm 1		
653568 Dicing Grid 3/8" x 3/8" (10 x 10mm) (can be combined with Slicing Discs [C] and Wavy Slicing Discs (CW)) 1		



**Food Preparation**

---

**Combination Vegetable Slicers and Food Processors**

◀◀ (Cutting discs for TRK 45/55/70)

Description	Code	USD
Grid for Chips 5/16" (8mm) (can be combined with Slicing Discs [C] and Wavy Slicing Discs (CW)) WxDxH 8 1/16"x 9 "x 0 7/8" Shipping weight lbs: 1	<b>653572</b> FT08	<b>\$ 414</b>
Grid for Chips 3/8" (10mm) (can be combined with Slicing Discs [C] and Wavy Slicing Discs (CW)) WxDxH 8 1/16"x 9 "x 0 7/8" Shipping weight lbs: 2	<b>653573</b> FT10	<b>\$ 414</b>
Cleaning tool for TRS, TRK & TR210 3/16"-5/16"-3/8 " (5-8-10 mm) dicing grids WxDxH 5 11/16"x 5 11/16"x 1 " CuFt: 0.08	<b>650110</b> GRID	<b>\$ 100</b>
Julienne Disc 3/8" (10mm) WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 2 CuFt: 0.12	<b>650080</b> AS10XX	<b>\$ 546</b>



## Food Preparation

### Vegetable Slicers and Manual Slicers

#### TrinityPro Vegetable Slicer

Description	Code	USD
Vegetable Slicer with 2 discs included (slicer 5/32", grater 5/64"), 1800 rpm, USA plug  1 electric kW 115 V 1N 60 Hz WxDxH 13 11/16"x 12 3/8"x 20 3/4" Shipping weight lbs: 46 CuFt: 3.97 <b>Included Accessory</b> 650198 1 650232 1 650237 1	<b>602149</b> VGSUS	<b>\$ 2,343</b>



#### Accessories for TrinityPro Vegetable Slicer

Description	Code	USD
Kit including 3 discs dia. 175mm (slicer 2mm, slicer 5mm, grater 3mm)  WxDxH 6 7/8"x 6 7/8"x 2 " Shipping weight lbs: 2 <b>Included Accessory</b> 650199 1 650214 1 650216 1	<b>650196</b> SET3	<b>\$ 487</b>
Kit including 6 discs dia. 175mm (slicer 2mm, slicer 5mm, grater 3mm, grater 7mm, slicer 10mm, grid 10x10mm)  WxDxH 6 7/8"x 6 7/8"x 2 " Shipping weight lbs: -1 CuFt: -1 <b>Included Accessory</b> 650199 1 650207 1 650214 1 650216 1 650221 1 650223 1	<b>650197</b> SET6	<b>\$ 1,284</b>
Stainless steel grating disc 2 mm (dia. 175mm)  WxDxH 6 7/8"x 6 7/8"x 2 " CuFt: 0.05	<b>650198</b> J172	<b>\$ 168</b>
Stainless steel grating disc 3 mm (dia. 175mm)  WxDxH 6 7/8"x 6 7/8"x 2 " CuFt: 0.05	<b>650199</b> J173	<b>\$ 168</b>



◀◀ (Accessories for TrinityPro Vegetable Slicer)

Description	Code	USD
Stainless steel grating disc 4 mm (dia. 175mm) WxDxH 6 7/8"x 6 7/8"x 2 " CuFt: 0.05	<b>650205</b> J174	\$ 168
Stainless steel grating disc 7 mm (dia. 175mm) WxDxH 6 7/8"x 6 7/8"x 2 " CuFt: 0.05	<b>650207</b> J177	\$ 168
Parmesan Disc WxDxH 6 7/8"x 6 7/8"x 2 " CuFt: 0.05	<b>650208</b> J17P	\$ 194
Stainless steel shredding disc 2x2 mm (dia. 175mm) WxDxH 6 7/8"x 6 7/8"x 1 9/16" Shipping weight lbs: 1 CuFt: 0.04	<b>650209</b> AS172	\$ 194
Stainless steel shredding disc 4x4 mm (dia. 175mm) WxDxH 6 7/8"x 6 7/8"x 1 9/16" Shipping weight lbs: 1 CuFt: 0.04	<b>650210</b> AS174	\$ 194
Stainless steel shredding disc 8x8 mm for French fries (dia. 175mm) WxDxH 6 7/8"x 6 7/8"x 1 9/16" Shipping weight lbs: 1 CuFt: 0.04	<b>650211</b> AS178	\$ 194
Stainless steel slicing disc 1 mm (dia. 175mm) WxDxH 6 7/8"x 6 7/8"x 1 3/16" Shipping weight lbs: 1 CuFt: 0.03	<b>650213</b> C17X1	\$ 168
Stainless steel slicing disc 2 mm (dia. 175mm) WxDxH 6 7/8"x 6 7/8"x 1 3/16" Shipping weight lbs: 1 CuFt: 0.03	<b>650214</b> C17X2	\$ 168
Stainless steel slicing disc 3 mm (dia. 175mm) WxDxH 6 7/8"x 6 7/8"x 1 3/16" Shipping weight lbs: 1 CuFt: 0.03	<b>650215</b> C17X3	\$ 168



## Food Preparation

### Vegetable Slicers and Manual Slicers

◀◀ (Accessories for TrinityPro Vegetable Slicer)

Description	Code	USD
Stainless steel slicing disc 4 mm (dia. 175mm) WxDxH 6 7/8"x 6 7/8"x 1 3/16" Shipping weight lbs: 1 CuFt: 0.03	<b>650237</b> C17X4	<b>\$ 168</b>
Stainless steel slicing disc 5 mm (dia. 175mm) WxDxH 6 7/8"x 6 7/8"x 1 3/16" Shipping weight lbs: 1 CuFt: 0.03	<b>650216</b> C17X5	<b>\$ 168</b>
Stainless steel slicing disc 6 mm (dia. 175mm) WxDxH 6 7/8"x 6 7/8"x 1 3/16" Shipping weight lbs: 1 CuFt: 0.03	<b>650217</b> C17X6	<b>\$ 168</b>
Stainless steel wavy slicing disc 3 mm (dia. 175mm) WxDxH 6 7/8"x 6 7/8"x 1 3/16" Shipping weight lbs: 1 CuFt: 0.03	<b>650218</b> C17XW3	<b>\$ 168</b>
Stainless steel wavy slicing disc 5 mm (dia. 175mm) WxDxH 6 7/8"x 6 7/8"x 1 3/16" Shipping weight lbs: 1 CuFt: 0.03	<b>650219</b> C17XW5	<b>\$ 168</b>
Aluminum slicing disc 8 mm (dia. 175mm) WxDxH 6 7/8"x 6 7/8"x 1 7/16" Shipping weight lbs: 1 CuFt: 0.04	<b>650220</b> C178	<b>\$ 383</b>
Aluminum slicing disc 10 mm (dia. 175mm) WxDxH 6 7/8"x 6 7/8"x 1 7/16" Shipping weight lbs: 1 CuFt: 0.04	<b>650221</b> C1710	<b>\$ 383</b>
Dicing grid 8x8 (dia 175mm) WxDxH 7 9/16"x 8 11/16"x 1 " Shipping weight lbs: 2	<b>650222</b> MT08	<b>\$ 347</b>
Dicing grid 10x10 (dia 175mm) WxDxH 7 9/16"x 8 11/16"x 1 " Shipping weight lbs: 2	<b>650223</b> MT10	<b>\$ 347</b>



◀◀ (Accessories for TrinityPro Vegetable Slicer)

Description	Code	USD
Dicing kit 8mm (aluminum slicer 8mm, grid 8x8mm) (dia. 175mm) WxDxH 8 3/8"x 9 7/16"x 2 3/8" Shipping weight lbs: -1 CuFt: -1 <b>Included Accessory</b> 650220 1 650222 1	<b>650224</b> DC8	<b>\$ 741</b>
Dicing kit 10mm (aluminum slicer 10mm, grid 10x10 mm) (dia. 175mm) WxDxH 8 3/8"x 9 7/16"x 2 3/8" Shipping weight lbs: -1 CuFt: -1 <b>Included Accessory</b> 650221 1 650223 1	<b>650225</b> DC10	<b>\$ 694</b>
Ejector for Vegetable Slicer WxDxH 7 3/8"x 7 3/8"x 1 7/16" Shipping weight lbs: 2	<b>650232</b> EJEVS	<b>\$ 75</b>
Cleaning tool for TRS, TRK & TR210 3/16"-5/16"-3/8 " (5-8-10 mm) dicing grids WxDxH 5 11/16"x 5 11/16"x 1 " CuFt: 0.08	<b>650110</b> GRID	<b>\$ 100</b>



### TRS - 1 speed

Description	Code	USD
TRS Vegetable Cutter, heavy duty, single speed (400 RPM), designed for high volume dicing requirements, stainless steel hopper and lever, rear handle, removable cutting chamber and ejector plate. Metal motor housing. 370W, 1/2 HP, discs NOT included 0.37 electric kW 100-120 V 1N 60 Hz WxDxH 9 15/16"x 19 11/16"x 20 1/4" Shipping weight lbs: 55 CuFt: 4.47 <b>Included Accessory</b> 653772 TRS & TRK ejector plate 1	<b>600474</b> TRS22YU	<b>\$ 3,500</b>



## Food Preparation

### Vegetable Slicers and Manual Slicers

◀◀ (TRS - 1 speed)

Description	Code	USD
Vegetable Slicer - 1 Speed - 750W - 100 - 120V/1p-h/60Hz 0.75 electric kW 100-120 V 1N 60 Hz WxDxH 9 15/16"x 19 11/16"x 20 1/4" Shipping weight lbs: 60 CuFt: 4.47 <b>Included Accessory</b> 653772 TRS & TRK ejector plate 1	<b>600476</b> TRS24YU	<b>\$ 3,975</b>



### Accessories for TRS

Description	Code	USD
TRS & TRK ejector plate WxDxH 7 9/16"x 7 9/16"x 1 1/4" CuFt: 0.04	<b>653772</b> EJTRS	<b>\$ 99</b>



### Accessories for TR210

Description	Code	USD
TRS & TRK ejector plate WxDxH 7 9/16"x 7 9/16"x 1 1/4" CuFt: 0.04	<b>653772</b> EJTRS	<b>\$ 99</b>



### Cutting discs for TRS


Description	Code	USD
Bistrot Pack, Stainless Steel Disc Set containing one each of: C2S 5/64" (2mm) slicing disc, C5S 3/16" (5mm) slicing disc, J2X 5/64" (2mm) grating disc WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 7 CuFt: 0.64 <b>Included Accessory</b> 650083 Slicing Disc 5/64" (2mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT)) 1 650086 Slicing Disc 3/16" (5mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT)) 1 653773 Grating Disc 5/64" (2mm) 1	<b>650092</b> SCEQXX	<b>\$ 1,256</b>



▶▶

◀◀ (Cutting discs for TRS)

Description	Code	USD
<p>Set of 4 Stainless Steel Discs containing one each of: C2S 5/64" (2mm) slicing disc, C5S 3/16" (5mm) slicing disc, J2X 5/64" (2mm) grating disc and J7X 9/32" (7mm) grating disc</p> <p>WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 8 CuFt: 0.67</p> <p><b>Included Accessory</b></p> <p>650083 Slicing Disc 5/64" (2mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT)) 1</p> <p>650086 Slicing Disc 3/16" (5mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT)) 1</p> <p>653773 Grating Disc 5/64" (2mm) 1</p> <p>653776 Grating Disc 9/32" (7mm) 1</p>	<p><b>650178</b> SD4CJX</p>	<p><b>\$ 1,561</b></p>
<p>Gastronomy Pack-set discs (2mm, 5mm and 10mm slicing pressing discs, 2mm grating disc, 4x4mm shredding disc, 10x10mm dicing grid) and grid cleaning tool</p> <p>WxDxH 20 1/16"x 9 7/16"x 10 7/16" Shipping weight lbs: 13 CuFt: 1.15</p> <p><b>Included Accessory</b></p> <p>650077 Julienne Disc 5/32" (4mm) 1</p> <p>650083 Slicing Disc 5/64" (2mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT)) 1</p> <p>650086 Slicing Disc 3/16" (5mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT)) 1</p> <p>650110 Cleaning tool for TRS, TRK &amp; TR210 3/16"-5/16"-3/8" (5-8-10 mm) dicing grids 1</p> <p>650115 Specialty aluminum slicing disc for tomato and onions 8 mm 10 mm 1</p> <p>653568 Dicing Grid 3/8" x 3/8" (10 x 10mm) (can be combined with Slicing Discs [C] and Wavy Slicing Discs (CW)) 1</p> <p>653773 Grating Disc 5/64" (2mm) 1</p>	<p><b>650113</b> SCREQXX</p>	<p><b>\$ 2,579</b></p>



## Food Preparation

### Vegetable Slicers and Manual Slicers

◀◀ (Cutting discs for TRS)

Description	Code	USD
<p>Set of 7 discs (2mm, 5mm and 10mm slicing pressing discs, 2mm and 7mm grating discs, 4x4mm shredding disc, 10x10mm dicing grid) and grid cleaning tool</p> <p>WxDxH 20 1/16"x 9 7/16"x 10 7/16"</p> <p>Shipping weight lbs: 15 CuFt: 1.17</p> <p><b>Included Accessory</b></p> <p>650077 Julienne Disc 5/32" (4mm) 1</p> <p>650083 Slicing Disc 5/64" (2mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT)) 1</p> <p>650086 Slicing Disc 3/16" (5mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT)) 1</p> <p>650110 Cleaning tool for TRS, TRK &amp; TR210 3/16"-5/16"-3/8" (5-8-10 mm) dicing grids 1</p> <p>650115 Specialty aluminum slicing disc for tomato and onions 8 mm 10 mm 1</p> <p>653568 Dicing Grid 3/8" x 3/8" (10 x 10mm) (can be combined with Slicing Discs [C] and Wavy Slicing Discs (CW)) 1</p> <p>653773 Grating Disc 5/64" (2mm) 1</p> <p>653776 Grating Disc 9/32" (7mm) 1</p>	<p><b>650114</b> SD7CJASMTX</p>	<p><b>\$ 2,667</b></p>
<p>Grating Disc 5/64" (2mm)</p> <p>WxDxH 8 1/16"x 7 7/8"x 1 9/16"</p> <p>Shipping weight lbs: 1 CuFt: 0.12</p>	<p><b>653773</b> J2X</p>	<p><b>\$ 414</b></p>
<p>Grating Disc 1/8" (3mm)</p> <p>WxDxH 8 1/16"x 7 7/8"x 1 9/16"</p> <p>Shipping weight lbs: 2</p>	<p><b>653774</b> J3X</p>	<p><b>\$ 414</b></p>
<p>Grating Disc 5/32" (4mm)</p> <p>WxDxH 8 1/16"x 7 7/8"x 1 9/16"</p> <p>Shipping weight lbs: 1 CuFt: 0.12</p>	<p><b>653775</b> J4X</p>	<p><b>\$ 414</b></p>
<p>Grating Disc 9/32" (7mm)</p> <p>WxDxH 8 1/16"x 7 7/8"x 1 9/16"</p> <p>Shipping weight lbs: 1 CuFt: 0.12</p>	<p><b>653776</b> J7X</p>	<p><b>\$ 414</b></p>
<p>Grating Disc 11/32" (9mm)</p> <p>WxDxH 8 1/16"x 7 7/8"x 1 9/16"</p> <p>Shipping weight lbs: 1 CuFt: 0.13</p>	<p><b>653777</b> J9X</p>	<p><b>\$ 414</b></p>



Vegetable Slicers and Manual Slicers

◀◀ (Cutting discs for TRS)

Description	Code	USD
Grating Disc for breadcrumbs/potatoes WxDxH 8 1/16"x 7 7/8"x 1 9/16" Shipping weight lbs: 1 CuFt: 0.12	<b>653778</b> KX	\$ 414
Grating Disc for parmesan/chocolate WxDxH 8 1/16"x 7 7/8"x 1 3/16" Shipping weight lbs: 2 CuFt: 0.12	<b>653779</b> PX	\$ 414
Julienne Disc 5/64" (2mm) WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 2 CuFt: 0.12	<b>650166</b> AS2XX	\$ 546
Julienne Disc 5/64" x 5/16" (2 x 8mm) WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 2 CuFt: 0.12	<b>650158</b> AS2X8X	\$ 546
Julienne Disc 5/64" x 3/8" (2 x 10mm) WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 2 CuFt: 0.12	<b>650159</b> AS2X10X	\$ 511
Julienne Disc 1/8" (3mm) WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 2 CuFt: 0.12	<b>650167</b> AS3XX	\$ 511
Julienne Disc 5/32" (4mm) WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 2 CuFt: 0.13	<b>650077</b> AS4XX	\$ 511
Julienne Disc 1/4" (6mm) WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 2 CuFt: 0.13	<b>650078</b> AS6XX	\$ 511
Julienne Disc 5/16" (8mm) WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 2 CuFt: 0.12	<b>650079</b> AS8XX	\$ 546



▶▶

## Food Preparation

### Vegetable Slicers and Manual Slicers

◀◀ (Cutting discs for TRS)

Description	Code	USD
Slicing Disc 0.6mm (can be combined with Dicing Grids (MT) and Grids for Chips (FT)) WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 2 CuFt: 0.12	<b>650081</b> C06SX	\$ 414
Slicing Disc 5/64" (2mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT)) WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 2 CuFt: 0.12	<b>650083</b> C2SX	\$ 414
Slicing Disc 1/8" (3mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT)) WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 2 CuFt: 0.12	<b>650084</b> C3SX	\$ 414
Slicing Disc 5/32" (4mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT)) WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 2 CuFt: 0.13	<b>650085</b> C4SX	\$ 414
Slicing Disc 3/16" (5mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT)) WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 2 CuFt: 0.12	<b>650086</b> C5SX	\$ 442
Slicing Disc 1/4" (6mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT)) WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 2 CuFt: 0.12	<b>650087</b> C6SX	\$ 414
Slicing Disc 5/16" (8mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT)) WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 2 CuFt: 0.13	<b>650088</b> C8SX	\$ 414
Slicing Disc 3/8" (10mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT)) WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 2 CuFt: 0.13	<b>650160</b> C10SX	\$ 414
Slicing Disc 15/32" (12mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT)) WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 2 CuFt: 0.12	<b>650161</b> C12SX	\$ 414



Vegetable Slicers and Manual Slicers

◀◀ (Cutting discs for TRS)

Description	Code	USD
Slicing Disc 33/64" (13mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT)) WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 2 CuFt: 0.12	<b>650165</b> C13SX	\$ 442
Wavy Slicing Disc 5/64" (2mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT)) WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 2 CuFt: 0.12	<b>650089</b> C2WX	\$ 414
Wavy Slicing Disc 1/8" (3mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT)) WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 2	<b>650090</b> C3WX	\$ 414
Wavy Slicing Disc 1/4" (6mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT)) WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 2 CuFt: 0.12	<b>650091</b> C6WX	\$ 414
Wavy Slicing Disc 5/16" (8mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT)) WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 2 CuFt: 0.12	<b>650162</b> C8WX	\$ 414
Wavy Slicing Disc 3/8" (10mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT)) WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 2 CuFt: 0.01	<b>650164</b> C10WX	\$ 414
Specialty aluminum slicing disc for tomato and onions 8 mm WxDxH 8 1/16"x 8 1/16"x 1 5/16" Shipping weight lbs: 2 CuFt: 0.08	<b>650116</b> C8	\$ 442
Specialty aluminum slicing disc for tomato and onions 8 mm 10 mm WxDxH 8 1/16"x 8 1/16"x 1 5/16" Shipping weight lbs: 2 CuFt: 0.08	<b>650115</b> C10	\$ 442
Dicing Grid 3/16" x 3/16" (5 x 5mm) (can be combined with Slicing Discs [C] and Wavy Slicing Discs (CW)) WxDxH 8 1/16"x 9" x 0 7/8" Shipping weight lbs: 2 CuFt: 0.12	<b>653566</b> MT05T	\$ 414




▶▶

## Food Preparation

### Vegetable Slicers and Manual Slicers

◀◀ (Cutting discs for TRS)

Description	Code	USD
Dicing Grid 5/16" x 5/16" (8 x 8mm) (can be combined with Slicing Discs [C] and Wavy Slicing Discs (CW)) WxDxH 8 1/16"x 9 "x 0 7/8" Shipping weight lbs: 1 CuFt: 0.12	<b>653567</b> MT08T	\$ 414
Dicing Grid 3/8" x 3/8" (10 x 10mm) (can be combined with Slicing Discs [C] and Wavy Slicing Discs (CW)) WxDxH 8 1/16"x 9 "x 0 7/8" Shipping weight lbs: 1 CuFt: 0.12	<b>653568</b> MT10T	\$ 414
Dicing Grid 15/32" x 15/32" (12 x 12mm) (can be combined with Slicing Discs [C] and Wavy Slicing Discs (CW)) WxDxH 8 1/16"x 9 "x 0 7/8" Shipping weight lbs: 2 CuFt: 0.12	<b>653569</b> MT12T	\$ 414
Dicing Grid 25/32" x 25/32" (20 x 20mm) (can be combined with Slicing Discs [C] and Wavy Slicing Discs (CW)) WxDxH 8 1/16"x 9 "x 0 7/8" Shipping weight lbs: 2 CuFt: 0.12	<b>653570</b> MT20T	\$ 414
Grid for Chips 1/4" (6mm) (can be combined with Slicing Discs [C] and Wavy Slicing Discs (CW)) WxDxH 8 1/16"x 9 "x 0 7/8" Shipping weight lbs: 2 CuFt: 0.12	<b>653571</b> FT06	\$ 414
Dicing kit 10x10x10mm, diam. 205mm (10mm aluminum slicing pressing disc, 10mm grid and grid cleaning tool) WxDxH 8 1/16"x 8 1/16"x 1 5/16" Shipping weight lbs: 4 CuFt: 0.08 <b>Included Accessory</b> 650110 Cleaning tool for TRS, TRK & TR210 3/16"-5/16"-3/8 " (5-8-10 mm) dicing grids 1 650115 Specialty aluminum slicing disc for tomato and onions 8 mm 10 mm 1 653568 Dicing Grid 3/8" x 3/8" (10 x 10mm) (can be combined with Slicing Discs [C] and Wavy Slicing Discs (CW)) 1	<b>650112</b> DICINGKIT10	\$ 670
Slicing Disc 1/32" (1mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT)) WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 2 CuFt: 0.13	<b>650082</b> C1SX	\$ 414



◀◀ (Cutting discs for TRS)

Description	Code	USD
Grid for Chips 5/16" (8mm) (can be combined with Slicing Discs [C] and Wavy Slicing Discs (CW)) WxDxH 8 1/16"x 9 "x 0 7/8" Shipping weight lbs: 1	<b>653572</b> FT08	\$ 414
Grid for Chips 3/8" (10mm) (can be combined with Slicing Discs [C] and Wavy Slicing Discs (CW)) WxDxH 8 1/16"x 9 "x 0 7/8" Shipping weight lbs: 2	<b>653573</b> FT10	\$ 414
Cleaning tool for TRS, TRK & TR210 3/16"-5/16"-3/8 " (5-8-10 mm) dicing grids WxDxH 5 11/16"x 5 11/16"x 1 " CuFt: 0.08	<b>650110</b> GRID	\$ 100
Julienne Disc 3/8" (10mm) WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 2 CuFt: 0.12	<b>650080</b> AS10XX	\$ 546



## TR260

Description	Code	USD
TR260 Vegetable Slicer - 2 Speed - lever hopper - 208V 2 electric kW 208-240 V 3 60 Hz WxDxH 29 1/2"x 14 15/16"x 18 1/8" Shipping weight lbs: 146 CuFt: 16.95 <b>Included Accessory</b> 650036 Feed tray to be combined with cabbage hopper & long vegetable hopper 1 653510 Lever feed hopper. 1	<b>603286</b> TR260FH23U	\$ 19,770



## Accessories for TR260

Description	Code	USD
Automatic hopper for TR260 WxDxH 28 3/4"x 19 5/16"x 18 1/2" Shipping weight lbs: 51 CuFt: 8.52	<b>653037</b> AH260	\$ 8,931



## Food Preparation

### Vegetable Slicers and Manual Slicers


◀◀ (Accessories for TR260)

Description	Code	USD
Cabbage hopper for TR260 WxDxH 19 5/16"x 22 1/16"x 24 1/32" Shipping weight lbs: 42 CuFt: 6.13	<b>653048</b> CABH260	<b>\$ 8,860</b>
Feed tray to be combined with cabbage hopper & long vegetable hopper WxDxH 15 1/2"x 6 5/16"x 16 7/16" Shipping weight lbs: 14 CuFt: 2.20	<b>650036</b> FED260	<b>\$ 1,047</b>
Long vegetable accessory, for lever-operated hopper (to change the lever-operated hopper into long vegetable hopper) WxDxH 9 1/16"x 4 5/16"x 9 13/16" Shipping weight lbs: 12 CuFt: 0.76	<b>653223</b> LVALH260	<b>\$ 1,644</b>
Mobile stand, stainless steel WxDxH 17 1/2"x 20 11/16"x 27 3/16" Shipping weight lbs: 33 CuFt: 1.76	<b>653017</b> MSX	<b>\$ 2,216</b>





### Dicing grids for TR260

Description	Code	USD
Dicing Grid Stainless Steel 3/8" (10mm) WxDxH 12 5/8"x 12 5/8"x 1 3/16" Shipping weight lbs: 4 CuFt: 0.79	<b>653051</b> MT310	<b>\$ 2,171</b>
Dicing Grid Stainless Steel 15/32" (12mm) WxDxH 12 5/8"x 12 5/8"x 1 3/16" Shipping weight lbs: 4 CuFt: 0.24	<b>653301</b> MT312	<b>\$ 2,171</b>
Dicing Grid Stainless Steel 5/8" (16mm) WxDxH 12 5/8"x 12 5/8"x 1 3/16" Shipping weight lbs: 3 CuFt: 0.25	<b>653052</b> MT316	<b>\$ 2,171</b>
Dicing Grid Stainless Steel 25/32" (20mm) WxDxH 12 5/8"x 12 5/8"x 1 3/16" Shipping weight lbs: 3 CuFt: 0.79	<b>653053</b> MT320	<b>\$ 2,171</b>




◀◀ (Dicing grids for TR260)

Description	Code	USD
Dicing Grid Stainless Steel 31/32" (25mm) WxDxH 12 5/8"x 12 5/8"x 1 3/16" Shipping weight lbs: 3 CuFt: 0.79	<b>653054</b> MT325	\$ 2,171
Dicing Grid Stainless Steel 1 1/4" (32mm) WxDxH 12 5/8"x 12 5/8"x 1 3/16" Shipping weight lbs: 4 CuFt: 0.20	<b>653055</b> MT332	\$ 2,171



### Cutting discs for cabbage for TR260

Description	Code	USD
Cabbage slicing disc in stainless steel 1/32" (1mm) with Central Shaft for Core Removal (to be used with cabbage feed hopper) WxDxH 12 3/16"x 12 3/16"x 5 15/16" Shipping weight lbs: 7 CuFt: 1.22	<b>653009</b> D601	\$ 1,536
Cabbage slicing disc in stainless steel 5/64" (2mm) with Central Shaft for Core Removal (to be used with cabbage feed hopper) WxDxH 12 3/16"x 12 3/16"x 5 15/16" Shipping weight lbs: 7 CuFt: 0.91	<b>653227</b> D602	\$ 1,536
Cabbage slicing disc in stainless steel 1/8" (3mm) with Central Shaft for Core Removal (to be used with cabbage feed hopper) WxDxH 12 3/16"x 12 3/16"x 5 15/16" Shipping weight lbs: 7 CuFt: 1.22	<b>653228</b> D603	\$ 1,536
Grating Disc Stainless Steel 9/32" (7mm) for Cabbage with Central Shaft for Core Removal (to be used with cabbage feed hopper) WxDxH 11 13/16"x 11 13/16"x 1 9/16" Shipping weight lbs: 4 CuFt: 0.86	<b>650157</b> DJ607N	\$ 1,536





## Food Preparation

### Vegetable Slicers and Manual Slicers

#### Cutting discs for TR260

Description	Code	USD
Grating Disc Stainless Steel 5/64" (2mm) WxDxH 11 13/16"x 11 13/16"x 1 9/16" Shipping weight lbs: 4 CuFt: 0.68	<b>650150</b> J302N	\$ 1,422
Grating Disc Stainless Steel 1/8" (3mm) WxDxH 11 13/16"x 11 13/16"x 1 9/16" Shipping weight lbs: 4 CuFt: 0.68	<b>650151</b> J303N	\$ 1,422
Grating Disc Stainless Steel 5/32" (4mm) WxDxH 11 13/16"x 11 13/16"x 1 9/16" Shipping weight lbs: 4 CuFt: 0.56	<b>650152</b> J304N	\$ 1,422
Grating Disc Stainless Steel 9/32" (7mm) WxDxH 11 13/16"x 11 13/16"x 1 9/16" Shipping weight lbs: 4 CuFt: 0.68	<b>650153</b> J307N	\$ 1,422
Grating Disc Stainless Steel 11/32" (9mm) WxDxH 11 13/16"x 11 13/16"x 1 9/16" Shipping weight lbs: 7 CuFt: 0.68	<b>650154</b> J309N	\$ 1,518
Grating Disc Stainless Steel for Parmesan/Chocolate WxDxH 11 13/16"x 11 13/16"x 1 9/16" Shipping weight lbs: 7 CuFt: 0.68	<b>650148</b> P300	\$ 1,422
Grating Disc Stainless Steel for Breadcrumbs/Potatoes WxDxH 11 13/16"x 11 13/16"x 1 9/16" Shipping weight lbs: 7 CuFt: 0.68	<b>650149</b> K300	\$ 1,518
Julienne Disc Stainless Steel 5/64" (2mm) WxDxH 11 13/16"x 11 13/16"x 2 " Shipping weight lbs: 5 CuFt: 0.34	<b>653195</b> A302	\$ 1,536
Julienne Disc Stainless Steel 1/8" (3mm) WxDxH 11 13/16"x 11 13/16"x 2 " Shipping weight lbs: 7 CuFt: 0.33	<b>653196</b> A303	\$ 1,536



Vegetable Slicers and Manual Slicers

◀◀ (Cutting discs for TR260)

Description	Code	USD
Julienne Disc Stainless Steel 5/32" (4mm) WxDxH 11 13/16"x 11 13/16"x 2 " Shipping weight lbs: 5 CuFt: 0.34	<b>653197</b> A304	<b>\$ 1,536</b>
Julienne Disc Stainless Steel 1/4" (6mm) WxDxH 11 13/16"x 11 13/16"x 2 " Shipping weight lbs: 4 CuFt: 0.34	<b>653198</b> AF306	<b>\$ 1,536</b>
Julienne Disc Stainless Steel 5/16" (8mm) WxDxH 11 13/16"x 11 13/16"x 2 " Shipping weight lbs: 7	<b>653199</b> AF308	<b>\$ 1,536</b>
Julienne Disc Stainless Steel 3/8" (10mm) WxDxH 11 13/16"x 11 13/16"x 2 " Shipping weight lbs: 4 CuFt: 0.34	<b>653200</b> AF310	<b>\$ 1,536</b>
Slicing Disc Stainless Steel 1/32" (1mm) WxDxH 11 13/16"x 11 13/16"x 1 9/16" Shipping weight lbs: 7 CuFt: 0.68	<b>653188</b> C301	<b>\$ 1,422</b>
Slicing Disc Stainless Steel 5/64" (2mm) WxDxH 11 13/16"x 11 13/16"x 2 " Shipping weight lbs: 5 CuFt: 0.40	<b>653172</b> C302	<b>\$ 1,422</b>
Slicing Disc Stainless Steel 1/8" (3mm) WxDxH 11 13/16"x 11 13/16"x 2 " Shipping weight lbs: 7 CuFt: 0.34	<b>653173</b> C303	<b>\$ 1,422</b>
Slicing Disc Stainless Steel 3/16" (5mm) WxDxH 11 13/16"x 11 13/16"x 2 " Shipping weight lbs: 7 CuFt: 0.33	<b>653189</b> C305	<b>\$ 1,422</b>
Slicing Disc Stainless Steel 1/4" (6mm) WxDxH 11 13/16"x 11 13/16"x 2 " Shipping weight lbs: 7 CuFt: 0.39	<b>653190</b> C306	<b>\$ 1,422</b>



▶▶

## Food Preparation

### Vegetable Slicers and Manual Slicers

◀◀ (Cutting discs for TR260)

Description	Code	USD
Slicing Disc Stainless Steel 5/16" (8mm) WxDxH 11 13/16"x 11 13/16"x 2 " Shipping weight lbs: 7 CuFt: 0.33	<b>653191</b> C308	<b>\$ 1,422</b>
Slicing Disc Stainless Steel 3/8" (10mm) WxDxH 11 13/16"x 11 13/16"x 2 " Shipping weight lbs: 7 CuFt: 0.33	<b>653192</b> C310	<b>\$ 1,422</b>
Slicing Disc Stainless Steel 5/8" (16mm) WxDxH 11 13/16"x 11 13/16"x 2 " Shipping weight lbs: 4 CuFt: 0.34	<b>653193</b> C316	<b>\$ 1,422</b>
Krinkle Cut Disc Stainless Steel 5/64" (2mm) WxDxH 11 13/16"x 11 13/16"x 2 " Shipping weight lbs: 4	<b>653217</b> C302W	<b>\$ 1,422</b>
Krinkle Cut Disc Stainless Steel 1/8" (3mm) WxDxH 11 13/16"x 11 13/16"x 2 " Shipping weight lbs: 4	<b>653218</b> C303W	<b>\$ 1,422</b>
Krinkle Cut Disc Stainless Steel 1/4" (6mm) WxDxH 11 13/16"x 11 13/16"x 2 " Shipping weight lbs: 4 CuFt: 0.33	<b>653219</b> C306W	<b>\$ 1,422</b>



### Accessories for RC14

Description	Code	USD
Mobile stand, stainless steel WxDxH 17 1/2"x 20 11/16"x 27 3/16" Shipping weight lbs: 33 CuFt: 1.76	<b>653017</b> MSX	<b>\$ 2,216</b>



**Tomato Slicer CT6**

Description	Code	USD
Tomato Slicer, manual, 15/64 (6mm) slice, 11 slices, aluminum & stainless steel construction, suction cup base WxDxH 5 11/16"x 16 13/16"x 9 7/16" Shipping weight lbs: 9 CuFt: 1.10 <b>Included Accessory</b> 653099 Tomato Guide for 1/4" slicer 1 653100 Blade assembly for 1/4" tomato slicer 1	<b>601443</b> CT6U	<b>\$ 1,021</b>



**Accessories for Tomato Slicer CT6**

Description	Code	USD
Blade assembly for 1/4" tomato slicer WxDxH 10 13/16"x 2 15/16"x 1 3/8" Shipping weight lbs: 1 CuFt: 0.07	<b>653100</b> CB6	<b>\$ 282</b>
Tomato Guide for 1/4" slicer WxDxH 3 15/16"x 4 1/8"x 5 5/16" Shipping weight lbs: 1 CuFt: 0.04	<b>653099</b> TG6	<b>\$ 174</b>



## Food Preparation

### Food Processors

#### TrinityPro Cutter 2.7 QT

Description	Code	USD
Cutter Mixer 2.7 qt with transparent copolyester bowl, 1800 rpm, USA plug  0.75 electric kW 115 V 1N 60 Hz WxDxH 9 3/4"x 12 15/16"x 17 15/16" Shipping weight lbs: 38 CuFt: 3.97 <b>Included Accessory</b> 650117 1 650226 1 650229 1 650230 1	<b>600991</b> K26PUS	<b>\$ 2,035</b>



#### Accessories for TrinityPro Cutter 2.7 QT

Description	Code	USD
Microtoothed blade rotor for 2.6lt Cutter Mixer WxDxH 6 5/16"x 6 5/16"x 3 9/16" Shipping weight lbs: 1 CuFt: 0.07	<b>650226</b> ROTMT26	<b>\$ 278</b>
Smooth blade rotor for 2.6lt Cutter Mixer WxDxH 6 5/16"x 6 5/16"x 3 9/16" Shipping weight lbs: 1 CuFt: 0.07	<b>650227</b> ROTST26	<b>\$ 278</b>
Stainless steel bowl for 2,6lt Cutter Mixer WxDxH 7 7/8"x 10 5/8"x 6 1/2" Shipping weight lbs: 2	<b>650228</b> BOL26	<b>\$ 694</b>
Transparent copolyester bowl for 2,6lt Cutter Mixer WxDxH 7 7/8"x 10 5/8"x 6 1/2" Shipping weight lbs: 2	<b>650229</b> BOLP26	<b>\$ 347</b>
Scraper for 2.6lt Cutter Mixer bowl WxDxH 6 11/16"x 6 11/16"x 4 1/2" Shipping weight lbs: 2	<b>650230</b> SCR26	<b>\$ 83</b>
Transparent lid for 2,6lt Cutter Mixer bowl WxDxH 8 1/16"x 8 1/16"x 2 3/4" Shipping weight lbs: -1 CuFt: -1	<b>650117</b> LID26	<b>\$ 118</b>



◀◀ (Accessories for TrinityPro Cutter 2.7 QT)

Description	Code	USD
Stainless steel bowl for 2,6lt Cutter Mixer, microtoothed rotor, lid with scraper WxDxH 7 7/8"x 10 5/8"x 9 7/16" Shipping weight lbs: 2 <b>Included Accessory</b> 650117 1 650226 1 650228 1 650230 1	<b>650231</b> RED26	<b>\$ 1,179</b>
Microtoothed blade rotor for 3.6lt Cutter Mixer WxDxH 6 7/8"x 6 7/8"x 4 5/16" Shipping weight lbs: 1 CuFt: 0.07	<b>650233</b> ROTMT36	<b>\$ 278</b>
Smooth blade rotor for 3.6lt Cutter Mixer WxDxH 6 7/8"x 6 7/8"x 4 5/16" Shipping weight lbs: 1 CuFt: 0.07	<b>650234</b> ROT36	<b>\$ 278</b>
Stainless steel bowl for 3.6lt Cutter Mixer WxDxH 8 11/16"x 11 7/16"x 7 1/4" Shipping weight lbs: 2	<b>650235</b> BOL36	<b>\$ 868</b>
Scraper for 3.6lt Cutter Mixer bowl WxDxH 7 1/4"x 7 1/4"x 5 3/8" Shipping weight lbs: 2	<b>650236</b> SCR36	<b>\$ 85</b>
Transparent lid without sealing for 3,6lt Cutter Mixer bowl (1 speed models) WxDxH 8 11/16"x 8 11/16"x 2 13/16" Shipping weight lbs: -1 CuFt: -1	<b>650118</b> LID36	<b>\$ 118</b>



## Food Preparation

### Food Processors

#### TrinityPro Cutter 3.8 QT

Description	Code	USD
Cutter Mixer 3.8 qt with stainless steel bowl, 1800 rpm, USA plug  1 electric kW 115 V 1N 60 Hz WxDxH 9 15/16"x 13 1/8"x 18 3/4" Shipping weight lbs: 44 CuFt: 3.97 <b>Included Accessory</b> 650118 1 650233 1 650235 1 650236 1	<b>600999</b> K36US	<b>\$ 3,440</b>



#### Accessories for TrinityPro Cutter 3.8 QT

Description	Code	USD
Microtoothed blade rotor for 3.6lt Cutter Mixer WxDxH 6 7/8"x 6 7/8"x 4 5/16" Shipping weight lbs: 1 CuFt: 0.07	<b>650233</b> ROTMT36	<b>\$ 278</b>
Smooth blade rotor for 3.6lt Cutter Mixer WxDxH 6 7/8"x 6 7/8"x 4 5/16" Shipping weight lbs: 1 CuFt: 0.07	<b>650234</b> ROT36	<b>\$ 278</b>
Stainless steel bowl for 3.6lt Cutter Mixer WxDxH 8 11/16"x 11 7/16"x 7 1/4" Shipping weight lbs: 2	<b>650235</b> BOL36	<b>\$ 868</b>
Scraper for 3.6lt Cutter Mixer bowl WxDxH 7 1/4"x 7 1/4"x 5 3/8" Shipping weight lbs: 2	<b>650236</b> SCR36	<b>\$ 85</b>
Transparent lid without sealing for 3,6lt Cutter Mixer bowl (1 speed models) WxDxH 8 11/16"x 8 11/16"x 2 13/16" Shipping weight lbs: -1 CuFt: -1	<b>650118</b> LID36	<b>\$ 118</b>
Microtoothed blade rotor for 2.6lt Cutter Mixer WxDxH 6 5/16"x 6 5/16"x 3 9/16" Shipping weight lbs: 1 CuFt: 0.07	<b>650226</b> ROTMT26	<b>\$ 278</b>



◀◀ (Accessories for TrinityPro Cutter 3.8 QT)

Description	Code	USD
Smooth blade rotor for 2.6lt Cutter Mixer WxDxH 6 5/16"x 6 5/16"x 3 9/16" Shipping weight lbs: 1 CuFt: 0.07	<b>650227</b> ROTS26	<b>\$ 278</b>
Stainless steel bowl for 2,6lt Cutter Mixer WxDxH 7 7/8"x 10 5/8"x 6 1/2" Shipping weight lbs: 2	<b>650228</b> BOL26	<b>\$ 694</b>
Scraper for 2.6lt Cutter Mixer bowl WxDxH 6 11/16"x 6 11/16"x 4 1/2" Shipping weight lbs: 2	<b>650230</b> SCR26	<b>\$ 83</b>
Transparent lid for 2,6lt Cutter Mixer bowl WxDxH 8 1/16"x 8 1/16"x 2 3/4" Shipping weight lbs: -1 CuFt: -1	<b>650117</b> LID26	<b>\$ 118</b>
Transparent copolyester bowl for 2,6lt Cutter Mixer WxDxH 7 7/8"x 10 5/8"x 6 1/2" Shipping weight lbs: 2	<b>650229</b> BOLP26	<b>\$ 347</b>
Stainless steel bowl for 2,6lt Cutter Mixer, microtoothed rotor, lid with scraper WxDxH 7 7/8"x 10 5/8"x 9 7/16" Shipping weight lbs: 2 <b>Included Accessory</b> 650117 1 650226 1 650228 1 650230 1	<b>650231</b> RED26	<b>\$ 1,179</b>



## Food Preparation

### Food Processors

#### K45 - 4.7 quart capacity

Description	Code	USD
<p>Vertical Cutter/Mixer, bench-style, variable speed (300-3700 RPM). Supplied with 4.7 qt removable stainless steel bowl with clear BPA-free lid, equipped with scraper. Microtooth blade rotor and metal motor housing, 1-1/4 HP</p> <p>1 electric kW 110-120 V 1N 60 Hz                      WxDxH 10 1/16"x 16 5/16"x 19 "                      Shipping weight lbs: 59 CuFt: 3.50</p> <p><b>Included Accessory</b></p> <p>650099 Lid &amp; bowl scraper, 4.7 quart, for cutter/mixer 1                      653589 Bowl, 4.7 quart, for cutter/mixer, stainless steel 1                      653876 1</p>	<p><b>600518</b> K45YVVU</p>	<p><b>\$ 5,235</b></p>



#### Accessories for K45

Description	Code	USD
<p>Microtoothed blade rotor for 4,5 lt cutter mixer</p> <p>WxDxH 7 11/16"x 7 11/16"x 6 1/16"                      Shipping weight lbs: 2 CuFt: 0.26</p>	<p><b>653876</b> MBRK45B</p>	<p><b>\$ 440</b></p>
<p>Lid &amp; bowl scraper, 4.7 quart, for cutter/mixer</p> <p>WxDxH 10 1/4"x 14 9/16"x 3 1/8"                      Shipping weight lbs: 3 CuFt: 0.80</p>	<p><b>650099</b> LBSK245</p>	<p><b>\$ 607</b></p>
<p>Bowl, 4.7 quart, for cutter/mixer, stainless steel</p> <p>WxDxH 9 1/4"x 11 1/32"x 6 5/16"                      Shipping weight lbs: 3 CuFt: 0.58</p>	<p><b>653589</b> BXK45</p>	<p><b>\$ 769</b></p>



**K55 - 5.8 quart capacity**

Description	Code	USD
<p>Vertical Cutter/Mixer, bench-style, variable speed (300-3700 RPM). Supplied with 5.8 quart removable stainless steel bowl with clear BPA-free lid, equipped with scraper. Microtooth blade rotor and metal motor housing 1-1/3HP</p> <p>1.30 electric kW 110-120 V 1N 60 Hz                      WxDxH 10 1/16"x 16 5/16"x 19 "                      Shipping weight lbs: 57 CuFt: 3.50</p> <p><b>Included Accessory</b></p> <p>650102 Lid &amp; bowl scraper, 5.8 quart, for cutter/mixer 1                      653590 Bowl, 5.8 quart, for cutter/mixer, stainless steel 1                      653879 1</p>	<p><b>600519</b> K55YVVU</p>	<p><b>\$ 5,609</b></p>



**Accessories for K55**

Description	Code	USD
<p>Bowl, 5.8 quart, for cutter/mixer, stainless steel</p> <p>WxDxH 9 1/4"x 11 1/32"x 6 5/16"                      Shipping weight lbs: 4</p>	<p><b>653590</b> BXK55</p>	<p><b>\$ 769</b></p>
<p>Lid &amp; bowl scraper, 5.8 quart, for cutter/mixer</p> <p>WxDxH 9 13/16"x 11 5/8"x 10 1/4"                      Shipping weight lbs: 3 CuFt: 0.86</p>	<p><b>650102</b> LBSK255</p>	<p><b>\$ 648</b></p>



## Food Preparation

### Food Processors

#### K70 - 7.4 quart capacity

Description	Code	USD
<p>Vertical Cutter/Mixer, bench-style, variable speed (300-3700 RPM), 7.4 quart capacity bowl, removable bowl design, stainless steel bowl with clear BPA-free lid, microtooth blade rotor, stainless steel housing, 300-3300 RPM, 2 HP, 120v/60/1-ph, 15.0 amps (</p> <p>1.50 electric kW 110-120 V 1N 60 Hz                      WxDxH 10 1/16"x 16 5/8"x 20 9/16"                      Shipping weight lbs: 60 CuFt: 3.50</p> <p><b>Included Accessory</b></p> <p>650104 Lid &amp; bowl scraper, 7.4 quart, for cutter/mixer 1                      653593 Bowl, 7.4 quart, for cutter/mixer, stainless steel 1                      653874 1</p>	<p><b>600520</b> K70YVVU</p>	<p><b>\$ 5,970</b></p>



#### Accessories for K70

Description	Code	USD
<p>Microtoothed blade rotor for 7 lt cutter mixer</p> <p>WxDxH 8 7/16"x 8 7/16"x 7 5/8"                      Shipping weight lbs: 2 CuFt: 0.26</p>	<p><b>653874</b> MBRK70B</p>	<p><b>\$ 440</b></p>
<p>Bowl, 7.4 quart, for cutter/mixer, stainless steel</p> <p>WxDxH 9 1/4"x 9 1/4"x 7 7/8"                      Shipping weight lbs: 4 CuFt: 0.69</p>	<p><b>653593</b> BXX70</p>	<p><b>\$ 769</b></p>
<p>Lid &amp; bowl scraper, 7.4 quart, for cutter/mixer</p> <p>WxDxH 12 3/16"x 12 3/16"x 12 3/16"                      Shipping weight lbs: 3 CuFt: 0.89</p>	<p><b>650104</b> LBSK270</p>	<p><b>\$ 607</b></p>



**K120S - 12.2 quart capacity**

Description	Code	USD
12.2QT + CUTTER MIXER - MICRO TOOTHED BLADES - 2 SPEEDS - S/S BOWL  2.20 electric kW 208-240 V 3 60 Hz WxDxH 16 3/8"x 26 3/4"x 20 3/8" Shipping weight lbs: 165 CuFt: 11.64 <b>Included Accessory</b> 650059 Scraper for K120S cutter mixer 1 650060 Micro-toothed blade rotor for 12.2qt cutter mixer 1 650073 Bowl, 12.2 quart, for cutter/mixer, stainless steel 1	<b>600085</b> K120S2U	<b>\$ 16,113</b>



**Accessories for K120S**

Description	Code	USD
Bowl, 12.2 quart, for cutter/mixer, stainless steel  WxDxH 16 9/16"x 13 3/8"x 7 1/16" Shipping weight lbs: 11 CuFt: 1.64	<b>650073</b> BX115L	<b>\$ 3,015</b>
Micro-toothed blade rotor for 12.2qt cutter mixer  WxDxH 11 1/8"x 11 1/8"x 6 5/16" Shipping weight lbs: 4 CuFt: 0.59	<b>650060</b> MBR115	<b>\$ 1,794</b>
Blade rotor, serrated, for 12.2 quart cutter/mixer  WxDxH 11 1/32"x 11 1/32"x 5 15/16" Shipping weight lbs: 5 CuFt: 0.72	<b>653299</b> KKR115	<b>\$ 1,615</b>
Scraper for K120S cutter mixer  WxDxH 11 5/8"x 3 9/16"x 9 7/16" Shipping weight lbs: 3 CuFt: 0.59	<b>650059</b> SCR115	<b>\$ 840</b>
Mobile stand, stainless steel  WxDxH 17 1/2"x 20 11/16"x 27 3/16" Shipping weight lbs: 33 CuFt: 1.76	<b>653017</b> MSX	<b>\$ 2,216</b>



**Food Preparation**

---

**Food Processors**

**Accessories for K180S**

Description	Code	USD
Mobile stand, stainless steel WxDxH 17 1/2"x 20 11/16"x 27 3/16" Shipping weight lbs: 33 CuFt: 1.76	<b>653017</b> MSX	<b>\$ 2,216</b>



### Bermixer 350 W

Description	Code	USD
<p>Bermixer PRO, portable, hand held, variable speed (up to 9000 RPM), handle grip, with 18" cutter tube, 1/2 HP, 350 watt, NEMA 5-15P</p> <p>0.35 electric kW 110-120 V 1 50/60 Hz WxDxH 5 7/16"x 4 3/4"x 30 1/8" Shipping weight lbs: 12 CuFt: 1.27</p> <p><b>Included Accessory</b> 650133 Stainless Steel cutter tube 18in (453mm) 1</p>	<b>602189</b> BP3545U	<b>\$ 1,054</b>



### Accessories for Bermixer PRO 350 W

Description	Code	USD
<p>Stainless Steel cutter tube 14in (353mm)</p> <p>WxDxH 4 5/16"x 4 5/16"x 13 7/8" Shipping weight lbs: 4 CuFt: 0.44</p>	<b>650132</b> BPT35	<b>\$ 558</b>
<p>Stainless Steel cutter tube 18in (453mm)</p> <p>WxDxH 4 5/16"x 4 5/16"x 17 13/16" Shipping weight lbs: 3 CuFt: 0.44</p>	<b>650133</b> BPT45	<b>\$ 637</b>
<p>Reinforced whisk 10in</p> <p>WxDxH 4 3/4"x 4 3/4"x 15 13/16" Shipping weight lbs: 3 CuFt: 0.44</p>	<b>653578</b> BMXRWSK	<b>\$ 742</b>
<p>Bowl cradle for containers</p> <p>WxDxH 6 5/16"x 5 1/2"x 7 1/16" Shipping weight lbs: 3 CuFt: 0.49</p>	<b>653294</b> B2SUP	<b>\$ 461</b>
<p>Adjustable rail, for containers 15in - 26in</p> <p>WxDxH 27 9/16"x 5 15/16"x 1 9/16" Shipping weight lbs: 3 CuFt: 0.44</p>	<b>653292</b> B2RAIL	<b>\$ 482</b>



## Food Preparation

### Immersion Blenders

#### Bermixer 450 W

Description	Code	USD
<p>Bermixer PRO, portable, hand held, variable speed (up to 9000 RPM), handle grip, with 18" cutter tube, 1/2 HP, 450 watt, NEMA 1-15P</p> <p>0.45 electric kW 110-120 V 1 50/60 Hz WxDxH 5 7/16"x 4 3/4"x 30 1/8" Shipping weight lbs: 12 CuFt: 1.27</p> <p><b>Included Accessory</b> 650133 Stainless Steel cutter tube 18in (453mm) 1</p>	<p><b>602190</b> BP4545U</p>	<p><b>\$ 1,214</b></p>
<p>Bermixer PRO, portable, hand held, variable speed (up to 9000 RPM), handle grip, with 22" cutter tube, 1/2 HP, 450 watt, NEMA 1-15P</p> <p>0.45 electric kW 110-120 V 1 50/60 Hz WxDxH 5 7/16"x 4 3/4"x 34 1/16" Shipping weight lbs: 12 CuFt: 1.27</p> <p><b>Included Accessory</b> 650134 Stainless Steel cutter tube 22in (553mm) 1</p>	<p><b>602191</b> BP4555U</p>	<p><b>\$ 1,278</b></p>



#### Accessories for Bermixer PRO 450 W

Description	Code	USD
<p>Stainless Steel cutter tube 14in (353mm)</p> <p>WxDxH 4 5/16"x 4 5/16"x 13 7/8" Shipping weight lbs: 4 CuFt: 0.44</p>	<p><b>650132</b> BPT35</p>	<p><b>\$ 558</b></p>
<p>Stainless Steel cutter tube 18in (453mm)</p> <p>WxDxH 4 5/16"x 4 5/16"x 17 13/16" Shipping weight lbs: 3 CuFt: 0.44</p>	<p><b>650133</b> BPT45</p>	<p><b>\$ 637</b></p>
<p>Stainless Steel cutter tube 22in (553mm)</p> <p>WxDxH 4 5/16"x 4 5/16"x 21 3/4" Shipping weight lbs: 3 CuFt: 0.44</p>	<p><b>650134</b> BPT55</p>	<p><b>\$ 714</b></p>
<p>Reinforced whisk 10in</p> <p>WxDxH 4 3/4"x 4 3/4"x 15 13/16" Shipping weight lbs: 3 CuFt: 0.44</p>	<p><b>653578</b> BMXRWSK</p>	<p><b>\$ 742</b></p>



◀◀ (Accessories for Bermixer PRO 450 W)

Description	Code	USD
Bowl cradle for containers WxDxH 6 5/16"x 5 1/2"x 7 1/16" Shipping weight lbs: 3 CuFt: 0.49	<b>653294</b> B2SUP	<b>\$ 461</b>
Adjustable rail, for containers 15in - 26in WxDxH 27 9/16"x 5 15/16"x 1 9/16" Shipping weight lbs: 3 CuFt: 0.44	<b>653292</b> B2RAIL	<b>\$ 482</b>



**Accessories for Bermixer PRO 550 W**

Description	Code	USD
Stainless Steel cutter tube 14in (353mm) WxDxH 4 5/16"x 4 5/16"x 13 7/8" Shipping weight lbs: 4 CuFt: 0.44	<b>650132</b> BPT35	<b>\$ 558</b>
Stainless Steel cutter tube 18in (453mm) WxDxH 4 5/16"x 4 5/16"x 17 13/16" Shipping weight lbs: 3 CuFt: 0.44	<b>650133</b> BPT45	<b>\$ 637</b>
Stainless Steel cutter tube 22in (553mm) WxDxH 4 5/16"x 4 5/16"x 21 3/4" Shipping weight lbs: 3 CuFt: 0.44	<b>650134</b> BPT55	<b>\$ 714</b>
Reinforced whisk 10in WxDxH 4 3/4"x 4 3/4"x 15 13/16" Shipping weight lbs: 3 CuFt: 0.44	<b>653578</b> BMXRWSK	<b>\$ 742</b>
Bowl cradle for containers WxDxH 6 5/16"x 5 1/2"x 7 1/16" Shipping weight lbs: 3 CuFt: 0.49	<b>653294</b> B2SUP	<b>\$ 461</b>
Adjustable rail, for containers 15in - 26in WxDxH 27 9/16"x 5 15/16"x 1 9/16" Shipping weight lbs: 3 CuFt: 0.44	<b>653292</b> B2RAIL	<b>\$ 482</b>



## Food Preparation

### Immersion Blenders

#### Bermixer 650 W

Description	Code	USD
<p>Bermixer PRO, portable, hand held immersion blender, variable speed (up to 10000 RPM), handle grip, with 22" cutter tube, 1 HP, 650 watt, NEMA 1-15P</p> <p>0.65 electric kW 110-120 V 1 50/60 Hz WxDxH 5 7/16"x 4 3/4"x 34 1/16" Shipping weight lbs: 12 CuFt: 1.27</p> <p><b>Included Accessory</b> 650134 Stainless Steel cutter tube 22in (553mm) 1</p>	<p><b>602192</b> BP6555U</p>	<p><b>\$ 1,369</b></p>
<p>Bermixer PRO, portable, hand held immersion blender, variable speed, handle grip, with 26" cutter tube, 1 HP, 650 watt, NEMA 1-15P</p> <p>0.65 electric kW 110-120 V 1 50/60 Hz WxDxH 5 7/16"x 4 3/4"x 38 " Shipping weight lbs: 12 CuFt: 1.27</p> <p><b>Included Accessory</b> 650135 Stainless Steel cutter tube 26in (553mm) 1</p>	<p><b>602193</b> BP6565U</p>	<p><b>\$ 1,315</b></p>



#### Accessories for Bermixer PRO 650 W

Description	Code	USD
<p>Stainless Steel cutter tube 14in (353mm)</p> <p>WxDxH 4 5/16"x 4 5/16"x 13 7/8" Shipping weight lbs: 4 CuFt: 0.44</p>	<p><b>650132</b> BPT35</p>	<p><b>\$ 558</b></p>
<p>Stainless Steel cutter tube 18in (453mm)</p> <p>WxDxH 4 5/16"x 4 5/16"x 17 13/16" Shipping weight lbs: 3 CuFt: 0.44</p>	<p><b>650133</b> BPT45</p>	<p><b>\$ 637</b></p>
<p>Stainless Steel cutter tube 22in (553mm)</p> <p>WxDxH 4 5/16"x 4 5/16"x 21 3/4" Shipping weight lbs: 3 CuFt: 0.44</p>	<p><b>650134</b> BPT55</p>	<p><b>\$ 714</b></p>
<p>Stainless Steel cutter tube 26in (553mm)</p> <p>WxDxH 4 5/16"x 4 5/16"x 25 11/16" Shipping weight lbs: 4 CuFt: 0.44</p>	<p><b>650135</b> BPT65</p>	<p><b>\$ 792</b></p>



◀◀ (Accessories for Bermixer PRO 650 W)

Description	Code	USD
Reinforced whisk 10in WxDxH 4 3/4"x 4 3/4"x 15 13/16" Shipping weight lbs: 3 CuFt: 0.44	<b>653578</b> BMXRWSK	<b>\$ 742</b>
Bowl cradle for containers WxDxH 6 5/16"x 5 1/2"x 7 1/16" Shipping weight lbs: 3 CuFt: 0.49	<b>653294</b> B2SUP	<b>\$ 461</b>
Adjustable rail, for containers 15in - 26in WxDxH 27 9/16"x 5 15/16"x 1 9/16" Shipping weight lbs: 3 CuFt: 0.44	<b>653292</b> B2RAIL	<b>\$ 482</b>



**Bermixer 750 W**

Description	Code	USD
Bermixer PRO, portable hand held immersion blender, variable speed, handle grip, with 22" stainless steel cutter tube, 1 HP, 750 watt.  0.75 electric kW 110-120 V 1 50/60 Hz WxDxH 5 7/16"x 4 3/4"x 34 1/16" Shipping weight lbs: 12 CuFt: 1.27 <b>Included Accessory</b> 650134 Stainless Steel cutter tube 22in 1 (553mm)	<b>602194</b> BP7555U	<b>\$ 1,546</b>
Bermier PRO, portable, hand held immersion blender, variable speed (up to 10000 RPM), handle grip, with 26" cutter tube attachment, 750 watt, NEMA 5-15P  0.75 electric kW 110-120 V 1 50/60 Hz WxDxH 5 7/16"x 4 3/4"x 38 " Shipping weight lbs: 12 CuFt: 1.27 <b>Included Accessory</b> 650135 Stainless Steel cutter tube 26in 1 (553mm)	<b>602195</b> BP7565U	<b>\$ 1,426</b>



## Food Preparation

### Immersion Blenders

#### Accessories for Bermixer PRO 750 W

Description	Code	USD
Stainless Steel cutter tube 14in (353mm) WxDxH 4 5/16"x 4 5/16"x 13 7/8" Shipping weight lbs: 4 CuFt: 0.44	<b>650132</b> BPT35	\$ 558
Stainless Steel cutter tube 18in (453mm) WxDxH 4 5/16"x 4 5/16"x 17 13/16" Shipping weight lbs: 3 CuFt: 0.44	<b>650133</b> BPT45	\$ 637
Stainless Steel cutter tube 22in (553mm) WxDxH 4 5/16"x 4 5/16"x 21 3/4" Shipping weight lbs: 3 CuFt: 0.44	<b>650134</b> BPT55	\$ 714
Stainless Steel cutter tube 26in (553mm) WxDxH 4 5/16"x 4 5/16"x 25 11/16" Shipping weight lbs: 4 CuFt: 0.44	<b>650135</b> BPT65	\$ 792
Reinforced whisk 10in WxDxH 4 3/4"x 4 3/4"x 15 13/16" Shipping weight lbs: 3 CuFt: 0.44	<b>653578</b> BMXRWSK	\$ 742
Bowl cradle for containers WxDxH 6 5/16"x 5 1/2"x 7 1/16" Shipping weight lbs: 3 CuFt: 0.49	<b>653294</b> B2SUP	\$ 461
Adjustable rail, for containers 15in - 26in WxDxH 27 9/16"x 5 15/16"x 1 9/16" Shipping weight lbs: 3 CuFt: 0.44	<b>653292</b> B2RAIL	\$ 482



**Slicing discs for CX21D**

Description	Code	USD
Grating Disc 5/64" (2mm) WxDxH 8 1/16"x 7 7/8"x 1 9/16" Shipping weight lbs: 1 CuFt: 0.12	<b>653773</b> J2X	<b>\$ 414</b>
Grating Disc 1/8" (3mm) WxDxH 8 1/16"x 7 7/8"x 1 9/16" Shipping weight lbs: 2	<b>653774</b> J3X	<b>\$ 414</b>
Grating Disc 5/32" (4mm) WxDxH 8 1/16"x 7 7/8"x 1 9/16" Shipping weight lbs: 1 CuFt: 0.12	<b>653775</b> J4X	<b>\$ 414</b>
Grating Disc 9/32" (7mm) WxDxH 8 1/16"x 7 7/8"x 1 9/16" Shipping weight lbs: 1 CuFt: 0.12	<b>653776</b> J7X	<b>\$ 414</b>
Grating Disc 11/32" (9mm) WxDxH 8 1/16"x 7 7/8"x 1 9/16" Shipping weight lbs: 1 CuFt: 0.13	<b>653777</b> J9X	<b>\$ 414</b>
Grating Disc for breadcrumbs/potatoes WxDxH 8 1/16"x 7 7/8"x 1 9/16" Shipping weight lbs: 1 CuFt: 0.12	<b>653778</b> KX	<b>\$ 414</b>
Grating Disc for parmesan/chocolate WxDxH 8 1/16"x 7 7/8"x 1 3/16" Shipping weight lbs: 2 CuFt: 0.12	<b>653779</b> PX	<b>\$ 414</b>
Julienne Disc 5/64" (2mm) WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 2 CuFt: 0.12	<b>650166</b> AS2XX	<b>\$ 546</b>
Julienne Disc 5/64" x 5/16" (2 x 8mm) WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 2 CuFt: 0.12	<b>650158</b> AS2X8X	<b>\$ 546</b>



## Food Preparation

### Accessories for H HUB models

◀◀ (Slicing discs for CX21D)

Description	Code	USD
<p>Julienne Disc 5/64" x 3/8" (2 x 10mm)</p> <p>WxDxH 8 1/16"x 8 1/16"x 1 3/8"</p> <p>Shipping weight lbs: 2 CuFt: 0.12</p>	<p><b>650159</b> AS2X10X</p>	<p><b>\$ 511</b></p>
<p>Julienne Disc 1/8" (3mm)</p> <p>WxDxH 8 1/16"x 8 1/16"x 1 3/8"</p> <p>Shipping weight lbs: 2 CuFt: 0.12</p>	<p><b>650167</b> AS3XX</p>	<p><b>\$ 511</b></p>
<p>Julienne Disc 5/32" (4mm)</p> <p>WxDxH 8 1/16"x 8 1/16"x 1 3/8"</p> <p>Shipping weight lbs: 2 CuFt: 0.13</p>	<p><b>650077</b> AS4XX</p>	<p><b>\$ 511</b></p>
<p>Julienne Disc 1/4" (6mm)</p> <p>WxDxH 8 1/16"x 8 1/16"x 1 3/8"</p> <p>Shipping weight lbs: 2 CuFt: 0.13</p>	<p><b>650078</b> AS6XX</p>	<p><b>\$ 511</b></p>
<p>Julienne Disc 5/16" (8mm)</p> <p>WxDxH 8 1/16"x 8 1/16"x 1 3/8"</p> <p>Shipping weight lbs: 2 CuFt: 0.12</p>	<p><b>650079</b> AS8XX</p>	<p><b>\$ 546</b></p>
<p>Julienne Disc 3/8" (10mm)</p> <p>WxDxH 8 1/16"x 8 1/16"x 1 3/8"</p> <p>Shipping weight lbs: 2 CuFt: 0.12</p>	<p><b>650080</b> AS10XX</p>	<p><b>\$ 546</b></p>
<p>Slicing Disc 0.6mm (can be combined with Dicing Grids (MT) and Grids for Chips (FT))</p> <p>WxDxH 8 1/16"x 8 1/16"x 1 3/8"</p> <p>Shipping weight lbs: 2 CuFt: 0.12</p>	<p><b>650081</b> C06SX</p>	<p><b>\$ 414</b></p>
<p>Slicing Disc 1/32" (1mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT))</p> <p>WxDxH 8 1/16"x 8 1/16"x 1 3/8"</p> <p>Shipping weight lbs: 2 CuFt: 0.13</p>	<p><b>650082</b> C1SX</p>	<p><b>\$ 414</b></p>
<p>Slicing Disc 5/64" (2mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT))</p> <p>WxDxH 8 1/16"x 8 1/16"x 1 3/8"</p> <p>Shipping weight lbs: 2 CuFt: 0.12</p>	<p><b>650083</b> C2SX</p>	<p><b>\$ 414</b></p>



**Food Preparation**  
**Accessories for H HUB models**

◀◀ (Slicing discs for CX21D)

Description	Code	USD
Slicing Disc 1/8" (3mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT)) WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 2 CuFt: 0.12	<b>650084</b> C3SX	<b>\$ 414</b>
Slicing Disc 5/32" (4mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT)) WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 2 CuFt: 0.13	<b>650085</b> C4SX	<b>\$ 414</b>
Slicing Disc 3/16" (5mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT)) WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 2 CuFt: 0.12	<b>650086</b> C5SX	<b>\$ 442</b>
Slicing Disc 1/4" (6mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT)) WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 2 CuFt: 0.12	<b>650087</b> C6SX	<b>\$ 414</b>
Slicing Disc 5/16" (8mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT)) WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 2 CuFt: 0.13	<b>650088</b> C8SX	<b>\$ 414</b>
Slicing Disc 3/8" (10mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT)) WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 2 CuFt: 0.13	<b>650160</b> C10SX	<b>\$ 414</b>
Slicing Disc 15/32" (12mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT)) WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 2 CuFt: 0.12	<b>650161</b> C12SX	<b>\$ 414</b>
Slicing Disc 33/64" (13mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT)) WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 2 CuFt: 0.12	<b>650165</b> C13SX	<b>\$ 442</b>
Wavy Slicing Disc 5/64" (2mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT)) WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 2 CuFt: 0.12	<b>650089</b> C2WX	<b>\$ 414</b>



## Food Preparation

### Accessories for H HUB models

◀◀ (Slicing discs for CX21D)

Description	Code	USD
Wavy Slicing Disc 1/8" (3mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT)) WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 2	<b>650090</b> C3WX	\$ 414
Wavy Slicing Disc 1/4" (6mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT)) WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 2 CuFt: 0.12	<b>650091</b> C6WX	\$ 414
Wavy Slicing Disc 5/16" (8mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT)) WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 2 CuFt: 0.12	<b>650162</b> C8WX	\$ 414
Wavy Slicing Disc 3/8" (10mm) (can be combined with Dicing Grids (MT) and Grids for Chips (FT)) WxDxH 8 1/16"x 8 1/16"x 1 3/8" Shipping weight lbs: 2 CuFt: 0.01	<b>650164</b> C10WX	\$ 414
Dicing Grid 3/16" x 3/16" (5 x 5mm) (can be combined with Slicing Discs [C] and Wavy Slicing Discs (CW)) WxDxH 8 1/16"x 9 "x 0 7/8" Shipping weight lbs: 2 CuFt: 0.12	<b>653566</b> MT05T	\$ 414
Dicing Grid 5/16" x 5/16" (8 x 8mm) (can be combined with Slicing Discs [C] and Wavy Slicing Discs (CW)) WxDxH 8 1/16"x 9 "x 0 7/8" Shipping weight lbs: 1 CuFt: 0.12	<b>653567</b> MT08T	\$ 414
Dicing Grid 3/8" x 3/8" (10 x 10mm) (can be combined with Slicing Discs [C] and Wavy Slicing Discs (CW)) WxDxH 8 1/16"x 9 "x 0 7/8" Shipping weight lbs: 1 CuFt: 0.12	<b>653568</b> MT10T	\$ 414
Dicing Grid 15/32" x 15/32" (12 x 12mm) (can be combined with Slicing Discs [C] and Wavy Slicing Discs (CW)) WxDxH 8 1/16"x 9 "x 0 7/8" Shipping weight lbs: 2 CuFt: 0.12	<b>653569</b> MT12T	\$ 414
Dicing Grid 25/32" x 25/32" (20 x 20mm) (can be combined with Slicing Discs [C] and Wavy Slicing Discs (CW)) WxDxH 8 1/16"x 9 "x 0 7/8" Shipping weight lbs: 2 CuFt: 0.12	<b>653570</b> MT20T	\$ 414



**Food Preparation**  
**Accessories for H HUB models**

◀◀ (Slicing discs for CX21D)

Description	Code	USD
Grid for Chips 1/4" (6mm) (can be combined with Slicing Discs [C] and Wavy Slicing Discs (CW)) WxDxH 8 1/16"x 9 "x 0 7/8" Shipping weight lbs: 2 CuFt: 0.12	<b>653571</b> FT06	<b>\$ 414</b>
Grid for Chips 5/16" (8mm) (can be combined with Slicing Discs [C] and Wavy Slicing Discs (CW)) WxDxH 8 1/16"x 9 "x 0 7/8" Shipping weight lbs: 1	<b>653572</b> FT08	<b>\$ 414</b>
Grid for Chips 3/8" (10mm) (can be combined with Slicing Discs [C] and Wavy Slicing Discs (CW)) WxDxH 8 1/16"x 9 "x 0 7/8" Shipping weight lbs: 2	<b>653573</b> FT10	<b>\$ 414</b>



## Food Preparation

### Vegetable Washers and Spin Dryers

#### VP4

Description	Code	USD
VP4 "Greens Machine" Vegetable Dryer, 20Gal (75Lt) with basket, stainless steel drum 0.50 electric kW 120 V 1N 60 Hz WxDxH 29 1/8"x 29 1/2"x 32 " Shipping weight lbs: 139 CuFt: 20.81 <b>Included Accessory</b> 653866 Basket for VP4 salad and vegetable dryer 1	<b>602258</b> VP4	<b>\$ 6,809</b>



#### Accessories for VP4

Description	Code	USD
Basket for VP4 salad and vegetable dryer WxDxH 19 3/16"x 19 3/16"x 14 15/16" Shipping weight lbs: 15 CuFt: 6.74	<b>653866</b> BKVP4	<b>\$ 622</b>

# INDEX

## Dishwashing Equipment

### Undercounters

green&clean Undercounters

115

### Hood Type Dishwashers

green&clean Hood Type

116

### Pot and Pan Washers

Baskets

117

green&clean Undercounters

Description	Code	USD
<p>Undercounter Dishwasher and Glasswasher, WASH-SAFE CONTROL, Energy Star 3.0, 30 racks/hour - 208V/1N/60Hz</p> <p>6.85 electric kW 208 V 1 60 Hz                      WxDxH 23 5/8"x 24 3/16"x 32 1/4"                      Shipping weight lbs: 172 CuFt: 18.37</p> <p><b>Included Accessory</b></p> <p>864242 Yellow cutlery container 2                      867002 Basket for (18) dinner plates, yellow 1                      867007 Basket for (48) small cups or (24) large cups, blue 1</p>	<p><b>502716</b>                      ELA11G8</p>	<p><b>\$ 14,659</b></p>
<p>Undercounter Dishwasher and Glasswasher, WASH-SAFE CONTROL, Energy Star 3.0, 30 racks/hour - 240V/1N/60Hz</p> <p>6.85 electric kW 240 V 1 60 Hz                      WxDxH 23 5/8"x 24 3/16"x 32 1/4"                      Shipping weight lbs: 172 CuFt: 17.68</p> <p><b>Included Accessory</b></p> <p>864242 Yellow cutlery container 2                      867002 Basket for (18) dinner plates, yellow 1                      867007 Basket for (48) small cups or (24) large cups, blue 1</p>	<p><b>502717</b>                      ELA11G4</p>	<p><b>\$ 14,659</b></p>



## Dishwashing Equipment

### Hood Type Dishwashers

#### green&clean Hood Type

Description	Code	USD									
<p>Dishwasher, hood type, 60 racks/hour, hot water sanitizing with built-in booster heater, field convert corner/straight thru, 304 stainless steel frame, wash tank, booster tank &amp; side panels, drain, detergent &amp; rinse aid pumps, 240v/60/3-ph, 24 amps, 2 HP,</p> <p>9.90 electric kW 240 V 3 60 Hz                      WxDxH 29 5/8"x 29 3/4"x 61 11/16"                      Shipping weight lbs: 317 CuFt: 43.27</p> <p><b>Included Accessory</b></p> <table border="0"> <tr> <td>864242</td> <td>Yellow cutlery container</td> <td>2</td> </tr> <tr> <td>867002</td> <td>Basket for (18) dinner plates, yellow</td> <td>1</td> </tr> <tr> <td>867007</td> <td>Basket for (48) small cups or (24) large cups, blue</td> <td>1</td> </tr> </table>	864242	Yellow cutlery container	2	867002	Basket for (18) dinner plates, yellow	1	867007	Basket for (48) small cups or (24) large cups, blue	1	<p><b>504262</b> EHT8ILG4</p>	<p><b>\$ 25,496</b></p>
864242	Yellow cutlery container	2									
867002	Basket for (18) dinner plates, yellow	1									
867007	Basket for (48) small cups or (24) large cups, blue	1									
<p>Dishwasher, hood type, 60 racks/hour, hot water sanitizing with built-in booster heater, field convert corner/straight thru, 304 stainless steel frame, wash tank, booster tank &amp; side panels, drain, detergent &amp; rinse aid pumps, ETL</p> <p>9.90 electric kW 208 V 3 60 Hz                      WxDxH 29 5/8"x 29 3/4"x 61 11/16"                      Shipping weight lbs: 313 CuFt: 43.27</p> <p><b>Included Accessory</b></p> <table border="0"> <tr> <td>864242</td> <td>Yellow cutlery container</td> <td>2</td> </tr> <tr> <td>867002</td> <td>Basket for (18) dinner plates, yellow</td> <td>1</td> </tr> <tr> <td>867007</td> <td>Basket for (48) small cups or (24) large cups, blue</td> <td>1</td> </tr> </table>	864242	Yellow cutlery container	2	867002	Basket for (18) dinner plates, yellow	1	867007	Basket for (48) small cups or (24) large cups, blue	1	<p><b>504263</b> EHT8ILG8</p>	<p><b>\$ 25,496</b></p>
864242	Yellow cutlery container	2									
867002	Basket for (18) dinner plates, yellow	1									
867007	Basket for (48) small cups or (24) large cups, blue	1									



**Baskets**

Description	Code	USD
Stainless steel basket for pot and pan washers, 34 1/2" (688mm) WxDxH 27 1/16"x 28 3/16"x 3 15/16" Shipping weight lbs: 15 CuFt: 2.17	<b>864191</b> WTAC82	<b>\$ 741</b>
Kit for trays in Potwashers WxDxH 21 7/8"x 8 1/2"x 8 3/4" Shipping weight lbs: 9 CuFt: 2.70	<b>864471</b> KITTPW9	<b>\$ 638</b>





Excellence is central to everything we do.  
By anticipating our customers' needs, we strive for  
Excellence with our people, innovations, solutions and services.  
To be the OnE making our customers' work-life easier,  
more profitable – and truly sustainable every day.

Follow us on



[www.electroluxprofessional.com/us](http://www.electroluxprofessional.com/us)

## Excellence with the environment in mind

- ▶ The majority of Electrolux Professional Group factories are third-party certified according to ISO (International Organization for Standardization) standards ISO 9001 and ISO 14001, with some sites also certified ISO 5001 and ISO 45001.\*
- ▶ We are focused on developing innovative and sustainable solutions designed for low water, energy and detergent consumptions and reduced emissions.
- ▶ Our products are tailored to human comfort based on ergonomic principles and according to the user's natural workflow, achieving maximum efficiency with minimum effort. We also perform third-party ergonomic certifications on certain products (ERGOCERT).
- ▶ The selection of materials and technologies for our products complies with REACH (Registration, Evaluation, Authorization and Restriction of Chemicals) and RoHS directives (Restriction of Hazardous Substances 2011/65/EU) for the protection of human health and the environment



\*for more details, refer to annual Sustainability Report at: [electroluxprofessionalgroup.com](http://electroluxprofessionalgroup.com)